

**MEPS HC-062:
2002 Full Year
Population Characteristics
June 2004**

**Agency for Healthcare Research and Quality
Center for Financing, Access, and Cost Trends
540 Gaither Road
Rockville, MD 20850
(301) 427-1406**

Table of Contents

A.	Data Use Agreement	A-1
B.	Background	B-1
	1.0 Household Component.....	B-1
	2.0 Medical Provider Component	B-2
	3.0 Insurance Component	B-2
	4.0 Survey Management	B-3
C.	Technical and Programming Information	C-1
	1.0 General Information	C-1
	2.0 Data File Information.....	C-1
	2.1 Using MEPS Data for Trend and Longitudinal Analysis	C-2
	2.2 Codebook Structure.....	C-2
	2.3 Reserved Codes.....	C-3
	2.4 Codebook Format.....	C-3
	2.5 Variable Naming	C-4
	2.6 File Contents	C-4
	2.6.1 Survey Administration Variables	C-4
	2.6.2 Navigating the MEPS Data with Information on Person Disposition Status.....	C-14
	2.6.3 Geographic Variables	C-20
	2.6.4 Demographic Variables	C-21
	2.6.5 Health Status Variables	C-27
	2.6.5.1 Perceived Health Status and IADL and ADL Limitations.....	C-28
	2.6.5.2 Functional and Activity Limitations.....	C-30
	2.6.5.3 Vision Problems	C-33
	2.6.5.4 Hearing Problems	C-35
	2.6.5.5 Any Limitation Rounds 3, 4, and 5 (Panel 6) / Rounds 1, 2, and 3 (Panel 7).....	C-36
	2.6.5.6 Child Health and Preventive Care	C-37
	2.6.5.7 Preventive Care Variables	C-45
	2.6.5.8 Priority Conditions	C-48
	2.6.5.9 2002 Self-Administered Questionnaire (SAQ).....	C-51
	2.6.5.10 Diabetes Care Survey (DCS).....	C-56
	2.6.6 Access to Care Variables	C-57
	2.6.6.1 Family Members' Origins and Preferred Languages	C-58

	2.6.6.2	Family Members' Usual Source of Health Care	C-58
	2.6.6.3	Characteristics of Usual Source of Health Care Provider	C-59
	2.6.6.4	Access to and Satisfaction with the Provider	C-61
	2.6.6.5	Access to Medical Treatment, Dental Treatment, and Prescription Medicines ..	C-62
	2.6.6.6	Editing the Access to Care Variables	C-63
	2.6.6.7	Recoding of Additional Other Specify Text Items	C-63
	2.6.7	Employment Variables	C-64
	2.6.8	Health Insurance Variables.....	C-72
	2.6.9	Person-Level Medical Utilization Variables	C-85
	2.6.9.1	Medical Provider Visits (i.e., Office-Based Visits)	C-85
	2.6.9.2	Hospital Events.....	C-86
	2.6.9.3	Dental Care Visits.....	C-87
	2.6.9.4	Home Health Care	C-87
3.0		Survey Sample Information	C-87
	3.1	Background on Sample Design and Response Rates	C-87
	3.1.1	References.....	C-88
	3.1.2	MEPS--Linked to the National Health Interview Survey	C-88
	3.1.3	Sample Weights and Variance Estimation.....	C-89
	3.2	The MEPS Sampling Process and Response Rates: An Overview	C-89
	3.2.1	Response Rates	C-91
	3.2.2	Panel 7 Response Rates	C-92
	3.2.3	Panel 6 Response Rates	C-92
	3.2.4	Combined Panel Response	C-92
	3.2.5	Oversampling.....	C-92
	3.3	Background on Person-Level Estimation Using this MEPS Public Use Release	C-94
	3.3.1	Overview.....	C-94
	3.3.2	Developing Person-Level Estimates.....	C-94
	3.4	Details on Person-Level Weights Construction	C-95
	3.4.1	Overview.....	C-95
	3.4.2	MEPS Panel 6.....	C-95
	3.4.3	MEPS Panel 7.....	C-96
	3.4.4	Raking.....	C-96
	3.4.5	The Final Weight for 2002	C-97
	3.4.6	A Note on MEPS Population Estimates	C-97
	3.4.7	Coverage	C-98

3.5	Background on Family-Level Estimation Using this MEPS Public Use Release.....	C-98
3.5.1	Definition of "Family" for Estimation Purposes	C-99
3.5.2	Instructions to Create Family Estimates	C-100
3.5.3	Details on Family Weight Construction and Estimated Number of Families.....	C-100
3.6	Relationship between Person and Family-Level Weights	C-101
3.7	Weights and Response Rates for the Self-Administered Questionnaire	C-101
3.8	Weights and Response Rates for the Diabetes Care Survey	C-102
3.9	Variance Estimation.....	C-103
3.10	Guidelines for which Weight to Use for Analysis Involving Data/Variables from Multiple Sources and Supplements: Meps 2002 Full-Year Use File	C-103
D.	Variable-Source Crosswalk.....	D-1

Data Use Agreement

Individual identifiers have been removed from the micro-data contained in these files. Nevertheless, under sections 308 (d) and 903 (c) of the Public Health Service Act (42 U.S.C. 242m and 42 U.S.C. 299 a-1), data collected by the Agency for Healthcare Research and Quality (AHRQ) and/or the National Center for Health Statistics (NCHS) may not be used for any purpose other than for the purpose for which they were supplied; any effort to determine the identity of any reported cases is prohibited by law.

Therefore in accordance with the above referenced Federal Statute, it is understood that:

1. No one is to use the data in this data set in any way except for statistical reporting and analysis; and
2. If the identity of any person or establishment should be discovered inadvertently, then (a) no use will be made of this knowledge, (b) the Director Office of Management AHRQ will be advised of this incident, (c) the information that would identify any individual or establishment will be safeguarded or destroyed, as requested by AHRQ, and (d) no one else will be informed of the discovered identity; and
3. No one will attempt to link this data set with individually identifiable records from any data sets other than the Medical Expenditure Panel Survey or the National Health Interview Survey.

By using these data you signify your agreement to comply with the above stated statutorily based requirements with the knowledge that deliberately making a false statement in any matter within the jurisdiction of any department or agency of the Federal Government violates Title 18 part 1 Chapter 47 Section 1001 and is punishable by a fine of up to \$10,000 or up to 5 years in prison.

The Agency for Healthcare Research and Quality requests that users cite AHRQ and the Medical Expenditure Panel Survey as the data source in any publications or research based upon these data.

B. Background

The Medical Expenditure Panel Survey (MEPS) provides nationally representative estimates of health care use, expenditures, sources of payment, and insurance coverage for the U.S. civilian noninstitutionalized population. MEPS is cosponsored by the Agency for Healthcare Research and Quality (AHRQ) and the National Center for Health Statistics (NCHS).

MEPS is a family of three surveys. The Household Component (HC) is the core survey and forms the basis for the Medical Provider Component (MPC) and part of the Insurance Component (IC). Together these surveys yield comprehensive data that provide national estimates of the level and distribution of health care use and expenditures, support health services research, and can be used to assess health care policy implications.

MEPS is the third in a series of national probability surveys conducted by AHRQ on the financing and use of medical care in the United States. The National Medical Care Expenditure Survey (NMCES, also known as NMES-1) was conducted in 1977 and the National Medical Expenditure Survey (NMES-2) in 1987. Since 1996, MEPS continues this series with design enhancements and efficiencies that provide a more current data resource to capture the changing dynamics of the health care delivery and insurance system.

The design efficiencies incorporated into MEPS are in accordance with the Department of Health and Human Services (DHHS) Survey Integration Plan of June 1995, which focused on consolidating DHHS surveys, achieving cost efficiencies, reducing respondent burden, and enhancing analytical capacities. To advance these goals, MEPS includes linkage with the National Health Interview Survey (NHIS) - a survey conducted by NCHS from which the sample for the MEPS HC is drawn - and enhanced longitudinal data collection for core survey components. The MEPS HC augments NHIS by selecting a sample of NHIS respondents, collecting additional data on their health care expenditures, and linking these data with additional information collected from the respondents' medical providers, employers, and insurance providers.

1.0 Household Component

The MEPS HC, a nationally representative survey of the U.S. civilian noninstitutionalized population, collects medical expenditure data at both the person and household levels. The HC collects detailed data on demographic characteristics, health conditions, health status, use of medical care services, charges and payments, access to care, satisfaction with care, health insurance coverage, income, and employment.

The HC uses an overlapping panel design in which data are collected through a preliminary contact followed by a series of five rounds of interviews over a 2 ½-year period. Using computer-assisted personal interviewing (CAPI) technology, data on medical expenditures and use for two calendar years are collected from each household. This series of data collection rounds is launched each subsequent year on a new sample of households to provide overlapping panels of survey data and, when combined with other ongoing panels, will provide continuous and current estimates of health care expenditures.

The sampling frame for the MEPS HC is drawn from respondents to NHIS. NHIS provides a nationally representative sample of the U.S. civilian noninstitutionalized population, with oversampling of Hispanics and blacks.

2.0 Medical Provider Component

The MEPS MPC supplements and/or replaces information on medical care events reported in the MEPS HC by contacting medical providers and pharmacies identified by household respondents. The MPC sample includes all home health agencies and pharmacies reported by HC respondents. Office-based physicians, hospitals, and hospital physicians are also included in the MPC but may be subsampled at various rates, depending on burden and resources, in certain years.

Data are collected on medical and financial characteristics of medical and pharmacy events reported by HC respondents. The MPC is conducted through telephone interviews and record abstraction.

3.0 Insurance Component

The MEPS IC collects data on health insurance plans obtained through private and public-sector employers. Data obtained in the IC include the number and types of private insurance plans offered, benefits associated with these plans, premiums, contributions by employers and employees, eligibility requirements, and employer characteristics.

Establishments participating in the MEPS IC are selected through three sampling frames:

- A list of employers or other insurance providers identified by MEPS HC respondents who report having private health insurance at the Round 1 interview.
- A Bureau of the Census list frame of private sector business establishments.
- The Census of Governments from the Bureau of the Census.

To provide an integrated picture of health insurance, data collected from the first sampling frame (employers and insurance providers identified by MEPS HC respondents) are linked back to data provided by those respondents. Data from the two Census Bureau sampling frames are used to produce annual national and state estimates of the supply and cost of private health insurance available to American workers and to evaluate policy issues pertaining to health insurance. National estimates of employer contributions to group insurance from the MEPS IC are used in the computation of Gross Domestic Product (GDP) by the Bureau of Economic Analysis.

The MEPS IC is an annual survey. Data are collected from the selected organizations through a prescreening telephone interview, a mailed questionnaire, and a telephone follow-up for nonrespondents.

4.0 Survey Management

MEPS data are collected under the authority of the Public Health Service Act. They are edited and published in accordance with the confidentiality provisions of this act and the Privacy Act. NCHS provides consultation and technical assistance.

As soon as data collection and editing are completed, the MEPS survey data are released to the public in staged releases of summary reports, microdata files and compendiums of tables. Data are released through MEPSnet, an online interactive tool developed to give users the ability to statistically analyze MEPS data in real time. Summary reports and compendiums of tables are released as printed documents and electronic files. Microdata files are released on electronic files.

Selected printed documents are available through the AHRQ Publications Clearinghouse. Write or call:

AHRQ Publications Clearinghouse
Attn: (publication number)
P.O. Box 8547
Silver Spring, MD 20907
800-358-9295
410-381-3150 (callers outside the United States only)
888-586-6340 (toll-free TDD service; hearing impaired only)

Be sure to specify the AHRQ number of the document you are requesting.

Additional information on MEPS is available from the MEPS project manager or the MEPS public use data manager at the Center for Financing, Access and Cost Trends, Agency for Healthcare Research and Quality, 540 Gaither Road, Rockville, Md 20850 (301-427-1406).

C. Technical and Programming Information

1.0 General Information

This documentation describes the 2002 full-year population characteristics data file from the Medical Expenditure Panel Survey Household Component (MEPS HC). Released as an ASCII file (with related SAS and SPSS programming statements) and a SAS transport dataset, this public use file provides information collected on a nationally representative sample of the civilian noninstitutionalized population of the United States for calendar year 2002. This file consists of MEPS survey data obtained in Rounds 3, 4, and 5 of Panel 6 and Rounds 1, 2, and 3 of Panel 7, the rounds for the MEPS panels covering calendar year 2002, and contains variables pertaining to survey administration, demographics, employment, health status, quality of care, patient satisfaction, health insurance, and person-level medical care use counts. The 2002 full-year expenditure and income data will be forthcoming.

The following documentation offers a brief overview of the types and levels of data provided, the content and structure of the files, and programming information. It contains the following sections:

- Data File Information
- Survey Sample Information
- Variable-Source Crosswalk (Section D)

A codebook of all the variables included in the 2002 full-year population characteristics data file is provided in a separate file (H62CB.PDF).

A database of all MEPS products released to date and a variable locator indicating the major MEPS data items on public use files that have been released to date can be found at the following link on the MEPS web site: www.meps.ahrq.gov/Data_Public.htm.

2.0 Data File Information

This public use dataset contains variables and frequency distributions associated with 39,165 persons who participated in the MEPS Household Component of the Medical Expenditure Panel Survey in 2002. These persons received a person-level weight, a family-level weight, or both (some participating persons belonged to families characterized as family-level nonrespondents while some members of participating families were not eligible for a person-level weight). These persons were part of one of the two MEPS panels for whom data were collected in 2002: Rounds 3, 4, and 5 of Panel 6 or Rounds 1, 2, and 3 of Panel 7. Of these persons, 37,418 were assigned a positive person-level weight. There were 14,828 families receiving a positive family-level weight. The codebook provides both weighted and unweighted frequencies for each variable on

the dataset. In conjunction with the person-level weight variable (PERWT02P) provided on this file, data for persons with a positive person-level weight can be used to make estimates for the civilian noninstitutionalized U. S. population for 2002.

2.1 Using MEPS Data for Trend and Longitudinal Analysis

MEPS began in 1996 and several annual data files have been released. As more years of data are produced, MEPS will become increasingly valuable for examining health care trends. However, it is important to consider a variety of factors when examining trends over time using MEPS. Statistical significance tests should be conducted to assess the likelihood that observed trends are attributable to sampling variation. The length of time being analyzed should also be considered. In particular, large shifts in survey estimates over short periods of time (e.g. from one year to the next) that are statistically significant should be interpreted with caution, unless they are attributable to known factors such as changes in public policy, economic conditions, or MEPS survey methodology. Looking at changes over longer periods of time can provide a more complete picture of underlying trends. Analysts may wish to consider using techniques to smooth or stabilize trends analyses of MEPS data such as pooling time periods for comparison (e.g. 1996-97 versus 1998-99), working with moving averages, or using modeling techniques with several consecutive years of MEPS data to test the fit of specified patterns over time. Finally, researchers should be aware of the impact of multiple comparisons on Type I error because performing numerous statistical significance tests of trends increases the likelihood of inappropriately concluding a change is statistically significant.

The records on this file can be linked to all other 2002 MEPS-HC public use data sets by the sample person identifier (DUPERSID). Panel 6 cases (PANEL02=6) can be linked back to the 2001 MEPS-HC public use data files. However, the user should be aware that, at this time, no weight is provided to facilitate two-year analysis of Panel 6 data.

2.2 Codebook Structure

The codebook and data file sequence lists variables in the following order:

- Unique person identifiers
- Geographic variables
- Demographic variables
- Health status variables
- Employment variables
- Health insurance variables
- Access to care variables
- Medical usage count variables

- Weight and variance estimation variables

2.3 Reserved Codes

The following reserved code values are used:

VALUE	DEFINITION
-1 INAPPLICABLE	Question was not asked due to skip pattern
-2 DETERMINED IN PREVIOUS ROUND	Question was not asked in round because there was no change in current main job since previous round
-7 REFUSED	Question was asked and respondent refused to answer question
-8 DK	Question was asked and respondent did not know answer
-9 NOT ASCERTAINED	Interviewer did not record the data
-10 HOURLY WAGE >= \$61.98	Hourly wage was top-coded for confidentiality

2.4 Codebook Format

This codebook describes an ASCII data set and provides the following programming identifiers for each variable:

IDENTIFIER	DESCRIPTION
Name	Variable name (maximum of 8 characters)
Description	Variable descriptor (maximum 40 characters)
Format	Number of bytes
Type	Type of data: numeric (indicated by NUM) or character (indicated by CHAR)
Start	Beginning column position of variable in record
End	Ending column position of variable in record

2.5 Variable Naming

In general, variable names reflect the content of the variable, with an eight-character limitation. Edited variables end in an X and are so noted in the variable label. The last two characters in round-specific variables denote the rounds of data collection, Round 3, 4, or 5 of Panel 6 and Round 1, 2, or 3 of Panel 7. Unless otherwise noted, variables that end in “02” represent status as of December 31, 2002.

Variables contained in this delivery were derived either from the questionnaire itself or from the CAPI. The source of each variable is identified in the section of the documentation entitled “Section D. Variable-Source Crosswalk”. Sources for each variable are indicated in one of four ways: (1) variables derived from CAPI or assigned in sampling are so indicated; (2) variables derived from complex algorithms associated with re-enumeration are labeled “RE Section”; (3) variables that are collected by one or more specific questions in the instrument have those question numbers listed in the Source column; (4) variables constructed from multiple questions using complex algorithms are labeled “Constructed.”

2.6 File Contents

2.6.1 Survey Administration Variables

The survey administration variables contain information related to conducting the interview, household and family composition, and person-level and RU-level status codes. Data for the survey administration variables were derived from the sampling process, the CAPI programs, or were computed based on information provided by the respondent in the re-enumeration section of the questionnaire. Most survey administration variables on this file are asked during every round of the MEPS interview. They describe data for Rounds 3/1, 4/2, 5/3 status and status as of December 31, 2002. Variable names ending in “xy” represent variables relevant to Round “x” of Panel 6 or Round “y” of Panel 7. For example, RULETR53 is a variable relevant to Round 5 of Panel 6 or Round 3 of Panel 7, depending on the panel in which the person was included. The variable PANEL02 indicates the panel in which the person participated.

The December 31, 2002 variables were developed in two ways. Those used in the construction of eligibility, inscope, and the end reference date were based on an exact date. The remaining variables were constructed using data from specific rounds, if available. If data were missing from the target round but were available in another round, data from that other round were used in the variable construction. If no valid data were available during any round of data collection, an appropriate reserved code was assigned.

Dwelling Units, Reporting Units, and Families

The definitions of Dwelling Units (DUs) in the MEPS Household Survey are generally consistent with the definitions employed for the National Health Interview Survey. The Dwelling Unit ID (DUID) is a five-digit random ID number assigned after the case was sampled for MEPS. A person number (PID) uniquely identifies each person within the DU. The variable DUPERSID is the combination of the variables DUID and PID.

PANEL02 is a constructed variable used to specify the panel number for the person. PANEL02 will indicate either Panel 6 or Panel 7 for each person on the file. Panel 6 is the panel that started in 2001, and Panel 7 is the panel that started in 2002.

A Reporting Unit (RU) is a person or group of persons in the sampled DU who are related by blood, marriage, adoption, foster care, or other family association. Each RU was interviewed as a single entity for MEPS. Thus, the RU serves chiefly as a family-based “survey” operations unit rather than an analytic unit. Members of each RU within the DU are identified in the pertinent three rounds by the round-specific variables RULETR31, RULETR42, and RULETR53. End-of-year status (as of December 31, 2002 or the last round they were in the survey) is indicated by the RULETR02 variable. Regardless of the legal status of their association, two persons living together as a “family” unit were treated as a single RU if they chose to be so identified. Examples of different types of RUs are:

1. A married daughter and her husband living with her parents in the same DU constitute a single RU
2. A husband and wife and their unmarried daughter, age 18, who is living away from home while at college constitute two RUs
3. Three unrelated persons living in the same DU would each constitute a distinct RU (a total of three RUs)

Unmarried college students (less than 24 years of age) who usually live in the sampled household but were living away from home and going to school at the time of the Round 3/1 MEPS interview were treated as a RU separate from that of their parents for the purpose of data collection.

The round-specific variables RUSIZE31, RUSIZE42, RUSIZE53, and the end-of-year status variable RUSIZE02 indicate the number of persons in each RU, treating students as single RUs separate from their parents. Thus, students are not included in the RUSIZE count of their parents’ RU. However, for many analytic objectives, the student RUs would be combined with their parents’ RU, treating the combined entity as a single family. Family identifier and size variables are described below and include students with their parents’ RU.

The round-specific variables FAMID31, FAMID42, FAMID53, and the end-of-year status variable FAMID02 identify a family (i.e., persons related to one another by blood, marriage, adoption, foster care, or self-identified as a single unit) for each round and as of December 31, 2002. The FAMID variables differ from the RULETR variables only in that student RUs are combined with their parents' RU.

One other family identifier, FAMIDYR, is provided on this file. The annualized family ID letter, FAMIDYR, identifies eligible members of the eligible annualized families within a DU. In order to identify a person's family affiliation, users must create a unique set of FAMID variables by concatenating the DU identifier and the FAMID variable. Instructions for creating family estimates are described in section 3.3.

The round-specific variables FAMSZE31, FAMSZE42, FAMSZE53, and the end-of-year status variable FAMSZE02 indicate the number of persons associated with a single family unit after students are linked to their associated parent RUs for analytical purposes. Family-level analyses should use the FAMSZE variables.

Note that the variables RUSIZE31, RUSIZE42, RUSIZE53, RUSIZE02, FAMSZE31, FAMSZE42, FAMSZE53, and FAMSZE02 exclude persons who are ineligible for data collection (i.e., those where ELGRND31 NE 1, ELGRND42 NE 1, ELGRND53 NE 1 or ELGRND02 NE 1); analysts should exclude ineligible persons in a given round from all family-level analyses for that round.

The round-specific variables RURSLT31, RURSLT42, and RURSLT53 indicate the RU response status for each round. Users should note that the values for RURSLT31 differ from those for RURSLT42 and RURSLT53. The values for RURSLT31 include the following:

Value	Definition
-1	Inapplicable
60	Complete with RU member
61	Complete with proxy--all RU members deceased
62	Complete with proxy--all RU members institutionalized or deceased
63	Complete with proxy, other
80	Entire RU merged with other RU
81	Entire RU deceased before 1/1/02
82	Entire RU is in military before 1/1/02
83	RU institutionalized before 1/1/02

Value	Definition
84	Entire RU left U.S. before 1/1/02
85	RU ineligible before 1/1/02, multi-reason
86	RU ineligible, Non-Key NHIS study
87	Re-enumeration complete, no eligible RU member, Ineligible RU
88	Unavailable during field period
89	Too ill, No proxy
90	Physical/Mental incompetent, No proxy
91	Final Refusal
92	Final Breakoff
93	Unable to locate
94	Entire RU is military or left U.S. after 1/1/02
95	RU member institutionalized after 1/1/02, No proxy
96	RU member deceased after 1/1/02, No proxy
97	Re-enumeration complete, no RU member, Non-Response
98	RU moved too far away to interview
99	Final other Non-Response

The values for RURSLT42 and RURSLT53 include the following:

Value	Definition
-1	Inapplicable
60	Complete with RU member
61	Complete with proxy--all RU members deceased
62	Complete with proxy--all RU members institutionalized or deceased
63	Complete with proxy, other
70	Entire RU merged with other RU
71	Re-enumeration complete, no eligible RU member, Ineligible RU
72	RU institutionalized in prior round; still institutionalized
81	Entire RU deceased before 1/1/02
82	Entire RU is in military before 1/1/02

Value	Definition
83	RU institutionalized before 1/1/02
84	Entire RU left U.S. before 1/1/02
85	RU ineligible before 1/1/02, multi-reason
86	RU ineligible, Non-Key NHIS study
87	Language Barrier
88	Unavailable during field period
89	Too ill, No proxy
90	Physical/Mental incompetent, No proxy
91	Final Refusal
92	Final Breakoff
93	Unable to locate
94	Entire RU is military or left U.S. after 1/1/02
95	RU member institutionalized after 1/1/02, No proxy
96	RU member deceased after 1/1/02, No proxy
97	Re-enumeration complete, no RU member, Non-Response
98	RU moved too far away to interview
99	Final other Non-Response

Standard or primary RUs are the original RUs from NHIS. A new RU is one created when members of the household leave the primary RU and are followed according to the rules of the survey. A student RU is an unmarried college student (under 24 years of age) who is considered a usual member of the household, but was living away from home while going to school, and was treated as a Reporting Unit (RU) separate from his or her parents' RU for the purpose of data collection. RUCLAS02 was set based on the RUCLASS values from Rounds 3/1, 4/2, and 5/3. If the person was present in the responding RU in Round 5/3, then RUCLAS02 was set to RUCLAS53. If the person was not present in a responding RU in Round 5/3 but was present in Round 4/2, then RUCLAS02 was set to RUCLAS42. If the person was not present in either Rounds 4/2 or 5/3 but was present in Round 3/1, then RUCLAS02 was set to RUCLAS31. If the person was not linked to a responding RU during any round, then RUCLAS02 was set to -9.

Reference Period Dates

The reference period is the period of time for which data were collected in each round for each person. The reference period dates were determined during the interview for each person by the CAPI program. The round-specific beginning reference period dates are included for each person. These variables include BEGRFM31, BEGRFD31, BEGRFY31, BEGRFM42, BEGRFD42, BEGRFY42, BEGRFM53, BEGRFD53, and BEGRFY53. The reference period for Round 1 for most persons began on January 1, 2002 and ended on the date of the Round 1 interview. For RU members who joined later in Round 1, the beginning Round 1 reference date was the date the person entered the RU. For all subsequent rounds, the reference period for most persons began on the date of the previous round's interview and ended on the date of the current round's interview. Persons who joined after the previous round's interview had their beginning reference date for the round set to the day they joined the RU.

The round-specific ending reference period dates for Rounds 3/1, 4/2, and 5/3 as well as the end-of-year reference period end date variables are also included for each person. These variables include ENDRFM31, ENDRFD31, ENDRFY31, ENDRFM42, ENDRFD42, ENDRFY42, ENDRFM53, ENDRFD53, ENDRFY53, ENDRFM02, ENDRFD02, and ENDRFY02. For most persons in the sample, the date of the round's interview is the reference period end date. Note that the end date of the reference period for a person is prior to the date of the interview if the person was deceased during the round, left the RU, was institutionalized prior to that round's interview, or left the RU to join the military.

Reference Person Identifiers

The round-specific variables REFPRS31, REFPRS42, and REFPRS53 and the end-of-year status variable REFPRS02 identify the reference person for Rounds 3/1, 4/2 and 5/3, and as of December 31, 2002 (or the last round they were in the survey). In general, the reference person is defined as the household member 16 years of age or older who owns or rents the home. If more than one person meets this description, the household respondent identifies one from among them. If the respondent is unable to identify a person fitting this definition, the questionnaire asks for the head of household and this person is then considered the reference person for that RU. This information is collected in the Re-enumeration section of the CAPI questionnaire.

Respondent Identifiers

The respondent is the person who answered the interview questions for the Reporting Unit (RU). The round-specific variables RESP31, RESP42, and RESP53 and the end-of-year status variable RESP02 identify the respondent for Rounds 3/1, 4/2, and 5/3 and as of December 31, 2002 (or the last round they were in the survey). Only one respondent is

identified for each RU. In instances where the interview was completed in more than one session, only the first respondent is indicated.

There are two types of respondents. The respondent can be either an RU member or a non-RU member proxy. The round-specific variables PROXY31, PROXY42, and PROXY53 and the end-of-year status variable PROXY02 identify the type of respondent for Rounds 3/1, 4/2, 5/3 and as of December 31, 2002 (or the last round they were in the survey).

Person Status

A number of variables describe the various components reflecting each person's status for each round of data collection. These variables provide information about a person's inscope status, keyness status, eligibility status, and disposition status. These variables include: KEYNESS, INSCOP31, INSCOP42, INSCOP53, INSCOP02, INSC1231, INSCOPE, ELGRND31, ELGRND42, ELGRND53, ELGRND02, PSTATS31, PSTATS42, and PSTATS53. These variables are set based on sampling information and responses provided in the Re-enumeration section of the CAPI questionnaire.

Through the Re-enumeration section of the CAPI questionnaire, each member of a RU was classified as "Key" or "Non-Key", "inscope" or "out-of-scope", and "eligible" or "ineligible" for MEPS data collection. To be included in the set of persons used in the derivation of MEPS person-level estimates, a person had to be a member of the civilian noninstitutionalized population for at least one day during 2002. Because a person's eligibility for the survey might have changed since the NHIS interview, a sampling re-enumeration of household membership was conducted at the start of each round's interview. Only persons who were "inscope" sometime during the year, were "key", and responded for the full period in which they were inscope were assigned positive person-level weights and thus are to be used in the derivation of person-level national estimates from the MEPS.

Note: If analysts want to subset to infants born during 2002, then newborns should be identified using AGE02X = 0 rather than PSTATSxy = 51.

Inscope

A person was considered as inscope during a round if he or she was a member of the U.S. civilian, noninstitutionalized population at some time during that round. The round-specific variables INSCOP31, INSCOP42, and INSCOP53 indicate a person's inscope status for Rounds 3/1, 4/2, and 5/3. INSCOP02 indicates a person's inscope status for the portion of Round 5/3 that covers 2002. The values of these variables taken in conjunction allow one to determine inscope status over time (for example, becoming inscope in the middle of a round, as would be the case for newborns). The INSCOPE variable indicates whether a person was ever inscope during the calendar year 2002. INSCOP31,

INSCOP42, INSCOP53, and INSCOP02 will contain the following values and corresponding labels (for INSCOP02, “reference period” in the description below is the portion of Round 5/3 in 2002):

Value	Definition
0	Incorrectly listed, or on NHIS roster but out-of-scope prior to January 1, 2002
1	Person is inscope for the whole reference period
2	Person is inscope at the start of the RU reference period, but not at the end of the RU reference period
3	Person is not inscope at the start of RU reference period, but is inscope at the end of the RU reference period. (For example, the person is inscope from the date the person joined the RU or the person was in the military in the previous round, but is no longer in the military in the current round)
4	Person is inscope during the reference period, but neither at the reference start date nor on the reference end date. (For example, person leaves an institution, goes into community, and then dies)
5	Person is out-of-scope for all of the reference period during which he or she is in an RU member. (For example, the person is in the military)
6	Person is out-of-scope for the entire reference period and is not a member of the RU during this time period and was inscope and an RU member in an earlier round.
7	Person is not in an RU, joined in a later round (or joined the RU after December 31, 2002 for INSCOP02)
8	RU Non-response and Key persons who left an RU with no tracing info and so a new RU was not formed
9	Person is non-key or full-time in the military, not a member of an RU during this time period, and was an RU member in an earlier round

Keyness

The term “Keyness” is related to an individual’s chance of being included in MEPS. A person is Key if that person is linked for sampling purposes to the set of NHIS sampled households designated for inclusion in MEPS. Specifically, a Key person was a member of an NHIS household at the time of the NHIS interview or became a member of such a household after being out-of-scope at the time of the NHIS (examples of the latter situation include newborns and persons returning from military service, an institution, or living outside the United States).

A non-key person is one whose chance of selection for the NHIS (and MEPS) was associated with a household eligible but not sampled for the NHIS and who later became a member of a MEPS Reporting Unit. MEPS data (e.g., utilization and income) were collected for the period of time a non-key person was part of the sampled unit to provide information for family-level analyses. However, non-key persons who leave a sample household unaccompanied by a key, inscope member were not followed for subsequent interviews. Non-key individuals do not receive sample person-level weights and thus do not contribute to person-level national estimates.

The variable KEYNESS indicates a person's keyness status. This variable is not round specific. Instead, it is set at the time the person enters MEPS, and the person's keyness status never changes. Once a person is determined to be key, that person will always be key.

It should be pointed out that a person might be key even though not part of the civilian, noninstitutionalized portion of the U.S. population. For example, a person in the military may have been living with his or her civilian spouse and children in a household sampled for NHIS. The person in the military would be considered a key person for MEPS; however, such a person would not be eligible to receive a person-level sample weight if he or she was never inscope during 2002.

Eligibility

The eligibility of a person for MEPS pertains to whether or not data were to be collected for that person. All of the key inscope persons of a sampled RU were eligible for data collection. The only non-key persons eligible for data collection were those who happened to be living in an RU with at least one key, inscope person. Their eligibility continued only for the time that they were living with at least one such person. The only out-of-scope persons eligible for data collection were those who were living with key inscope persons, again only for the time they were living with such a person. Only military persons can meet this description (for example, a person on full-time active duty military, living with a spouse who is key).

A person may be classified as eligible for an entire round or for some part of a round. For persons who are eligible for only part of a round (for example, persons may have been institutionalized during a round), data were collected for the period of time for which that person was classified as eligible. The round-specific variables ELGRND31, ELGRND42, ELGRND53 and the end-of-year status variable ELGRND02 indicate a person's eligibility status for Rounds 3/1, 4/2 and 5/3 and as of December 31, 2002

Person Disposition Status

The round-specific variables PSTATS31, PSTATS42, and PSTATS53 indicate a person's response and eligibility status for each round of interviewing. The PSTATSxy variables

indicate the reasons for either continuing or terminating data collection for each person in the MEPS. Using this variable, one could identify persons who moved during the reference period, died, were born, institutionalized or who were in the military. Analysts should note that PSTATS53 provides a summary for all of Round 5/3, including transitions that occurred after 2002.

The following codes specify the value labels for the PSTATSxy variables.

Value	Definition
-1	The person was not fielded during the round or the RU was non-response
0	Incorrectly listed in RU at NHIS - applies to MEPS Round 1 only
11	Person in original RU , not full-time active military duty
12	Person in original RU, full-time active military duty, out-of-scope for whole reference period
13	Full-time student living away from home, but associated with sampled RU
14	The person is full-time active military duty during round, is inscope for part of the reference period and is in the RU at the end of the reference period
21	The person remains in a health care institution for the whole round - Rounds 4/2 and 5/3 only
22	The person leaves an institution (health care or non-health care) and rejoins the community - Rounds 4/2 and 5/3 only
24	The person dies in a health care institution during the round (former RU member) - Rounds 4/2 and 5/3 only
31	Person from original RU, dies during reference period
32	Went to health care institution during reference period
33	Went to non-healthcare institution during reference period
34	Moved from original RU, outside U.S. (not as student)
35	Moved from original RU, to a military facility while on full-time active military duty
36	Went to institution (type unknown) during reference period
41	Moved from the original RU, to new RU within U.S. (new RUs include RUs originally classified as "Student RU" but which converted to "New RU")
42	The person joins RU and is not full-time military during round

Value	Definition
43	The person's disposition as to why the person is not in the RU is unknown or the person moves and it is unknown whether the person moved inside or outside the U.S.
44	The person leaves an RU and joins an existing RU and is not both in the military and coded as inscope during the round
51	Newborn in reference period
61	Died prior to reference period (not eligible)-Round 1 only
62	Institutionalized prior to reference period (not eligible)-Round 1 only
63	Moved outside U.S., prior to reference period (not eligible)-Round 1 only
64	Full-time military, living on a military facility, moved prior to reference period (not eligible)-Round 1 only
71	Student under 24 living away at school in grades 1-12 (Non-Key)
72	Person is dropped from the RU roster as ineligible: the person is a non-key student living away or the person is not related to reference person or the RU is the person's residence only during the school year
73	Not Key and not full-time military, moved without someone key and inscope (not eligible)
74	Moved as full-time military but not to a military facility and without someone key and inscope (not eligible this round)
81	Person moved from original RU, full-time student living away from home, did not respond

2.6.2 Navigating the MEPS Data with Information on Person Disposition Status

Since the variables PSTATS31, PSTATS42, and PSTATS53 indicate the reasons for either continuing or terminating data collection for each person in MEPS, these variables can be used to explain the beginning and ending dates for each individual's reference period of data collection, as well as which sections in the instrument each individual did not receive. By using the information included in the following table, analysts will be able to determine for each individual which sections of the MEPS questionnaire collected data elements for that person.

Some individuals have a reference period that spans an entire round, while other individuals may have data collected only for a portion of the round. When an individual's reference period does not coincide with the RU reference period, the individual's start date may be a later date, or the end date may be an earlier date, or both. In addition, some

individuals have reference period information coded as “Inapplicable” (e.g., for individuals who were not actually in the household). The information in this table indicates the beginning and ending dates of reference periods for persons with various values of PSTATS31, PSTATS42, and PSTATS53. The actual dates for each individual can be found in the following variables included on this file: BEGRFM31, BEGRFM42, BEGRFM53, BEGRFD31, BEGRFD42, BEGRFD53, BEGRFY31, BEGRFY42, BEGRFY53, ENDRFM31, ENDRFM42, ENDRFM53, ENDRFD31, ENDRFD42, ENDRFD53, ENDRFY31, ENDRFY42, ENDRFY53, ENDRFM02, ENDRFD02, and ENDRFY02.

The table below also describes the section or sections of the questionnaire that were **NOT** asked for each value of PSTATS31, PSTATS42, and PSTATS53. For example, the condition enumeration (CE) and alternative/preventive care (AP) sections have questions that are not asked for deceased persons. The closing section (CL) also contains some questions or question rosters (see CL06A, CL35 through CL37, CL48 through CL50, CL54, CL58, and CL64) that exclude certain persons depending on whether the person died, became institutionalized, or otherwise left the RU; however, no one is considered to have skipped the entire section. Some questions or sections (e.g., health status (HE), employment (RJ, EM, EW)) are skipped if individuals are not within a certain age range. Since the PSTATS variables do not address skip patterns based on age, analysts will need to use the appropriate age variables.

The paper-and-pencil Self-Administered Questionnaire (SAQ) was designed to collect information based on two age categories during Panel 7 Round 2 and Panel 6 Round 4. A person was considered eligible to receive an SAQ if that person did not have a status of deceased or institutionalized, did not move out of the U. S. or to a military facility, was not a non-response at the time of the Round 2 or Round 4 interview date, and was 18 years of age or older. No RU members added in Round 3 or Round 5 were asked to complete an SAQ questionnaire. Because PSTATS variables do not address skip patterns based on age, this questionnaire was not included in the table below. Once again, analysts will need to use the appropriate age variables which in this case would be AGE42X. The documentation for this questionnaire appears in the SAQ section of this document under “Health Status Variables.”

Please note that the end reference date shown below for PSTATS53 reflects the Round 5/3 reference period rather than the portion of Round 5/3 that occurred during 2002.

PSTATS Value	PSTATS Description	Sections in the instrument which persons with this PSTATS value do NOT receive	Begin Reference Date	End Reference Date
-1	The person was not fielded during the round or the RU was non-response	ALL sections	Inapplicable	Inapplicable
0	Incorrectly listed in RU at NHIS - Round 3/1 only	ALL sections after RE	Inapplicable	Inapplicable
11	Person in original household, not FT active military duty (Person is in the same RU as the previous round)	--	PSTATS31: January 1, 2002 PSTATS42 and PSTATS53: Prior round interview date	Interview date
12	Person in original household, FT active military duty, out-of-scope for whole reference period.	--	PSTATS31: January 1, 2002 PSTATS42 and PSTATS53: Prior round interview date	Interview date
13	FT student living away from home, but associated with sampled household	--	PSTATS31: January 1, 2002 PSTATS42 and PSTATS53: Prior round interview date	Interview date
14	The person is FT active military duty during round and is inscope for part of the reference period and is in the RU at the end of the reference period	--	PSTATS31: January 1, 2002 PSTATS42 and PSTATS53: Prior round interview date	PSTATS31: Interview date PSTATS42 and PSTATS53: If the person is living w/ someone Key and inscope, then the interview date. If not living w/ someone who is Key and inscope, then the date the person joined the military
21	The person remains in a health care institution for the whole round - Rounds 4/2 and 5/3 only	All sections after RE	Inapplicable	Inapplicable

PSTATS Value	PSTATS Description	Sections in the instrument which persons with this PSTATS value do NOT receive	Begin Reference Date	End Reference Date
22	The person leaves a health care institution and rejoins the community - Rounds 4/2 and 5/3 only	--	Date rejoined the community	Interview date
23	The person leaves a health care institution, goes into community and then dies - Rounds 4/2 and 5/3 only	Part of CE - Condition enumeration: Skip CE1 to-CE5 HE - Health status AC - Access to care Part of AP - Alternative/Preventive care: Skip AP12 to AP22	Date rejoined the community	Date of Death
24	The person dies in a health care institution during the round (former household member) - Rounds 4/2 and 5/3 only	All sections after RE	Inapplicable	Inapplicable
31	Person from original household, dies during reference period	Part of CE - Condition enumeration: Skip CE1 to CE5 HE - Health status AC - Access to care Part of AP - Alternative/Preventive care: Skip AP12 to AP22	PSTATS31: January 1, 2002 PSTATS42 and PSTATS53: Prior round interview date	Date of Death
32	Went to healthcare institution during reference period	Access to care (AC)	PSTATS31: January 1, 2002 PSTATS42 and PSTATS53: Prior round interview date	Date institutionalized
33	Went to non-healthcare institution during reference period	Access to care (AC)	PSTATS31: January 1, 2002 PSTATS42 and PSTATS53: Prior round interview date	Date institutionalized

PSTATS Value	PSTATS Description	Sections in the instrument which persons with this PSTATS value do NOT receive	Begin Reference Date	End Reference Date
34	Moved from original household, outside US	--	PSTATS31: January 1, 2002 PSTATS42 and PSTATS53: Prior round interview date	Date left the RU
35	Moved from original household, to a military facility while on FT active military duty	--	PSTATS31: January 1, 2002 PSTATS42 and PSTATS53: Prior round interview date	Date left the RU
36	Went to institution (type unknown) during reference period	Access to care (AC)	PSTATS31: January 1, 2002 PSTATS42 and PSTATS53: Prior round interview date	Date institutionalized
41	Moved from the original household, to new household within US (new households include RUs originally classified as a student RU but which converted to a new RU. These are individuals in an RU that has split from an RU since the previous round)	--	PSTATS31: January 1, 2002 PSTATS42 and PSTATS53: Prior round interview date	Interview date
42	The person joins household and is not full-time military during round	--	The later date of January 1, 2002 and the date the person joined the RU	Interview date
43	The person's disposition as to why the person is not in the RU is unknown or the person moves and it is unknown whether the person moved inside or outside the U.S.	All sections after RE	Inapplicable	Inapplicable

PSTATS Value	PSTATS Description	Sections in the instrument which persons with this PSTATS value do NOT receive	Begin Reference Date	End Reference Date
44	The person leaves an RU and joins an existing RU and is not both in the military and coded as inscope during the round	--	PSTATS31: January 1, 2002 PSTATS42 and PSTATS53: Prior round interview date of the RU the person has joined. This may not be the interview date of the RU that the person came from	Interview date
51	Newborn in reference period	Questions where age must be > 1 Health status (HE), Disability days (DD) Employment (RJ/EM/EW) will be skipped)	PSTATS31: January 1, 2002 if born prior to 2002. The date of birth if born in 2002. PSTATS42 and PSTATS53: The later of the Prior round interview date and date of birth	Interview date
61	Died prior to reference period (not eligible)--Round 3/1 only	All sections after RE	Inapplicable	Inapplicable
55	Institutionalized prior to reference period (not eligible)--Round 3/1 only	All sections after RE	Inapplicable	Inapplicable
63	Moved outside U.S., prior to reference period (not eligible)--Round 3/1 only	All sections after RE	Inapplicable	Inapplicable
64	FT military, moved prior to reference period (not eligible)--Round 3/1 only	All sections after RE	Inapplicable	Inapplicable

PSTATS Value	PSTATS Description	Sections in the instrument which persons with this PSTATS value do NOT receive	Begin Reference Date	End Reference Date
71	Student under 24 living away at school in grades 1 through 12 (Non-Key)	--	PSTATS31: January 1, 2002 PSTATS42 and PSTATS53: Prior round interview date	Interview date
72	Person is dropped from the RU roster as ineligible: the person is a Non-Key student living away or the person is not related to reference person or the RU is the person's residence only during the school year	All sections after RE	Inapplicable	Inapplicable
73	Not Key and not full-time military, moved w/o someone Key and inscope (not eligible)	All sections after RE	Inapplicable	Inapplicable
74	Moved as full-time military but not to a military facility and w/o someone Key and inscope (not eligible)	All sections after RE	Inapplicable	Inapplicable
81	Person moved from original household, FT student living away from home, did not respond	No data were collected	Inapplicable	Inapplicable

2.6.3 Geographic Variables

The round-specific variables REGION31, REGION42, REGION53, and the end-of-year status variable REGION02 indicate the Census region for the RU. REGION02 indicates the region for the 2002 portion of Round 5/3. For most analyses, REGION02 should be used. The round-specific variables MSA31, MSA42, and MSA53 and the end-of-year status variable MSA02 indicate whether or not the RU is found in a metropolitan statistical area. MSA31, MSA42, and MSA53 indicate the MSA status at the time of Rounds 3/1, 4/2, and 5/3 interviews. MSA02 indicates the MSA status for the 2002 portion of Round 5/3. For most analyses, analysts should use MSA02 rather than MSA31, MSA42, or MSA53.

2.6.4 Demographic Variables

General Information

Demographic variables provide information about the demographic characteristics of each person from the MEPS-HC. The characteristics include age, sex, race, ethnicity, educational attainment, marital status, and military service. As noted below, some variables have edited and imputed values. Most demographic variables on this file were asked during every round of the MEPS interview. These variables describe data for Rounds 3, 4, and 5 of Panel 6 (Panel that started in 2001); Rounds 1, 2 and 3 of Panel 7 (Panel that started in 2002); and status as of December 31, 2002. Demographic variables that are round specific are identified by names including numbers “xy”, where x and y refer to Round numbers of Panels 6 and 7 respectively. Thus, for example, AGE31X represents the age data relevant to Round 3 of Panel 6 or Round 1 of Panel 7. As mentioned in Section 2.5.1 “Survey Administration” Variables, the variable PANEL02 indicates the panel from which the data were derived. A value of 6 indicates Panel 6 data and a value of 7 indicates Panel 7 data. The remaining demographic variables on this file are not round specific.

The variables describing demographic status of the person as of December 31, 2002 were developed in two ways. First, the age variable (AGE02X) represents the exact age as of 12/31/02, calculated from date of birth and indicates age status as of 12/31/02. For the remaining December 31st variables [i.e., related to marital status (MARRY02X, SPOUID02, SPOUIN02), student status (FTSTU02X), and the relationship to reference persons (RFREL02X)], the following algorithm was used: data were taken from Round 5/3 counterpart if non-missing; else, if missing, data were taken from the Round 4/2 counterpart; else from the Round 3/1 counterpart. If no valid data were available during any of these rounds of data collection, the algorithm assigned the missing value (other than -1 “Inapplicable”) from the first round that the person was part of the study. When all three rounds were set to -1, a value of -9 “Not Ascertained” was assigned.

Age

Date of birth and age for each RU member were asked or verified during each MEPS interview (DOBMM, DOBY, AGE31X, AGE42X, AGE53X). If date of birth was available, age was calculated based on the difference between date of birth and date of interview. Inconsistencies between the calculated age and the age reported during the CAPI interview were reviewed and resolved. For purposes of confidentiality, the variables AGE31X, AGE42X, AGE53X and AGE02X were top coded at 85 years.

When date of birth was not provided but age was provided (either from the MEPS interviews or the 2000-2001 NHIS data), the month and year of birth were assigned randomly from among the possible valid options. For any cases still not accounted for, age was imputed using:

- (1) the mean age difference between MEPS participants with certain family relationships (where available) or
- (2) the mean age value for MEPS participants.

For example, a mother's age is imputed as her child's age plus 26, where 26 is the mean age difference between MEPS mothers and their children. A wife's age is imputed as the husband's age minus 3, where 3 is the mean age difference between MEPS wives and husbands.

Age was imputed in this way for 3 persons on this file. Age was determined for 4 additional persons from data in a later round.

Sex

Data on the gender of each RU member (SEX) were initially determined from the 2000 NHIS for Panel 6 and from the 2001 NHIS for Panel 7. The SEX variable was verified and, if necessary, corrected during each MEPS interview. The data for new RU members (persons who were not members of the RU at the time of the NHIS interviews) were also obtained during each MEPS Round. When gender of the RU member was not available from the NHIS interviews and was not ascertained during one of the subsequent MEPS interviews, it was assigned in the following way. The person's first name was used to assign gender if obvious (no cases were resolved in this way). If the person's first name provided no indication of gender, then family relationships were reviewed (no cases were resolved this way). If neither of these approaches made it possible to determine the individual's gender, gender was randomly assigned (0 cases).

Race, Race/Ethnicity, Hispanic Ethnicity, and Hispanic Ethnicity Group

The race (RACEX), Hispanic ethnicity (HISPANX) and the Hispanic ethnic background (HISPCAT) questions were asked for each RU member during the MEPS interview. If the race and ethnicity information was not obtained in Round 1, the questions were asked in subsequent rounds. In Panel 7 Round 3, a revised CAPI design was implemented and all eligible Panel 7 Round 3 persons were asked the revised race and ethnicity questions.

The specifications for determining race were changed from the FY 2001 PUF so that individuals can report multiple races. As a result, existing response categories for RACEX and RACETHNX were changed; they have different meanings than those for previous panels. Also, new response categories were added for both variables. For RACEX, a category for "more than one race" was added; for RACETHNX, a category designating "Asian and no other race reported and is not Hispanic" was added. In addition, beginning with the FY2002 PUF, there are new race variables indicating "Asian among races reported" (RACEAX); "Black among races reported" (RACEBX); and "White among races reported" (RACEWX).

The specifications for determining ethnicity were also changed from the FY 2001 PUF. The Hispanic ethnic background (HISPCAT) response categories were changed and have different meanings than those from previous panels.

Values for these variables were obtained based on the following priority order. If available, data collected under the new Panel 7 Round 3 design were used to determine race and ethnicity. If the data were not available under the new design, but were obtained under the design implemented in Panel 6 rounds 1-5 and Panel 7 Rounds 1 and 2, then these data were used. If race and/or ethnicity were not reported in the interview, then data obtained from the originally collected NHIS data were used. If still not ascertained, the race, and/or ethnicity were assigned based on relationship to other members of the DU using a priority ordering that gave precedence to blood relatives in the immediate family (this approach was used on 44 persons to set race and 13 persons to set ethnicity).

RACETHNX, RACEAX, RACEBX, and RACEWX reflect the imputations done for RACEX and HISPANX.

Marital Status and Spouse ID

Current marital status was collected and/or updated during every Round of the MEPS interview. This information was obtained in RE13 and RE97 and is reported as MARRY31X, MARRY42X, MARRY53X and MARRY02X. Persons under the age of 16 were coded as 6 “Under 16 – Inapplicable”. If marital status of a specified Round differed from that of the previous Round, then the marital status of the specified Round was edited to reflect a change during the Round (e.g., married in Round, divorced in Round, separated in Round, or widowed in Round).

In instances where there were discrepancies between the marital status of two individuals within a family, other person-level variables were reviewed to determine the edited marital status for each individual. Thus, when one spouse was reported as married and the other spouse reported as widowed, the data were reviewed to determine if one partner should be coded as 8 “Widowed in Round”.

Edits were performed to ensure some consistency across rounds. First, a person could not be coded as “Never Married” after previously being coded as any other marital status (e.g., “Widowed”). Second, a person could not be coded as “Under 16 – Inapplicable” after being previously coded as any other marital status. Third, a person could not be coded as “Married in Round” after being coded as “Married” in the Round immediately preceding. Fourth, a person could not be coded as an “in Round” code (e.g., “Widowed in Round”) in two subsequent rounds. Since marital status can change across rounds and it was not feasible to edit every combination of values across rounds, unlikely sequences for marital status across the round-specific variables do exist.

The person identifier for each individual's spouse is reported in SPOUID31, SPOUID42, SPOUID53, and SPOUID02. These are the PIDs (within each family) of the person identified as the spouse during Round 3/1, Round 4/2, and Round 5/3 and as of December 31, 2002, respectively. If no spouse was identified in the household, the variable was coded as 995 "No spouse in household". Those with unknown marital status are coded as 996 "Marital Status Unknown". Persons under the age of 16 are coded as 997 "Less than 16 Years Old".

The SPOUIN31, SPOUIN42, SPOUIN53, and SPOUIN02 variables indicate whether a person's spouse was present in the RU during Round 3/1, Round 4/2, Round 5/3 and as of December 31, 2002 respectively. If the person had no spouse in the household, the value was coded as 2 "Not Married/No Spouse". For persons under the age of 16 the value was coded as 3 "Under 16 – Inapplicable".

The SPOUID and SPOUIN variables were obtained from RE76 and RE77, where the respondent was asked to identify how each pair of persons in the household were related. Analysts should note that this information was collected in a set of questions separate from the questions that asked about marital status. While editing was performed to ensure that SPOUID and SPOUIN are consistent within each Round, there was no consistency check between these variables and marital status in a given Round. Apparent discrepancies between marital status and spouse information may be due to any of the following causes:

1. Ambiguity as to when during a Round a change in marital status occurred. This is a result of relationship information being asked for all persons living in the household at any time during the Round, while marital status is asked as of the interview date (e.g., If one spouse died during the reference period, the surviving spouse's marital status would be "Widowed in Round", but SPOUIN and SPOUID for the same round would indicate that a spouse was present).
2. Valid discrepancies in the case of persons who are married but not living with their spouse, or separating but still living together.
3. Discrepancies that cannot be explained for either of the previous reasons.

Student Status and Educational Attainment

The variables FTSTU31X, FTSTU42X, FTSTU53X and FTSTU02X indicate whether the person was a full-time student at the interview date (or 12/31/02 for FTSTU02X). These variables have valid values for all persons between the ages of 17 - 23 inclusive. When this question was asked during Round 1 of Panel 7, it was based on age as of the 2001 NHIS interview date.

Number of years of education completed is indicated in the variable EDUCYR. Information was obtained from questions RE 103-105. Children who are 5 years of age or older and who never attended school were coded as 0; children under the age of 5 years were coded as -1 “Inapplicable” regardless of whether or not they attended school. However, among the cases coded as -1 “Inapplicable”, there is no distinction between those who were under the age of five and others who were inapplicable, such as persons who may be institutionalized for an entire round. EDUCYR is based on the first round in which the number of years of education is collected for a person. The user should note that EDUCYR is an unedited variable and minimal data cleaning was performed on this variable.

The variable HIDEG, indicating highest degree of education, was obtained from three questions: highest grade completed (RE103), high school diploma (RE 104), and highest degree (RE 105). Persons under 16 years of age were coded as 8 “Under 16-Inapplicable”. In cases where the response to the highest degree question was “No degree” and the response to the highest grade question was 13 through 17 “1 or More Years of College”, the variable HIDEG was coded as 3 “High School Diploma”. If highest grade completed was “Refused” or “Don’t Know” for those with a “No Degree” response for the highest degree question, the variable HIDEG was coded as 1 “No Degree”. HIDEG is based on the first round in which the highest degree was collected for a person. The user should note that HIDEG is an unedited variable and minimal data cleaning was performed on this variable.

Military Service and Service Era

Information on active duty military status was collected during each Round of the MEPS interview. Persons currently on full-time active duty status are identified in the variables ACTDTY31, ACTDTY42, and ACTDTY53. Those under 16 years of age were coded as 3 “Under 16 – Inapplicable”, and those over the age of 59 were coded as 4 “Over 59 – Inapplicable”.

The variable DIDSERVE indicates if the person ever served in the Armed Forces. Persons under the age of 16 were coded as 3 “Under 16 – Inapplicable”. Individuals currently on active duty military service were coded as 4 “Now Active Duty”. Individuals who were ever in the military based on the DIDSERVE and ACTDTY question(s) were also asked if they served in the Vietnam War era (VETVIET), the Korean War era (VETKOR), either World War I or World War II (VETWW), in the Persian Gulf (Desert Storm) (VETGULF), or another service era (VETOTH). Those under the age of 16 were coded as 3 “Under 16 –Inapplicable”, and those who never served in the military were coded as 4 “Never in military”. The military service questions were asked of everyone when they entered MEPS.

The user should note that the DIDSERVE and veteran status variables were reviewed for consistency. The veteran status variables were minimally edited to ensure that all

individuals under 16 years of age were coded as 3 “Under 16 – Inapplicable” for the specific veteran-era variables. However, no other age editing was performed, and thus it is possible for age/era inconsistencies to exist (e.g., AGE31X=17 and VETVIET=Yes).

Relationship to the Reference Person within Reporting Units

For each Reporting Unit (RU), the person who owns or rents the DU is usually defined as the reference person. For student RUs, the student is defined as the reference person. (For additional information on reference persons, see the documentation on survey administration variables.) The variables RFREL31X, RFREL42X, RFREL53X, and RFREL02X indicate the relationship of each individual to the reference person of the Reporting Unit (RU) in a given round. For the reference person, this variable has the value “Self”; for all other persons in the RU, relationship to the reference person is indicated by codes representing “Husband/Spouse”, “Wife/Spouse”, “Son”, “Daughter”, “Female Partner”, “Male Partner”, etc. A code of 91, meaning “Other Related, Specify”, was used to indicate rarely observed relationship descriptions such as “Mother of Partner”. If the relationship of an individual to the reference person was not ascertained during the round-specific interview, relationships between other RU members were used, where possible, to assign a relationship to the reference person. If MEPS data from calendar year 2002 were not sufficient to identify the relationship of an individual to the reference person, relationship variables from the 2001 MEPS or NHIS data were used to assign a relationship. In the event that a meaningful value could not be determined or data were missing, the relationship variable was assigned a missing value code.

For 28 cases, where two individuals’ relationship indicated they were spouses, but both had marital status indicating they were not married, their relationship was changed to non-marital partners. In addition, the relationship variables were edited to insure that they did not change across rounds for RUs in which the reference person did not change, with the exception of relationships identified as partner, spouse, or foster relationships.

Parent Identifiers

The variables MOPID31X, MOPID42X, MOPID53X and DAPID31X, DAPID42X, DAPID53X are round specific and are used to identify the parents (biological, adopted, or step) of the person represented on that record. MOPID##X contains the person identifier (PID) for each individual’s mother if she lived in the DU in that panel/round of the survey, or a value of –1 (Inapplicable) if she did not. Similarly, DAPID##X contains the person identifier (PID) for each individual’s father if he lived in the DU in that panel/round of the survey, or a value of –1 (Inapplicable) if he did not. MOPID##X and DAPID##X were constructed based on information collected in the relationship grid of the instrument each round at questions RE76 and RE77 and include biological, adopted, and step parents. Foster parents were not included. For persons who were not present in the household during a round, MOPID##X and DAPID##X have values of –1 (Inapplicable).

Edits were performed to ensure that MOPID##X and DAPID##X were consistent with each individual's age, sex, and other relationships within the family. For instance, the gender of the parent must be consistent with the indicated relationship; mothers are at least 12 years older than the person and no more than 55 years older than the person; fathers are at least 12 years older than the person; each person has no more than one mother and no more than one father; any values set for MOPID##X and DAPID##X were removed from any person identified as a foster child; and the PID for the person's mother and father are valid PIDs for that person's DU for the 2002 Full Year File.

2.6.5 Health Status Variables

Due to the overlapping panel design of the MEPS (Round 3 for Panel 6 overlapped with Round 1 for Panel 7, Round 4 for Panel 6 coincided with Round 2 for Panel 7, and Round 5 for Panel 6 occurred at the same time as Round 3 for Panel 7), data from overlapping rounds have been combined across panels. Thus, any variable ending in "31" reflects data obtained in Round 3 of Panel 6 and Round 1 of Panel 7. Analogous comments apply to variables ending in "42" and "53". Health Status variables whose names end in "02" indicate a full-year measurement.

This data release incorporates information from calendar year 2002. However, health status data obtained in Round 3 of both Panel 6 and Panel 7 are included in variables that have names ending in "31" and "53" respectively. For persons in Panel 6, Round 3 extended from 2001 into 2002. Therefore, for these people, some information from late 2001 is included for variables that have names ending in "31". For persons in Panel 7, Round 3 extended from 2002 into 2003. Therefore, for these people, some information from early 2003 is included for variables that have names ending in "53". Note that for most Panel 6 persons, the Round 5 reference period ends on December 31, 2002; however, the Round 5 interview actually occurs in 2003. Round 5 respondents receive an instruction at the start of the Health Status (HE) section of CAPI to limit information about health status and limitations to the period ending on December 31, 2002. Nevertheless, if respondents forget or ignore this reference period instruction, some information collected in this section in Round 5 (variables ending in "53") might reflect circumstances in early 2003. Further, health status questions asked in the Condition Enumeration (CE), Preventive Care (AP), and Priority Conditions (PC) sections of CAPI in Round 5 do not contain a similar explicit instruction that the reference period ends on December 31, 2002, although this is stated at the start of the overall interview. Hence, in these sections, respondents may also be providing health status information that pertains to 2003.

Health Status variables in this data release can be classified into several conceptually distinct sets:

- Perceived health status and ADL and IADL limitations

- Functional limitations and activity limitations
- Vision problems
- Hearing problems
- Any limitations
- Child health and preventive care
- Preventive care
- Priority conditions
- Self-administered questionnaire
- Diabetes care survey

Perceived health status and ADL and IADL limitations were measured in all rounds. Functional and activity limitations were measured in Rounds 3 and 5 for Panel 6 and Rounds 1 and 3 for Panel 7. Vision, hearing, and children’s health status were measured in Round 4 for Panel 6 and Round 2 for Panel 7. Preventive care and priority conditions were measured in Round 5 of Panel 6 and Round 3 of Panel 7. The self-administered questionnaire was distributed in Round 4 of Panel 6 and Round 2 of Panel 7. The diabetes care supplement was distributed in Round 5 of Panel 6 and Round 3 of Panel 7.

In general, Health Status variables involved the construction of person-level variables based on information collected in the Condition Enumeration and Health Status sections of the questionnaire. Many Health Status questions were initially asked at the family-level to ascertain if anyone in the household had a particular problem or limitation. These were followed up with questions to determine which household member had each problem or limitation. All information ascertained at the family-level has been brought to the person-level for this file. Logical edits were performed in constructing the person-level variables to assure that family-level and person-level values were consistent. Particular attention was given to cases where missing values were reported at the family-level to ensure that appropriate information was carried to the person-level.

Inapplicable cases occurred when a question was never asked because of a skip pattern in the survey (e.g., individuals who were 13 years of age or older were not asked some follow-up verification questions; individuals older than 17 were not asked questions pertaining to children’s health status). Inapplicable cases are coded as -1. In addition, deceased persons were coded as “Inapplicable” (-1).

Each of the sets of variables listed above will be described in turn.

2.6.5.1 Perceived Health Status and IADL and ADL Limitations

Perceived Health Status. Perceived health status (RTHLTH31, RTHLTH42, and RTHLTH53) and perceived mental health status (MNHLTH31, MNHLTH42, and

MNHLTH53) were collected in the Condition Enumeration section. These questions (CE01 and CE02) asked the respondent to rate each person in the family according to the following categories: excellent, very good, good, fair, and poor.

IADL Help. The Instrumental Activities of Daily Living (IADL) Help or Supervision variables (IADLHP31, IADLHP42, and IADLHP53) were each constructed from a series of three questions administered in the Health Status section of the interview. The initial question (HE01) determined if anyone in the family received help or supervision with IADLs such as using the telephone, paying bills, taking medications, preparing light meals, doing laundry, or going shopping. If the response was “Yes”, a follow-up question (HE02) was asked to determine which household member(s) received this help or supervision. For persons under age 13, a final verification question (HE03) was asked to confirm that the IADL help or supervision was the result of an impairment or physical or mental health problem. If the response to the final verification question was “No”, IADLHP31, IADLHP42, and IADLHP53 were coded “No” for persons under the age of 13.

If no one in the family was identified as receiving help or supervision with IADLs, all members of the family were coded as receiving no IADL help or supervision. In cases where the response to the family-level question was “Refused” (-7), “Don’t Know” (-8), or “Not Ascertained” (-9), all persons were coded according to the family-level response. In cases where the response to the family-level question (HE01) was “Yes” but no specific individuals were identified in the follow-up question as having IADL difficulties, all persons were coded as “Don’t Know” (-8).

Beginning in FY 2002, the Duration of IADL Condition variables (IADL3M31, IADL3M42 and IADL3M53) were constructed from a follow-up question (HE03A) in the Health Status section of the interview. For each person who received IADL help or supervision due to an impairment or physical or mental health problem (IADLHP## is coded “Yes”), HE03A was asked to determine whether the person was expected to need help or supervision with these activities for at least three more months. For persons coded “No” (2), “Refused” (-7), “Don’t Know” (-8), or “Not Ascertained” (-9) for IADLHP##, IADL3M## was coded “Inapplicable” (-1).

ADL Help. The Activities of Daily Living (ADL) Help or Supervision variables (ADLHLP31, ADLHLP42, and ADLHLP53) were each constructed in the same manner as the IADL help variables, but using questions HE04-HE06. Coding conventions for missing data were the same as for the IADL variables.

Beginning in FY 2002, the Duration of ADL Condition variables (ADL3MO31, ADL3MO42 and ADL3MO53) were constructed from a follow-up question (HE06A) in the Health Status section of the interview. For each person who received ADL help or supervision due to an impairment or physical or mental health problem (ADLHLP## is coded “Yes”), HE06A was asked to determine whether the person was expected to need help or supervision with these activities for at least three more months. For persons coded “No” (2), “Refused” (-7), “Don’t Know” (-8), or “Not Ascertained” (-9) for ADLHLP##, ADL3MO## was coded “Inapplicable” (-1).

2.6.5.2 Functional and Activity Limitations

Functional Limitations. A series of questions pertained to functional limitations, which are defined as difficulty in performing certain specific physical actions. WLKLIM31 and WLKLIM53 were the filter questions, depending on the Round. These variables were derived from a question (HE09) that was asked at the family-level: “Does anyone in the family have difficulties walking, climbing stairs, grasping objects, reaching overhead, lifting, bending or stooping, or standing for long periods of time?” If the answer was “No”, then all family members were coded as “No” (2) on WLKLIM31 or WLKLIM53. If the answer was “Yes”, then the specific persons who had any of these difficulties were identified and coded as “Yes” (1), and remaining family members were coded as “No” (2). If the response to the family-level question was “Don’t Know” (-8), “Refused” (-7), “Not Ascertained” (-9), or “Inapplicable” (-1), then the corresponding missing value code was applied to each family member’s value for WLKLIM31 or WLKLIM53. If the answer to HE09 was “Yes” (1) but no specific individual was named as experiencing such difficulties, then each family member was assigned “Don’t Know” (-8). Deceased persons were assigned a -1 code (“Inapplicable”) for WLKLIM31 or WLKLIM53.

For Rounds 3 (Panel 6) and 1 (Panel 7), if WLKLIM31 was coded “Yes” (1) for any family member, a subsequent series of questions was administered. The series of questions for which WLKLIM31 served as a filter is as follows:

LFTDIF31 -	difficulty lifting 10 pounds
STPDIF31 -	difficulty walking up 10 steps
WLKDIF31 -	difficulty walking 3 blocks
MILDIF31 -	difficulty walking a mile
STNDIF31 -	difficulty standing 20 minutes
BENDIF31 -	difficulty bending or stooping
RCHDIF31 -	difficulty reaching over head

- FNGRDF31 - difficulty using fingers to grasp
- WLK3MO31 - expected to have difficulty with any of these activities for at least 3 more months

This series of questions was asked separately for each person whose response to WLKLIM31 was coded “Yes” (1). The series of questions was not asked for other individual family members whose response to WLKLIM31 was “No” (2). In addition, this series was not asked about family members who were less than 13 years of age, regardless of their status on WLKLIM31. These questions were not asked about deceased family members. In such cases (i.e., WLKLIM31 = 2, or age < 13, or PSTATS31 = 31), each question in the series was coded as “Inapplicable” (-1). Finally, if responses to WLKLIM31 were “Refused” (-7), “Don’t Know” (-8), “Not Ascertained” (-9), or otherwise “Inapplicable” (-1), then each question in this series was coded as “Inapplicable” (-1).

Analysts should note that WLKLIM31 was asked of all household members, regardless of age. For the subsequent series of questions, however, persons less than 13 years old were skipped and coded as “Inapplicable”. Therefore, it is possible for someone aged 12 or less to have a code of “Yes” (1) on WLKLIM31, and also to have codes of “Inapplicable” on the subsequent series of questions.

For Rounds 5 (Panel 6) and 3 (Panel 7), the corresponding filter question was WLKLIM53.

The series of questions for which WLKLIM53 served as a filter is as follows:

- LFTDIF53 - difficulty lifting 10 pounds
- STPDIF53 - difficulty walking up 10 steps
- WLKDIF53 - difficulty walking 3 blocks
- MILDIF53 - difficulty walking a mile
- STNDIF53 - difficulty standing 20 minutes
- BENDIF53 - difficulty bending or stooping
- RCHDIF53 - difficulty reaching over head
- FNGRDF53 - difficulty using fingers to grasp
- WLK3MO53 - expected to have difficulty with any of these activities for at least 3 more months

Editing conventions were the same for this “53” series of variables as they were for the corresponding “31” series described above.

Use of Assistive Technology and Social/Recreational Limitations. The variables indicating use of assistive technology (AIDHLP31 and AIDHLP53, from question HE07)

and social/recreational limitations (SOCLIM31 and SOCLIM53, from question HE22) were collected initially at the family-level. If there was a “Yes” (1) response to the family-level question, a second question identified the specific individual(s) to whom the “Yes” response pertained. Each individual identified as having the difficulty was coded “Yes” (1) for the appropriate variable; all remaining family members were coded “No”. If the family-level response was “Refused” (-7), “Don’t Know” (-8), or “Not Ascertained” (-9), all persons were coded with the family-level response. In cases where the family-level response was “Yes” but no specific individual was identified as having difficulty, all family members were coded as “Don’t Know” (-8).

Work, Housework, and School Limitations. The variables indicating any limitation in work, housework, or school (ACTLIM31 and ACTLIM53) were constructed using questions HE19-HE20. Specifically, information was collected initially at the family-level. If there was a “Yes” (1) response to the family-level question (HE19), a second question (HE20) identified the specific individual(s) to whom the “Yes” (1) response pertained. Each individual identified as having a limitation was coded “Yes” (1) for the appropriate variable; all remaining family members were coded “No” (2). If the family-level response was “Refused” (-7), “Don’t Know” (-8), or “Not Ascertained” (-9), all persons were coded with the family-level response. In cases where the family-level response was “Yes” (1) but no specific individual was identified as having difficulty, all family members were coded as “Don’t Know” (-8). Persons less than five years old were coded as “Inapplicable” (-1) on ACTLIM31 and ACTLIM53.

For Round 3 (Panel 6) or Round 1 (Panel 7), if ACTLIM31 was “Yes” (1) and the person was 5 years of age or older, a follow-up question (HE20A) was asked to identify the specific limitation or limitations for each person. These included working at a job (WRKLIM31), doing housework (HSELIM31), or going to school (SCHLIM31). Respondents could answer “Yes” (1) or “No” (2) to each activity; thus a person could report limitations in multiple activities. WRKLIM31, HSELIM31, and SCHLIM31 have values of “Yes” (1) or “No” (2) only if ACTLIM31 was “Yes” (1); each variable was coded as “Inapplicable” (-1) if ACTLIM31 was “No” (2). When ACTLIM31 was “Refused” (-7), these variables were all coded as “Refused” (-7); when ACTLIM31 was “Don’t Know” (-8), these variables were all coded as “Don’t Know” (-8); and when ACTLIM31 was “Not Ascertained” (-9), these variables were all coded as “Not Ascertained” (-9). If a person was under 5 years old or was deceased, WRKLIM31, HSELIM31, and SCHLIM31 were each coded as “Inapplicable” (-1).

An additional question (UNABLE31) was asked if the person was completely unable to work at a job, do housework, or go to school. Those respondents who were coded “No” (2), “Refused” (-7), “Don’t Know” (-8), or “Not Ascertained” (-9) on ACTLIM31, were under 5 years of age, or were deceased were coded as “Inapplicable” (-1) on UNABLE31. UNABLE31 was asked once for whichever set of WRKLIM31, HSELIM31, and SCHLIM31 the respondent had limitations; if a respondent was limited in more than one of these three activities, UNABLE31 did not specify if the respondent

was completely unable to perform all of them, or only some of them.

For Rounds 5 (Panel 6) or 3 (Panel 7) corresponding variables were ACTLIM53, WRKLIM53, HSELIM53, SCHLIM53, and UNABLE53. Editing conventions were the same as those described above.

Cognitive Limitations. The variables indicating any cognitive limitation (COGLIM31 or COGLIM53, depending on the round) were collected at the family-level as a three-part question (HE24-01 to HE24-03), asking if any of the adults in the family (1) experience confusion or memory loss, (2) have problems making decisions, or (3) require supervision for their own safety. If a “Yes” response was obtained to any item, the persons affected were identified in HE25, and COGLIM31 or COGLIM53 was coded as “Yes” (1). Remaining family members not identified were coded as “No” (2) for COGLIM31 or COGLIM53.

If responses to HE24-01 through HE24-03 were all “No”, or if two of three were “No” (2) and the remaining was “Refused” (-7), “Don’t Know” (-8), or “Not Ascertained” (-9), all family members were coded as “No” (2). If responses to the three questions were combinations of “Don’t Know” (-8), “Refused” (-7), and missing, all persons were coded as “Don’t Know” (-8). If the response to any of the three questions was “Yes” (1) but no individual was identified in HE25, all persons were coded as “Don’t Know” (-8).

The cognitive limitations variables (COGLIM31 and COGLIM53) reflect whether any of the three component questions is “Yes” (1). Respondents with one, two, or three specific cognitive limitations cannot be distinguished. In addition, because the question asked specifically about adult family members, all persons less than 18 years of age are coded as “Inapplicable” (-1) on this question.

2.6.5.3 Vision Problems

A series of questions (HE26 to HE32) provides information on visual impairment. These questions were asked of all household members, regardless of age. Deceased respondents were coded as “Inapplicable” (-1).

WRGLAS42 indicates whether a person wears eyeglasses or contact lenses. This variable was based on two questions, HE26 and HE27. The initial question (HE26) determined if anyone in the family wore eyeglasses or contact lenses. If the response was “Yes” (1), a follow-up question (HE27) was asked to determine which household member(s) wore eyeglasses or contact lenses. If the family-level response was “Don’t Know” (-8), “Refused” (-7), or “Not Ascertained” (-9), all persons were coded with the family-level response. In cases where the family-level response was “Yes” (1) but no specific individual was identified as wearing glasses or contact lenses, all family members were coded as “Don’t Know” (-8).

SEEDIF42 indicates whether anyone in the family had difficulty seeing (with glasses or contacts, if used). This variable was based on two questions, HE28 and HE29. The initial question (HE28) determined if anyone in the family had difficulty seeing. If the response was "Yes" (1), a follow-up question (HE29) was asked to determine which household member(s) had a visual impairment. If the family-level response was "Don't Know" (-8), "Refused" (-7), or "Not Ascertained" (-9), all persons were coded with the family-level response. In cases where the family-level response was "Yes" (1) but no specific individual was identified as having difficulty seeing, all family members were coded as "Don't Know" (-8).

Three subsequent questions were asked only of individuals who had difficulty seeing (i.e., SEEDIF42 was "Yes" (1)). Persons with no visual impairment were coded as "Inapplicable" (-1) for these questions, as were persons with "Don't Know" (-8), "Refused" (-7), or "Not Ascertained" (-9) responses to SEEDIF42. The three subsequent questions are summarized in the three subsequent variables. BLIND42 determined if a person with difficulty seeing was blind. For persons who were not blind (BLIND42 was "No" (2)), READNW42 asked whether the person could see well enough to read ordinary newspaper print (with glasses or contacts, if used); persons who were blind were not asked this question and were coded "Inapplicable" (-1). For persons who could not read ordinary newspaper print (READNW42 was "No" (2)), RECPEP42 asked if the person could see well enough to recognize familiar people standing two or three feet away. Persons who were blind or who could read newsprint were not asked this question and were coded "Inapplicable" (-1).

VISION42 summarizes the pattern of responses to the set of visual impairment questions. Codes for VISION42 are as follows:

Value	Definition
-1	All component variables are "Inapplicable" (SEEDIF42 was -1 and BLIND42 was -1 and READNW42 was -1 and RECPEP42 was -1)
-9	One or more component variables was "Refused" (-7), "Don't know" (-8), or "Not ascertained" (-9)
1	No difficulty seeing (SEEDIF42 was "No" (2))
2	Some difficulty seeing, can read newsprint (SEEDIF42 was "Yes" (1) and BLIND42 was "No" (2) and READNW42 was "Yes" (1))
3	Some difficulty seeing, cannot read newsprint, can recognize familiar people (SEEDIF42 was "Yes" (1) and BLIND42 was "No" (2) and READNW42 was "No" (2) and RECPEP42 was "Yes" (1))
4	Some difficulty seeing, cannot read newsprint, cannot recognize familiar people but is not blind (SEEDIF42 was "Yes" (1) and BLIND42 was "No" (2) and READNW42 was "No" (2) and RECPEP42 was "No" (2))
5	Blind (SEEDIF42 was "Yes" (1) and BLIND42 was "Yes" (1))

2.6.5.4 Hearing Problems

A series of questions (HE33 to HE39) provides information on hearing impairment. These questions were asked of all household members, regardless of age. Deceased respondents were coded “Inapplicable” (-1).

HEARAD42 indicates whether a person wears a hearing aid. This variable was based on two questions, HE33 and HE34. The initial question (HE33) determined if anyone in the family wore a hearing aid. If the response was “Yes”, a follow-up question (HE34) was asked to determine which household member(s) wore a hearing aid. If the family-level response was “Don’t Know” (-8), “Refused” (-7), or “Not Ascertained” (-9), all persons were coded with the family-level response. In cases where the family-level response was “Yes” but no specific individual was identified as wearing a hearing aid, all family members were coded as “Don’t Know” (-8).

HEARDI42 indicates whether a person had difficulty hearing (with a hearing aid, if used). This variable is based on two questions, HE35 and HE36. The initial question (HE35) determined if anyone in the family had difficulty hearing. If the response was “Yes”, a follow-up question (HE36) was asked to determine which household member had an aural impairment. If the family-level response was “Don’t Know” (-8), “Refused” (-7), or “Not Ascertained” (-9), all persons were coded with the family-level response. In cases where the family-level response was “Yes” but no specific individual was identified as using a hearing aid, all family members were coded as “Don’t Know” (-8).

Three subsequent questions were asked only of individuals who had difficulty hearing (i.e., HEARDI42 was “Yes” (1)). Persons with no hearing impairment were coded as “Inapplicable” (-1) for these questions, as were persons with “Don’t Know” (-8), “Refused” (-7), or “Not Ascertained” (-9) responses to HEARDI42. The three subsequent questions are summarized in the three subsequent variables. DEAF42 determined if a person with difficulty hearing was deaf. For persons who were not deaf (DEAF42 was “No” (2)), HEARMO42 asked whether the person could hear well enough to hear most of the things people say (with a hearing aid, if used); persons who were deaf were not asked this question and were coded as “Inapplicable” (-1). For persons who could not hear most things people say (HEARMO42 was “No” (2)), HEARSM42 asked if the person could hear well enough to hear some of the things that people say. Persons who were deaf or who could hear most conversation were not asked this question and were coded as “Inapplicable” (-1).

HEARNG42 summarizes the pattern of responses to the set of hearing impairment questions. Codes for HEARNG42 are as follows:

Value	Definition
-1	All component variables are “Inapplicable” (HEARDI42 was -1 and DEAF42 was -1 and HEARMO42 was -1 and HEARSM42 was -1)
-9	One or more component variables was “Refused” (-7), “Don't know” (-8), or “Not ascertained” (-9)
1	No difficulty hearing (HEARDI42 was “No” (2))
2	Some difficulty hearing, can hear most things people say (HEARDI42 was “Yes” (1) and DEAF42 was “No” (2) and HEARMO42 was “Yes” (1))
3	Some difficulty hearing, cannot hear most things people say, can hear some things people say (HEARDI42 was “Yes” (1) and DEAF42 was “No” (2) and HEARMO42 was “No” (2) and HEARSM42 was “Yes” (1))
4	Some difficulty hearing, cannot hear most things people say, cannot hear some things people say but is not deaf (HEARDI42 was “Yes” (1) and DEAF42 was “No” (2) and HEARMO42 was “No” (2) and HEARSM42 was “No” (2))
5	Deaf (HEARDI42 was “Yes” (1) and DEAF42 was “Yes” (1))

2.6.5.5 Any Limitation Rounds 3, 4, and 5 (Panel 6) / Rounds 1, 2, and 3 (Panel 7)

ANYLIM02 summarizes whether a person has any ADL, IADL, activity, functional, or sensory limitations in any of the pertinent rounds. This variable was derived based on data from Rounds 3, 4, and 5 (Panel 6) or Rounds 1, 2, and 3 (Panel 7). ANYLIM02 was built using the component variables IADLHP31, IADLHP42, IADLHP53, ADLHLP31, ADLHLP42, ADLHLP53, WLKLIM31, WLKLIM42, WLKLIM53, ACTLIM31, ACTLIM53, SEEDIF42, and HEARDI42. (The latter two variables, discussed above, indicate any visual or hearing impairment, respectively.) If any of these components was coded “Yes”, then ANYLIM02 was coded “Yes” (1). If all components were coded “No”, then ANYLIM02 were coded “No” (2). If all the components were “Inapplicable” (-1), then ANYLIM02 was coded as “Inapplicable” (-1). If all the components had missing value codes (i.e., -7, -8, -9, or -1), then ANYLIM02 was coded as “Not Ascertained” (-9). If some components were “No” and others had missing value codes, ANYLIM02 was coded as “Not Ascertained” (-9). The exception to this latter rule was for children younger than five years old, who were not asked questions that are the basis for ACTLIM31 or ACTLIM53; for these respondents, if all other components were “No”, then ANYLIM02 was coded as “No” (2). The variable label for ANYLIM02 departs slightly from conventions. Typically, variables that end in “02” refer only to 2002. However, some of the variables used to construct ANYLIM02 were assessed in 2003, so some information from early 2003 is incorporated into this variable.

2.6.5.6 Child Health and Preventive Care

Starting in 2001, a Child Health and Preventive Care section was added to Round 2 and 4 of MEPS, and it contains questions that had been in the 2000 Parent Administered Questionnaire, selected children's questions that had been asked in previous years, and additional child preventive care questions. Questions were asked about each child (under the age of 18 excluding deceased children) in the applicable age subgroups to which they pertained. For the Child Supplement variables, a code of "Inapplicable" (-1) was assigned if a person was deceased, was not in the appropriate Round 2 or 4, or was not in the applicable age subgroup as of the interview date. This public use dataset contains variables and frequency distributions from the Child Health and Preventive Care Section associated with 11,501 children who were eligible for the Child Health and Preventive Care Section. Children were eligible for this section when PSTATS42 was not equal to 31 (Deceased) and $0 \leq \text{AGE42X} \leq 17$. Of these children, 11,097 were assigned a positive person-level weight for 2002 ($\text{PERWT02P} > 0$). Cases not eligible for the Child Health and Preventive Care Section should be excluded from estimates made with the Child Health and Preventive Care Section. Questions in this section that previously had been in the Parent Administered Questionnaire in 2000 may produce slightly different estimates starting in 2001 due to the change in mode from a self-administered parent questionnaire in 2000 to an interviewer administered questionnaire starting in 2001.

Children's General Health Status Questions (ages 0 - 17). Several questions from the General Health Subscale of the Child Health Questionnaire were asked about all children ages 0 through 17. The questions asked starting in 2001 are slightly different from the questions asked in previous years. A key reference for the Child Health Questionnaire is:

Landgraf JM, Abaetz L., Ware JE. The CHQ User's Manual. First Edition. Boston, MA: The Health Institute, New England Medical Center, 1996.

Four questions asked for ratings of the child's health on a 5-point scale, ranging from "Definitely True" (1) to "Definitely False" (5). These questions were:

- LSHLTH42 - child seems less healthy than other children
- NEVILL42 - child has never been seriously ill
- SICEAS42 - child usually catches whatever is going around
- HLTHLF42 - expect child will have a healthy life
- WRHLTH42 - worry more than is usual about child's health

Children with Special Health Care Needs Screener (ages 0 - 17). The Children with Special Health Care Needs (CSHCN) Screener instrument was developed through a national collaborative process as part of the Child and Adolescent Health Measurement

Initiative (CAHMI) under the coordination by the Foundation for Accountability. A key reference for this screener instrument is:

Bethel CD, Read D, Stein REK, Blumberg SJ, Wells N, Newacheck PW. Identifying Children with Special Health Care Needs: Development and Evaluation of a Short Screening Instrument. *Ambulatory Pediatrics* Volume 2, No. 1, January-February 2002, pp 38-48.

These questions are asked about children ages 0 –17 and had been asked in the 2000 PAQ. In general, the CSHCN screener identifies children with activity limitation or need or use of more health care or other services than is usual for most children of the same age. When a response to a gate question was set to “No” (2), “Refused” (-7), “Don’t Know” (-8), or “Not Ascertained” (-9), follow-up variables based on the gate question were coded as “Inapplicable” (-1). The CSHCN screener questions were:

- CHPMED42 - child needs or uses prescribed medicines
- CHPMHB42 - prescribed medicines were because of a medical, behavioral, or other health condition
- CHPMC42 - health condition that causes a person to need prescribed medicines has lasted or is expected to last for at least 12 months
- CHSERV42 - child needs or uses more medical care, mental health, or education services than is usual for most children of the same age
- CHSRHB42 - child needs or uses more medical and other service because of a medical, behavioral, or other health condition
- CHSRCN42 - health condition that causes a person to need or use more medical and other services has lasted or is expected to last for at least 12 months
- CHLIMI42 - child is limited or prevented in any way in ability to do the things most children of the same age can do
- CHLIHB42 - child is limited in the ability to do the things most children can do because of a medical, behavioral, or other health condition
- CHLICO42 - health condition that causes a person to be limited in the ability to do the things most children can do has lasted or is expected to last for at least 12 months
- CHTHER42 - child needs or gets special therapy such as physical, occupational, or speech therapy

- CHTHHB42 - child needs or gets special therapy because of a medical, behavioral, or other health condition
- CHTHCO42 - health condition that causes a person to need or get special therapy has lasted or is expected to last for at least 12 months
- CHCOUN42 - child has an emotional, developmental, or behavioral problem for which he or she needs or gets treatment or counseling
- CHEMPB42 - problem for which a person needs or gets treatment or counseling is a condition that has lasted or is expected to last for at least 12 months

Columbia Impairment Scale (ages 5 - 17). These questions inquired about possible child behavioral problems and were asked in previous years. Respondents were asked to rate on a scale from 0 to 4, where “0” indicates “No Problem” and “4” indicates “A Very Big Problem”, how much of a problem the child has with thirteen specified activities. A key reference for the Columbia Impairment Scale is:

Bird HR, Andrews H, et. al. “Global Measures of Impairment for Epidemiologic and Clinical Use with Children and Adolescents.” *International Journal of Methods in Psychiatric Research*, vol. 6, 1996, pp. 295-307.

Certain questions in this series were coded to “Asked, but Inapplicable” (99) when the question was not applicable for a specific child. For example, if a child’s mother was deceased, a question about how much of a problem a child has getting along with his/her mother would be set to “Asked, but Inapplicable” (99). Similarly, the question about problems getting along with siblings would be set to “Asked, but Inapplicable” (99) for children with no siblings. Variables in this set include:

- MOMPRO42 - getting along with mother
- DADPRO42 - getting along with father
- UNHAP42 - feeling unhappy or sad
- SCHLBH42 - (his/her) behavior at school
- HAVFUN42 - having fun
- ADUPRO42 - getting along with adults
- NERVAF42 - feeling nervous or afraid
- SIBPRO42 - getting along with brothers and sisters
- KIDPRO42 - getting along with other kids
- SPRPRO42 - getting involved in activities like sports or hobbies
- SCHPRO42 - (his/her) schoolwork
- HOMEBH42 - (his/her) behavior at home

TRBLE42 - staying out of trouble

CAHPS® (ages 0 - 17). The health care quality measures were taken from the health plan version of CAHPS®, an AHRQ sponsored family of survey instruments designed to measure quality of care from the consumer’s perspective and had been asked in the 2000 PAQ. Note that there were several changes to the CAHPS® questions and corresponding variables from 2001 to 2002. The variable CHNDCR42 is new in 2002 and the name of the variable CHNECP42 in 2002 was changed from CHNECR42 in 2001 to reflect a new skip pattern. Starting in 2002, CHNECP42 is asked only when the answer to CHNDCR42 is Yes (code=1). Although there were slight wording changes for several other questions, the remaining variable names remained the same. These changes may result in slightly different estimates in 2002 than in 2001. All of the CAHPS® variables refer to events experienced in the last 12 months. The variables included from the CAHPS® are:

- CHRTCR42 - whether any appointments were made to see a doctor or other health provider for health care
- CHRTWW42 - how often a person got an appointment for health care as soon as was wanted (coded as “-1 Inapplicable” when CHRTCR42=2, -7, -8, or -9)
- CHILCR42 - whether a person had an illness, injury, or condition that needed care right away from a clinic, emergency room, or doctor’s office
- CHILWW42 - how often a person got care as soon as was wanted for an illness, injury, or condition (coded as “-1 Inapplicable” when CHILCR42=2, -7, -8, or -9)
- CHAPPT42 - how many times a person went to a doctor’s office or clinic for care
- CHNDCR42 - whether the parent or a doctor believed the person needed any care, tests or treatment (coded as “-1 Inapplicable” when CHAPPT42=0, -7, -8, -9)
- CHNECP42 - how much of a problem it was to get a person the care, tests or treatment that the parent or a doctor believed necessary (coded as “-1 Inapplicable” when CHAPPT42=0, -7, -8, or -9 or when CHNDCR42=2, -7, -8, -9)
- CHLIST42 - how often a person’s doctors or other health providers listened carefully to the parent (coded as “-1 Inapplicable” when CHAPPT42=0, -7, -8, or -9)

CHEXPL42 -	how often a person's doctors or other health providers explained things in a way the parent could understand (coded as "-1 Inapplicable" when CHAPPT42=0, -7, -8, or -9)
CHRESP42 -	how often a person's doctors or other health providers showed respect for what the parent had to say (coded as "-1 Inapplicable" when CHAPPT42=0, -7, -8, or -9)
CHPRTM42 -	how often doctors or other health providers spent enough time with a person and parent (coded as "-1 Inapplicable" when CHAPPT42=0, -7, -8, or -9)
CHHECR42 -	rating of health care from 0 to 10 where 0 =Worst health care possible and 10=Best health care possible (coded as "-1 Inapplicable" when CHAPPT42=0, -7, -8, or -9)
CHSPEC42 -	whether a person needed to see a specialist
CHPRRE42 -	how much of a problem it was to see a specialist that child needed to see (coded as "-1 Inapplicable" when CHSPEC42=2, -7, -8, or -9)

Child Preventive Care (age range depends on question). A series of questions was asked about amounts and types of preventive care a child may receive when going to see a doctor or other health provider. Questions are asked of children of different age groups depending on the nature of the questions. When a response to a gate question was set to "No" (2), "Refused" (-7), "Don't Know" (-8), or "Not Ascertained" (-9), follow-up variables based on the gate question were coded as "Inapplicable" (-1). Variables in this set include:

MESHGT42 -	doctor or other health provider ever measured child's height (0 – 17)
WHNHGT42 -	when doctor or other health provider measured child's height (0 – 17)
MESWGT42 -	doctor or other health provider ever measured child's weight (0 – 17)
WHNWGT42 -	when doctor or other health provider measured child's weight (0 – 17)
CHBMIX42 -	child's Body Mass Index (BMI) as based on child's reported height and weight (3 – 17)
MESVIS42 -	doctor or other health provider ever checked child's vision (3 – 6)

MESBPR42 -	doctor or other health provider ever checked child's blood pressure (2 – 17)
WHNBPR42 -	when doctor or other health provider checked child's blood pressure (2 – 17)
DENTAL42 -	doctor or other health provider ever advised a dental checkup (2 – 17)
WHNDEN42 -	when doctor or other health provider advised a dental checkup (2 – 17)
EATHLT42 -	doctor or other health provider ever given advice about child's eating healthy (2 – 17)
WHNEAT42 -	when doctor or other health provider gave advice about eating healthy (2 – 17)
PHYSCL42 -	doctor or other health provider ever given advice about the amount and kind of exercise, sports or physically active hobbies the child should have (2 – 17)
WHNPHY42 -	when doctor or other health provider gave advice about exercise (2 – 17)
SAFEST42 -	doctor or other health provider ever given advice about using a safety seat when child rides in the car (weight <= 40 pounds or age 0 - 4 if weight is missing)
WHNSAF42 -	when doctor or other health provider gave advice about using a safety seat (weight <= 40 pounds or age 0 - 4 if weight is missing)
BOOST42 -	doctor or other health provider ever given advice about using a booster seat when child rides in the car (weight between 41 and 80 pounds or age > 4 and age <= 9 if weight is missing)
WHNBST42 -	when doctor or other health provider gave advice about using a booster seat (weight between 41 and 80 pounds or age > 4 and age <= 9 if weight is missing)
LAPBLT42 -	doctor or other health provider ever given advice about using lap and shoulder belts when child rides in the car (weight > 80 pounds or age > 9 if weight is missing)
WHNLAP42 -	when doctor or other health provider gave advice about using lap and shoulder belts (weight > 80 pounds or age > 9 if weight is missing)

HELMET42 -	doctor or other health provider ever given advice about the child's using a helmet when riding a bicycle or motorcycle (2 – 17)
WHNHEL42 -	when doctor or other health provider gave advice about the child's using a helmet when riding a bicycle or motorcycle (2 – 17)
NOSMOK42 -	doctor or other health provider ever given advice about how smoking in the house can be bad for child's health (0 – 17)
WHNSMK42 -	when doctor or other health provider gave advice about how smoking in the house can be bad for the child's health (0 – 17)
TIMALN42 -	during last health care visit, doctor or other health provider spent any time alone with the child (12 – 17)

Due to confidentiality concerns and restrictions, the variables HGTFT42, HGTIN42, WGTLB42 and WGTOZ42, will not be included on the Full-Year 2002 file. Instead, a Body Mass Index (BMI) variable, CHBMIX42, was calculated for children 3-17 years old. All children age 2 and under were given a “-1 Inapplicable” code for the variable CHBMIX42. CHBMIX42 is included in the 2002 file and on the above list. Please note: analysts can have access to the height and weight variables and/or construct a BMI variable of their own through the MEPS Data Center. To access information on the MEPS Data Center including an application, please go to the following web address: <http://meps.ahrq.gov/datacenter.htm>

The steps used to calculate the BMI for children are as follows:

1. Construct child height and weight variables HGTFT42, HGTIN42, WGTLB42 and WGTOZ42 based on collected data
2. Create a preliminary data set containing height, weight, sex and age data for children 3 – 17 years old
3. Generate a preliminary child BMI for children 3 – 17 years old using the preliminary data set and the procedure for calculating the BMI for children as described on the Centers for Disease Control and Prevention (<http://www.cdc.gov/>) web site
4. Create the child BMI variable CHBMIX42 using the preliminary child BMI, setting all deceased persons and all persons over 17 years old and all persons 2 years old or younger to Inapplicable (-1)

Note that for FY 2002, unlike in FY 2001, child height and weight were not top-coded prior to the construction of the preliminary data set. Where height in feet was >0 and height in inches was missing, the mid-point value for height in inches (6 inches) was assigned to HGTIN42 for use in the calculation of the child BMI. Where height in feet was 0 and height in inches was missing, the preliminary child BMI was set to “Not Ascertained” (-9).

For cases where weight in pounds was between 1 and 20 and weight in ounces was missing (WGTOZ42 in (-7,-8,-9)), the mid-point value for weight in ounces (8 ounces) was assigned to WGTOZ42 for use in the calculation of the child BMI. Where weight in pounds was 0 and weight in ounces was missing, the preliminary child BMI was set to “Not Ascertained” (-9).

This use of the mid-points for inches and ounces ensures that children who have feet but not inches in height and/or pounds but not ounces in weight are included in the BMI calculation.

As indicated in step 2 above a preliminary SAS data set containing height, weight, sex and age data for children 3 – 17 years old in FY 2002 was created. Two SAS programs were downloaded from the Centers for Disease Control and Prevention web site for the purpose of calculating the BMI for children (step 3). These programs used the preliminary data set of children to generate a preliminary child BMI based on the 2000 CDC growth charts (<http://www.cdc.gov/growthcharts/>). These programs used the following formula to calculate the preliminary BMI for children:

$$\text{Weight in Kilograms} / [(\text{Height in Centimeters}/100)]^2$$

Note that weight in pounds and ounces was converted to weight in kilograms in the preliminary data set. Similarly, height in feet and inches was converted to height in centimeters in the preliminary data set.

As indicated in step 4 above, the child BMI variable CHBMIX42 was calculated using this preliminary BMI from step 3. Deceased persons, persons > 17 years old, and children younger than 3 years old were set to Inapplicable (-1) for CHBMIX42. Children 3 – 17 years old with a missing value for height in feet (HGTFT42 is “Refused” (-7), “Don’t Know” (-8), or “Not Ascertained” (-9)) and/or weight in pounds (WGTLB42 is “Refused” (-7), “Don’t Know” (-8), or “Not Ascertained” (-9)) were set to Not Ascertained (-9) for CHBMIX42. Children whose height in feet was 0 and height in inches was missing (HGTIN42 is “Refused” (-7), “Don’t Know” (-8), or “Not Ascertained” (-9)) were set to “Not Ascertained” (-9) for CHBMIX42. Children whose weight in pounds was 0 and weight in ounces was missing (WGTOZ42 is “Refused” (-7), “Don’t Know” (-8), or “Not Ascertained” (-9)) were set to “Not Ascertained” (-9) for CHBMIX42. All other children 3 – 17 years old have a calculated BMI for FY 2002.

For FY 2002, unlike in FY 2001, CHBMIX42 was not top- or bottom-coded or edited. This may result in more values at the high and low ends of CHBMIX42 for 2002 as compared to the 2001 data

2.6.5.7 Preventive Care Variables

For each person, excluding deceased persons, a series of questions was asked primarily about the receipt of preventive care or screening examinations. Questions varied in the applicable age or gender subgroups to which they pertained. The list of variables in this series, along with their applicable subgroup is as follows:

DENTCK53 -	on average, frequency of dental check-up All ages; both genders
CHOLCK53 -	about how long since last blood cholesterol check by doctor or health professional Age >17; both genders
CHECK53 -	how long since last routine check-up by doctor or other health professional for assessing overall health Age >17; both genders
FLUSHT53 -	how long since last flu shot Age >17; both genders
LSTETH53 -	has person lost all natural (permanent) teeth Age >17; both genders
PSA53 -	how long since last prostate specific antigen (PSA) test Age >39; males only
HYSTER53 -	had a hysterectomy Age >17; females only
PAPSMR53 -	how long since last pap smear test Age >17; females only
BRSTEX53 -	how long since last breast exam Age >17; females only
MAMOGR53 -	how long since last mammogram Age >29; females only

STOOL53 -	ever had a blood stool test performed at home that was provided by doctor or other health professional to determine whether stool contains blood Age >17; both genders
WHENST53 -	when was last time had blood stool test using home kit Age >17; STOOL53=1 (yes, person had a blood stool test performed at home that was provided by doctor or other health professional to determine whether stool contains blood)
BOWEL53 -	ever had sigmoidoscopy or colonoscopy Age >17; both genders
WHNBWL53 -	when was last sigmoidoscopy or colonoscopy Age >17; BOWEL53=1 (yes, person had sigmoidoscopy or colonoscopy)
PHYACT53 -	currently spends half hour or more in moderate to vigorous physical activity at least three times a week Age>17; both genders
BMINDEX53 -	Adult Body Mass Index (BMI) as based on reported height and weight Age > 17; both genders
SEATBE53 -	wears seat belt when drives or rides in a car Age >15; both genders

For each of the variables above, a code of “Inapplicable” (-1) was assigned if the person was deceased or if the person did not belong to the applicable subgroups.

Due to confidentiality concerns and restrictions, the variables HGHTFT53, HGHTIN53, WEIGHT53 and WGTEST53, will not be included on the Full-Year 2002 file. Instead, a Body Mass Index (BMI) variable, BMINDEX53, was calculated for adults 18 years of age or older. BMINDEX42 is included in the 2002 file and on the above list. Please note: analysts can have access to the height and weight variables and/or construct a BMI variable of their own through the MEPS Data Center. To access information on the MEPS Data Center including an application, please go to the following web address: <http://meps.ahrq.gov/datacenter.htm>

BMI categories for adults are the following:

- Underweight = BMI is less than 18.5,
- Normal Weight = BMI is between 18.5 – 24.9 inclusive,
- Overweight = BMI is between 25.0 – 29.9 inclusive, and
- Obesity = BMI greater than or equal to 30.0

The following formula used to calculate the BMI for adults was taken from the Centers for Disease Control and Prevention (<http://www.cdc.gov/>) web site:

$$\text{BMI} = [\text{Weight in Pounds} / (\text{Height in Inches})^2] * 703$$

The steps used to calculate the BMI for adults are as follows:

1. Construct adult height, weight and weight estimate variables HGHTFT53, HGHTIN53, WEIGHT53 and WGTEST53
2. Create the building block variable ADHGTIN, indicating total height in inches for adults => 18 years old
3. Create the temporary variable MIDWGT, indicating the mid-point value of a person's estimate of weight (WGTEST53)
4. Create the adult BMI variable BMINDX53 using the building block and the temporary variable, setting all deceased persons and all persons < 18 years old to Inapplicable (-1)

For FY 2002, unlike in FY 2001, adult height and weight were not top- or bottom-coded prior to the construction of the adult BMI.

The building block variable ADHGTIN was calculated as [(HGHTFT53 * 12) + (HGHTIN53)] to indicate total adult height in inches, step 2. Note that ADHGTIN was created for programming efficiency only and is not included in this data release. For cases where height in feet was > 0 (HGHTFT53 > 0) and height in inches was missing (HGHTIN53 in (-7, -8, -9)), the mid-point value for height in inches (6 inches) was used in the calculation of total height in inches [ADHGTIN = (HGHTFT53 * 12) + 6]. This use of the mid-point for inches ensures that adults who have feet but not inches in height are included in the BMI calculation. ADHGTIN was set to Not Ascertained (-9) for all cases where adult height in feet was Refused, Don't Know, or Not Ascertained (HGHTFT53 in (-7, -8, -9)). Deceased persons and persons whose age was less than 18 years old were set to Inapplicable (-1) for ADHGTIN.

The temporary variable MIDWGT was calculated to indicate the mid-point value of person's estimate of weight (WGTEST53), step 3. The value 400, rather than a mid-point, was assigned to MIDWGT where estimate of weight was '400 pounds or more'

(WGTEST53 = 18). Note that MIDWGT was created for programming efficiency only and is not included in this data release.

The adult BMI variable BMINDEX53 was calculated (step 4) using the building block variable ADHGTIN and adult weight in pounds (WEIGHT53) as follows:

$$\text{BMINDEX53} = [\text{WEIGHT53} / (\text{ADHGTIN})^2] * 703$$

For adults whose weight in pounds was Don't Know (WEIGHT53 = -8) and whose estimate of weight was > 0 (WGTEST53 between 1 and 18), MIDWGT was used in the calculation of BMINDEX53:

$$\text{BMINDEX53} = [\text{MIDWGT} / (\text{ADHGTIN})^2] * 703$$

BMINDEX53 was set to Not Ascertained (-9) for adults whose weight in pounds was Refused or Not Ascertained (WEIGHT53 in (-7, -9)). BMINDEX53 was set to Not Ascertained (-9) for adults whose weight in pounds was Don't Know (-8) and whose estimate of weight was Refused, Don't Know, or Not Ascertained (WGTEST53 in (-7, -8, -9)). BMINDEX53 was set to Not Ascertained (-9) for adults whose total height in inches was Not Ascertained (ADHGTIN = -9). Deceased persons and persons whose age was less than 18 years old were set to Inapplicable (-1) for BMINDEX53.

For FY 2002, unlike in FY 2001, BMINDEX53 was not top- or bottom-coded or edited. This may result in more values at the high and low ends of BMINDEX53 for 2002 as compared to the 2001 data.

2.6.5.8 Priority Conditions

For each person, excluding deceased persons, questions from the supplemental Priority Condition (PC) section were asked about the existence of select priority conditions. Questions varied in the applicable age subgroups to which they pertained.

Note that if edited age is within range for the variable to be set, but the source data are missing because person's age in CAPI is not within range, the constructed variable is set to "Not Ascertained" (-9).

Questions were asked regarding the following conditions:

- Sore Throat
- Diabetes
- Asthma
- High blood pressure
- Heart disease (including coronary heart disease, angina, myocardial infarction)

- Stroke
- Emphysema
- Joint pain
- Arthritis

These conditions were selected because (1) they are relatively prevalent and (2) generally accepted standards for appropriate clinical care have been developed. As part of AHRQ's focus on the quality of health care, this series of questions obtained information on the receipt of tests or procedures appropriate for each condition. This information thus supplements other information on medical conditions that is gathered in other parts of the interview.

Editing of these variables focused on checking that skip patterns were consistent.

Sore Throat. Questions about sore throats were asked only of persons under age 18. Consequently, persons 18 years of age or older were coded as "Inapplicable" (-1) on these questions. SRTHRT53 indicates whether each person had a sore throat serious enough to cause the person to call a doctor or other health professional during the last 12 months. Those who said "Yes" (1) to SRTHRT53 were asked whether the person who contacted a doctor or other health professional in the last 12 months did so primarily due to a sore throat or some other symptoms (THSYMP53). For those who said "Sore Throat" (1) to THSYMP53, a follow-up question was asked which indicates whether the person actually saw the doctor or other health professional for the sore throat (DRTHRT53). THANTB53 indicates whether the doctor or other health provider prescribed antibiotics for the sore throat. Those who said "Yes" (1) to THANTB53 were asked whether the person received a throat swab before receiving the antibiotics (THSWAB53). For those who answered "No" (2), "Refused" (-7), or "Don't Know" (-8), a follow-up question, THSYMF53, was asked which indicates whether other persons in the household had similar symptoms around the same time. If THSYMF53 was answered "Yes" (1), the person was asked whether a doctor or other health professional gave these family members a throat swab (THSWBF53) and whether a doctor or health professional prescribed antibiotics for these family members (THANTF53).

Diabetes. DIABDX53 indicates whether each person had ever been diagnosed with diabetes (excluding gestational diabetes). Each person who said they had received a diagnosis of diabetes was asked to complete a special self-administered questionnaire. The documentation for this questionnaire appears in the Diabetes Care Survey (DCS) section of the documentation.

Asthma. ASTHDX53 indicates whether a respondent had ever been diagnosed with asthma. Those who said "Yes" were asked additional questions. ASATAK53 asked whether the person had experienced an episode of asthma in the past 12 months. ASFLOW53 indicates whether the person with asthma had a peak flow meter at home. ASMED53 indicates if the person with asthma took any prescription medications. For

those who said “Yes” to ASMED53, a follow-up question, ASSTER53, indicates if the person used steroid inhalers. Those who said “No” (2) (or “Refused” (-7) or “Don’t Know” (-8)) to ASTHDX53 were not asked ASATAK53, ASFLOW53, ASMED53, and ASSTER53; these respondents have been assigned a code of “Inapplicable” (-1) for these variables.

High Blood Pressure. Questions about high blood pressure (hypertension) were asked only of respondents aged 18 or older. Consequently, persons aged 17 or younger were coded as “Inapplicable” (-1) on these variables. HIBPDX53 ascertained whether the person had ever been diagnosed as having high blood pressure (other than during pregnancy). Those who had received this diagnosis were also asked if they had been told on two or more different visits that they had high blood pressure (BPMLDX53).

All respondents older than 17 (regardless of hypertension diagnosis) were also asked how long it had been since they had their blood pressure checked by a doctor, nurse, or other health professional (BPCHEK53). If the response was within the past year or two years, the number of months since the last blood pressure check was ascertained (BPMONT53). If the response to BPCHEK53 was longer than 2 years, BPMONT53 was not asked and was coded as “Inapplicable” (-1).

Heart Disease. The next series of questions concerned ischemic heart disease. The questions were asked only of respondents aged 18 or older. Consequently, persons aged 17 or younger were coded as “Inapplicable” (-1) on all the variables in this set.

- CHDDX53 - asked if the person had ever been diagnosed as having coronary heart disease
- ANGIDX53 - asked if the person had ever been diagnosed as having angina, or angina pectoris
- MIDX53 - asked if the person had ever been diagnosed as having a heart attack, or myocardial infarction
- OHRTDX53 - asked if the person had ever been diagnosed with any other kind of heart disease or condition
- STRKDX53 - asked if the person had ever been diagnosed as having had a stroke or transient ischemic attack (TIA or ministroke)

In addition to the five questions specified above, the following three questions asked the same group of people about diet, exercise and use of aspirin:

- NOFAT53 - asked if a doctor or other health professional had ever advised the person to eat fewer high fat or high cholesterol foods
- EXRCIS53 - asked if a doctor had advised the person to exercise more
- ASPRIN53 - asked if the person took aspirin frequently

If the answer to ASPRIN53 was “No”, or if the response was “Refused” (-7), “Don’t

Know” (-8), or “Not Ascertained” (-9), a follow-up question asked if the person had a health problem that made taking aspirin unsafe (NOASPR53). If the answer to NOASPR53 was “Yes” (1), the person was asked if this problem was stomach-related or something else (STOMCH53).

Those who answered “No” to NOASPR53 were coded as “Inapplicable” (-1) for STOMCH53. Those who answered “Yes” to ASPRIN53 were coded as “Inapplicable” (-1) on NOASPR53 and on STOMCH53.

Emphysema. EMPHDX53 asked if the person (aged 18 or older) had ever been diagnosed with emphysema.

Joint Pain. JTPAIN53 asked if the person (aged 18 or older) had experienced pain, swelling, or stiffness around a joint in the last 12 months. This question is not intended to be used as an indicator of a diagnosis of arthritis.

Arthritis. ARTHDX53 asked if the person (age 18 or older) had ever been diagnosed with arthritis. If the person said "Yes" (1) to ARTHDX53, a follow-up question, ARTHTX53, was asked which indicates whether the person is currently being treated for arthritis.

2.6.5.9 2002 Self-Administered Questionnaire (SAQ)

The 2002 Self-Administered Questionnaire (SAQ), a paper-and-pencil questionnaire, was fielded during Panel 6 Round 4 and Panel 7 Round 2 of the 2002 Medical Expenditure Panel Survey (MEPS). The survey was designed to collect a variety of health status and health care quality measures of adults. All adults age 18 and older as of the Round 2 or 4 interview date (AGE42X >= 18) in MEPS households were asked to complete a SAQ. The questionnaires were administered in late 2002 and early 2003.

The variable SAQELIG indicates the person’s eligibility status for the SAQ. SAQELIG was to construct the variables based on the SAQ data. SAQELIG was coded “0” (Not Eligible For SAQ) if there was no record for person in the round, if the person was deceased, institutionalized, moved out of the US, moved to a military facility, or the person’s disposition status was inapplicable, or if the person was less than 18 years old. SAQELIG was coded “1” (Eligible For SAQ and Has SAQ Data) if a SAQ record existed for the person in Round 2 (for Panel 7) or Round 4 (for Panel 6). SAQELIG was coded “2” (Eligible For SAQ, But No SAQ Data) if no SAQ record existed for the person in the round.

If a respondent was unable to respond to the SAQ, the questionnaire was completed by a proxy, as indicated by the variable ADPRX42 (ADPRX42>0). For the SAQ variables, a code of “Inapplicable” “-1” was assigned if a person was not eligible or was eligible but no data existed based on SAQELIG (SAQELIG was coded “0” or “2”). If a person was

not assigned a positive SAQ weight, all SAQ variables, with the exception of SAQELIG, were coded Inapplicable. When a response to a gate question answer was set to “No” (2), follow-up variables based on the gate question were coded as “Inapplicable” (-1). When a gate question answer was set to “Refused” (-7), “Don’t Know” (-8), or “Not Ascertained” (-9), follow-up variable answers were left as reported. A special weight variable (SAQWT02P) has been designed to be used with the SAQ for persons who were age 18 and older at the interview date. This weight adjusts for SAQ non-response and weights to the US civilian noninstitutionalized population (see Section 3.0 of the documentation for details). The variables created from the SAQ begin with “AD”.

The language in which the SAQ was completed is indicated by the variable ADLANG42. If the English version of the SAQ was completed, ADLANG42 was coded “1” (English Version SAQ Was Administered). If the Spanish version of the SAQ was completed, or if the English version was translated into Spanish, ADLANG42 was coded “2” (Spanish Version SAQ Was Administered). If the language in which the SAQ was administered was not ascertained, ADLANG42 was coded “-9” (Not Ascertained).

The month, day and year the SAQ was completed are indicated by the variables ADCMPM42, ADCMPD42 and ADCMPY42, respectively.

Health Care Quality

CAHPS®

The health care quality measures in the SAQ were taken from the health plan version of CAHPS®, an AHRQ-sponsored family of survey instruments designed to measure quality of care from the consumer’s perspective. All of the variables refer to events experienced in the last 12 months and were asked of adults age 18 and older. The variables included from the CAHPS® are:

- ADILCR42 - Had an illness, injury or condition needing care right away from a clinic, emergency room or doctor’s office
- ADILWW42 - If ADILCR42 = 1, how often got appointment for an illness, injury or condition as soon as wanted
- ADRTCR42 - Any appointment was made to see a doctor or other health provider for health care
- ADRTWW42 - If ADRTCR42 = 1, how often got an appointment for health care as soon as wanted
- ADAPPT42 - Number of times went to doctor’s office or clinic to get care

- ADNDCR42 - If ADAPPT42>0, whether you or a doctor believed you needed any care, tests, or treatment
- ADNECP42 - If ADAPPT42>0 and ADNDCR42= 1, how much of a problem it was to get care, tests or treatment you or a doctor believed necessary
- ADLIST42 - If ADAPPT42>0, how often health providers listened carefully to you
- ADEXPL42 - If ADAPPT42>0, how often health providers explained things so you understood
- ADRESP42 - If ADAPPT42>0, how often providers showed respect for what you had to say
- ADPRTM42 - If ADAPPT42>0, how often health providers spent enough time with you
- ADHECR42 - If ADAPPT42>0, rating of healthcare from all doctors and other health providers, from 0 (worst health care possible) to 10 (best health care possible)

General Health

- ADSMOK42 - Currently smoke
- ADDSMK42 - If ADSMOK42 was set to “Yes” (1), doctor advised you to quit smoking
- ADDRBP42 - Blood pressure has been checked by a doctor, nurse, or other health professional
- ADSPEC42 - Needed to see a specialist
- ADPRRE42 - If ADSPEC42 was set to “Yes” (1), how much of a problem it was to see a specialist

Health Status

The SAQ contained two measures of health status, the Short-Form 12 (SF-12 (r), a registered trademark) and the EuroQol 5-D (EQ-5D). These are two of the more widely used measures of health status. Key references for these two measures are:

1. Ware, J.E., Kosinski, M., and Keller, S.D. (1996). A 12-item short-form health survey: Construction of scales and preliminary tests of reliability and validity. Medical Care 34:220.
2. Brooks, R.. (1996). EuroQol: The current state of play. Health Policy 37:53-72.
3. Dolan, P. (1997). Modeling variations for EuroQol health states. Medical Care 35:1095-1108.

The SF-12 questions are as follows:

ADGENH42 -	General health today
ADDAYA42 -	During a typical day, limitations in moderate activities
ADCLIM42 -	During a typical day, limitations in climbing several flights of stairs
ADPACC42 -	During past 4 weeks, as result of physical health, accomplished less than would like
ADPLMT42 -	During past 4 weeks, as result of physical health, limited in kind of work or other activities
ADMACC42 -	During past 4 weeks, as result of mental problems, accomplished less than you would like
ADMLMT42 -	During past 4 weeks, as result of mental problems, limited in kind of work or other activities
ADPAIN42 -	During past 4 weeks, pain interfered with normal work outside the home and housework
ADCALM42 -	During the past 4 weeks, felt calm and peaceful
ADPEP42 -	During the past 4 weeks, had a lot of energy

ADBLUE42 - During the past 4 weeks, felt downhearted and blue

ADSOCA42 - During the past 4 weeks, physical health or emotional problems interfered with social activities

Short-Form 12 (SF-12). In analyzing data from the SF-12, the standard approach is to form two summary scores, based on responses to these questions. The underlying conception is that overall health is composed of a physical component and a mental component. The Physical Component Summary (PCS) weights more heavily responses to the first five SF-12 items above. The Mental Component Summary (MCS) weights more heavily responses to SF-12 items 6-9 above. The algorithm for computing the PCS and the MCS summary scores is described in the manual for the SF-12:

Ware, Jr., J.E., Kosinski, M., and Keller, S. How to Score the SF-12 (r) Physical and Mental Health Summary Scales (Third Edition). (September 1998). QualityMetric, Inc., Lincoln, RI.

This manual can be purchased from QualityMetric, Inc. (www.qmetric.com). The PCS and MCS cannot be computed directly if a person has missing data for any of the twelve items. QualityMetric has developed a proprietary method for imputing the PCS and MCS scores if some data are missing. PCS and MCS scores calculated according to the standard algorithm, and incorporating imputations for some cases with missing data, will be available for analysts in the subsequent release of FY 2002 expenditure data.

EuroQol (EQ-5D). The EQ-5D contains five questions, regarding the extent of problems in mobility (ADMOBI42), self-care (ADSELF42), daily activities (ADACTI42), pain (ADPAYN42), and anxiety/depression (ADDEPR42). Each question has three possible responses: no problem, mild problem, or severe problem. Prior research (Dolan, 1997) has developed a method for assigning a number to each health state that represents an average preference for one state versus another. The most highly-valued state (perfect health) has a score of 1.0; death has a score of 0.0; and all other health states have a score in between, with higher numbers indicating that a state is valued more highly. (Some health states actually receive a negative number, indicating that death is preferable to being in that state.) In addition, the EQ-5D includes a sixth question (ADSCAL42), which asks respondents to rate their current overall health on a scale that ranges from 0 through 100, where 0 indicates “worst possible health” and 100 indicates “best possible health.” Thus, the EQ-5D produces two scores: the preference-based index and the rating scale.

Directions for computing the preference-based index from the five EuroQol items appear in Dolan (1997). Scores computed using this algorithm will be available for analysts in the subsequent release of FY 2002 expenditure data.

ADMOBI42 -	Problems with mobility
ADSELF42 -	Problems with self-care
ADACTI42 -	Problems with usual activities
ADPAYN42 -	Problems with pain/discomfort
ADDEPR42 -	Problems with anxiety/depression
ADSCAL42 -	Scale: Rating of your own health today

Attitudes about Health

The SAQ included four questions that ascertain certain health-related attitudes. Two items (ADINSA42 and ADINSB42) deal with attitudes toward health insurance. The other two questions (ADRISK42 and ADOVER42) deal with attitudes that might influence decisions to purchase health insurance or to use health services. These items were used in the 1987 National Medical Expenditure Survey. No editing has been performed for these items.

ADINSA42 -	Do not need health insurance
ADINSB42 -	Health insurance is not worth the money it costs
ADRISK42 -	More likely to take risks than the average person
ADOVER42 -	Can overcome illness without help from a medically trained person

Please note that the weighted frequencies displayed in the HC-062 codebook for the health status variables collected in the SAQ and DCS (as designated in the variable labels) are based on the full-year 2002 person weight PERWT02P. However, when using these variables in analysis, weights specific to each of these sets of questions should be used (SAQWT02P, DIABW02P). For persons who are not assigned a positive SAQ weight, the SAQ variables are recoded to “Inapplicable” (-1). Please see section “3.0. Survey Sample Information” for details.

2.6.5.10 Diabetes Care Survey (DCS)

The Diabetes Care Survey (DCS), a self-administered paper-and-pencil questionnaire, was fielded during Panel 6, Round 5 and Panel 7, Round 3. Households received a DCS based on their response to DIABDX53 in the Priority Condition section of the CAPI instrument, which asks whether or not the respondent was ever told by a doctor or health professional that he/she had diabetes. The DCS asks the same question with responses

summarized in the variable DSDIA53. DSDIA53 confirms that the respondent has ever been told by a health professional that he/she had diabetes or sugar diabetes. For a small number of cases DIABDX53 = YES (1) but DSDIA53 = NO (2). These people do not have a positive DCS weight. The DCS data are unedited, and, therefore, these and other data inconsistencies remain in the data. For all persons 17 years of age or younger, all the DCS variables are set to “Inapplicable” (-1) because there is not an appropriate weight included on the file to make national estimates for this population. DSA1C53 and DSCKFT53 indicate the number of times the respondent reported having a hemoglobin A-one-C test and his/her feet checked for sores or irritations in 2002, respectively. DSEY0353, DSEY0253, DSEY0153, DSEB0153 and DSEYNV53 indicate the last time the respondent reported having an eye exam in which the pupils were dilated: in 2003, in 2002, in 2001, before 2001, or never, respectively. DSKIDN53 and DSEYPR53 ascertain whether or not the diabetes has caused kidney or eye problems, respectively. DSDIET53, DSMED53 and DSINSU53 indicate if the respondent reported being treated for his/her diabetes by the following methods: diet, oral medications or insulin, respectively. If a respondent was unable to respond to the DCS, the questionnaire was completed by a proxy (DSPRX53 = 1). A special weight variable (DIABW02P) has been designed to be used with DCS data. This weight adjusts for DCS nonresponse and weights to the number of diabetics in the US civilian noninstitutionalized population in 2002 (see Section C-3.3 for details).

Please note that the weighted frequencies displayed in the HC-062 codebook for the health status variables collected in the SAQ and DCS (as designated in the variable labels) are based on the full-year 2002 person weight PERWT02P. However, when using these variables in analysis, weights specific to each of these sets of questions should be used (SAQWT02P, DIABW02P). For persons who are not assigned a positive DCS weight, the DCS variables are recoded to “Inapplicable” (-1). Please see section “3.0. Survey Sample Information” for details.

2.6.6 Access to Care Variables (ACCELI42- PMDLPR42)

The variables ACCELI42 through PMDLPR42 describe data from the Access to Care (AC) section of the MEPS HC questionnaire, which was administered in Panel 6 Round 4 and Panel 7 Round 2. This supplement serves a number of purposes in the MEPS HC by gathering information on five main topic areas: family members’ origins and preferred languages; family members’ usual source of health care; characteristics of usual source of health care providers; satisfaction with and access to the usual source of health care provider; and access to medical treatment, dental treatment, and prescription medicines. The variable ACCELI42 indicates whether persons were eligible to receive the Access to Care questions. Persons with ACCELI42 set to ‘-1’ (Inapplicable) should be excluded from estimates made with the Access to Care data.

2.6.6.1 Family Members' Origins and Preferred Languages

For each individual family member, the AC section ascertains what language the person prefers to speak at home (LANGHM42) and, for those persons who prefer to speak Spanish or another language other than English (LANGHM42 = 2 or 3), whether the person is comfortable conversing in English (ENGSPK42). Family members are also asked whether they were born in the United States (USBORN42). Persons who were not born in the United States (USBORN42 = 2) are asked how long they have lived in the United States (USLGLV42).

Note that for the variable USLGLV42, constructed from the variable LNGLIVUS collected at AC04 (“How long has person lived in the United States?”), there are two range categories that a person who has lived in the United States for 15 years might select: category ‘4’ (10 – 15 years), and category ‘5’ (15 years or more). This overlap will be fixed in subsequent Panels/Rounds.

2.6.6.2 Family Members' Usual Source of Health Care

For each individual family member, the AC section ascertains whether there is a particular doctor's office, clinic, health center, or other place that the individual usually goes to if he/she is sick or needs advice about his/her health (HAVEUS42).

YNOUSC42 indicates the main reason why a person does not have a usual source of care (USC) provider. For those family members who do not have a USC provider, question AC07 ascertains the main reason why. The variable YNOUSC42 has the following possible values:

- 1 Seldom or Never Sick
- 2 Recently Moved to Area
- 3 Don't Know Where to Go
- 4 USC in Area Not Available
- 5 Can't Find Provider Who Speaks Language
- 6 Goes Different Places For Diff Needs
- 7 Just Changed Insurance Plans
- 8 Don't Use Docs/Treat Self
- 9 Cost of Medical Care
- 91 Other Reason

These values reflect the answer categories given at AC07. If persons choose ‘91’ (Other Reason) at AC07, they are asked at AC07OV to provide a verbal explanation of what the main reason is that they do not have a USC provider. These “text strings” can be recoded to one of the existing categorical values listed above or, if the frequency of the response warrants it, additional categorical values. Recoding is described in greater detail below.

Family members without a USC provider are then asked AC08, which ascertains whether there are any additional reasons why. The person may choose one or more reasons. A variable is constructed for each reason why:

NOREAS42	No Other Reason
SELDSI42	Seldom or Never Sick
NEWARE42	Recently Moved to Area
DKWHRU42	Don't Know Where to Go
USCNOT42	USC in Area Not Available
PERSLA42	Can't Find Provider Who Speaks Language
DIFFPL42	Goes Different Places For Diff Needs
INSRPL42	Just Changed Insurance Plans
MYSELF42	Don't Use Docs/Treat Self
CARECO42	Cost of Medical Care
OTHREA42	Other Reason

These variables reflect the answer categories given at AC08. If persons choose '91' (Other Reason) at AC08, they are asked AC08OV to provide a verbal explanation of what the additional reason is that they do not have a USC provider. These "text strings" can be recoded to one of the existing yes/no variable listed above or, if the frequency of response warrants it, an additional yes/no variable. Recoding is described in greater detail below.

2.6.6.3 Characteristics of Usual Source of Health Care Providers

The AC section collects information about the different characteristics of each unique USC provider for a given family. If the person does not have a USC provider (HAVEUS42 is set to '2' (No), '-7' (Refused), '-8' (Don't Know) or '-9' (Not Ascertained)), then these variables are set to '-1' (Inapplicable).

The basis for the AC provider questions is PROVTY42. This variable indicates whether the person's provider is a facility (1), a person (2), or a person-in-facility (3). PROVTY42 is a copy of PROVTYPE (Provider Type) for persons who have a USC provider. For facility type providers, FACLPR42 indicates whether the person see a particular provider at the facility.

Depending on how PROVTY42 is set, persons are asked about the provider's location, the provider's personal characteristics (e.g., race), the provider's accessibility, and the person's satisfaction with the provider.

Provider Location

Two variables indicate the location of the provider. For a facility and a person-in-facility type providers, PLCTYP42 indicates whether the person's facility is a Hospital Clinic/Outpatient Department (1), a Hospital Emergency Room (2), or a Non-Hospital Place (3). For all provider types, LOCATN42 indicates whether the person's provider is

located in an Office (1), a Hospital but Not the Emergency Room (2), or a Hospital Emergency Room (3).

Personal Characteristics of Providers

For person and person-in-facility type providers, TYPEPE42 indicates what type of doctor or other medical provider the person's provider is. The possible values include:

- 1 MD – General/Family Practice
- 2 MD – Internal Medicine
- 3 MD – Pediatrics
- 4 MD – OB/Gyn
- 5 MD – Surgery
- 6 MD – Other
- 7 Chiropractor
- 8 Nurse
- 9 Nurse Practitioner
- 10 Physician's Assistant
- 11 Other Non-MD Provider
- 12 Unknown

TYPEPE42 is constructed using variables collected at several questions: AC15 “Is provider a medical doctor?” (PROV.MEDTYPE); AC16 “Is provider a nurse, nurse practitioner, physician's assistant, midwife, or some other kind of person?” (PROV.OTHTYPE); and AC17 “What is provider's specialty?” (PROV.MDSPECLT). If persons choose '91' (Other) at AC16 or AC17, they are asked at AC16OV or AC17OV, respectively, to provide a verbal explanation of the type of provider or medical doctor. These “text strings” can be recoded to one of the existing categorical values listed above or, if the frequency of the response warrants it, additional categorical values. Recoding is described in greater detail below.

The AC section also collects demographic information about person and person-in-facility type providers (PROVTY42 = 2 or 3). Six variables indicate the provider's race: WHITPR42 (white), BLCKPR42 (black/African American), ASIAMP42 (Asian), NATAMP42 (Indian/ Native American/Alaska Native), PACISP42 (Other Pacific Islander) and OTHRCP42 (Other Race). The person may choose more than one race for a single provider. These variables reflect the answer categories given at AC19. If persons choose '91' (Some Other Race) at AC19, they are asked AC19OV to provide a verbal explanation of the provider's race. These “text strings” can be recoded to one of the existing yes/no variables listed above or, if the frequency of response warrants it, an additional yes/no variable. Recoding is described in greater detail below.

In addition to the race variables, two other demographic variables are created: HSPLAP42 indicates whether the provider is Hispanic or Latino, and GENDRP42 indicates whether the provider is Male (1) or Female (2).

Using Constructed Variables to Describe the Usual Source of Care Provider

These variables describing a person's USC provider can be used in combination to present a broader picture of the provider. For example, a person-in-facility provider with a particular person named who is a white, Hispanic, female pediatrician, with no other race specified; and whose location is in an office in a hospital is coded as:

PROVTY42 = 3
FACLPR42 = 1
PLCTYP42 = 1
TYPEPE42 = 3
HSPLAP42 = 1
WHITPR42 = 1
BLCKPR42 = 2
ASIANP42 = 2
NATAMP42 = 2
PACISP42 = 2
OTHRCP42 = 2
GENDRP42 = 2
LOCATN42 = 1

2.6.6.4 Access to and Satisfaction with the Provider

The AC section collects information regarding the person's ability to access the USC provider as well as the person's satisfaction with the USC provider.

Access to the Provider

Two variables describe the person's method of traveling to the USC provider. GOTOUS42 indicates how the person travels to the USC provider: 'Drives' (1), 'Is Driven' (2), 'Taxi, Bus, Train, Other Public Transportation' (3), or 'Walks' (4). TMTKUS42 indicates how long it takes the person to travel to the USC provider: 'Less Than 15 Minutes' (1), '15 to 30 Minutes' (2), '31 to 60 Minutes' (3), '61 to 90 Minutes' (4), '91 Minutes to 120 Minutes' (5), or 'More than 120 Minutes' (6).

OFFHOU42, DFTOUS42, PHNREG42, and AFTHOU42 assess aspects of the provider that may make it difficult for the person to get in contact with the USC provider. OFFHOU42 indicates whether the provider has office hours at night or on the weekend. The remaining three variables reflect the person's rating of the difficulty of accessing the USC provider by travel (DFTOUS42), by phone (PHNREG42), and after hours

(AFTHOU42). The person has the following choices: ‘Very Difficult’ (1), ‘Somewhat Difficult’ (2), ‘Not Too Difficult’ (3), or ‘Not at All Difficult’ (4).

Satisfaction with the Provider

These variables reflect the person’s confidence in and satisfaction with the USC provider. Four different facets of the person’s level of confidence in the USC provider are examined: Is the provider the person or place family members would go to for new health problems (MINORP42), preventive health care (PREVEN42), referrals to other health professionals (REFFRL42), or ongoing health problems (ONGONG42). The person’s level of satisfaction with the USC provider is examined in six ways: Does the USC provider generally listen to the person and seek the person’s advice when choosing between treatments (TREATM42), ask about and show respect for treatments other doctors may give the person (RESPCT42), ask the person to help make decisions (DECIDE42), give the person some control over treatment (CONTRL42), explain options to the person (EXPLOP42), and speak the person’s language or provide translator services (LANGPR42) if the person prefers to speak in a language other than English (LANGHM42 is set to 2 (Spanish) or 3 (Another Language)).

2.6.6.5 Access to Medical Treatment, Dental Treatment, and Prescription Medicines

Finally, the Access to Care supplement gathers information on family members’ abilities to receive treatment and receive it without delay. These questions are split into three sections inquiring about medical, dental, and prescription medicine treatments. Each section inquires whether the person was unable to receive treatment (MDUNAB42, DNUNAB42, PMUNAB42) or was delayed in receiving treatment (MDDLAY42, DNDLAY42, PMDLAY42). If the person was unable to receive treatment, he/she was asked why (MDUNRS42, DNUNRS42, PMUNRS42). Persons were also asked why they were delayed in receiving treatment (MDDLRS42, DNDLRS42, PMDLRS42). Possible reasons include:

- 1 Could Not Afford Care
- 2 Ins Co Would Not Approve/Cover/Pay
- 3 Doctor Refused Family Ins Plan
- 4 Problems Getting To Doctor’s Office
- 5 Different Language
- 6 Could Not Get Time Off Work
- 7 DK Where To Go To Get Care
- 8 Was Refused Services
- 9 Could Not Get Child Care
- 10 Did Not Have Time or Took Too Long
- 91 Other

Finally, persons are also asked how much of a problem not receiving treatment (MDUNPR42, DNUNPR42, PMUNPR42) or being delayed in receiving treatment (MDDLPR42, DNDLPR42, PMDLPR42) was.

2.6.6.6 Editing the Access to Care Variables

Editing consisted primarily of logical editing for consistency with skip patterns. Other editing included the construction of new response values and new variables describing the recoding of several "other specify" text items into existing or new categorical values, which are described below.

In previous years, not all variables or categories that appear in the Access to Care section of the HC questionnaire are included on the file, as some small cell sizes have been suppressed to maintain respondent confidentiality. No variables or categories were suppressed in 2002.

2.6.6.7 Recoding of Additional Other Specify Text Items

For Access to Care items AC07, AC08, AC16, AC17, and AC19, the other specify text responses were reviewed and coded as an existing or new value for the related categorical variable (for AC07, AC16, and AC17), or coded as an existing or new "yes/no" variable (for items AC08 and AC19). The following are the new codes or variables which were created from these other specify text responses.

For item AC07 ("What is the main reason person does not have a usual source of health care") - the following new values were constructed for the variable YNOUSC42:

- 10 Other Insurance Related Reason
- 11 Job-Related Reasons
- 12 Looking for a New Doctor
- 13 USC Doctor is Somewhere Else
- 14 Don't Like/Don't Trust Doctors
- 15 Health-Related Reasons
- 16 Newborn-No Doctor Yet
- 17 Self, Relative, or Friend is a Doctor
- 19 Care Available on Job
- 20 Will Not Go to the Doctor

Note that the value '18' was not used in recoding and therefore will not appear in this file.

For item AC08 (“What are the other reasons person does not have a usual source of health care”) – the following new variables were constructed:

OTHINS42	for other insurance reasons;
JOBRSN42	for job-related reasons;
NEWDOC42	the person is currently looking for a USC provider;
DOCELS42	the person’s USC provider is located elsewhere;
NOLIKE42	the person does not like or trust medical providers;
HEALTH42	for health related reasons;
KNOWDR42	the person knows or is a doctor;
ONJOB42	the person receives medical care at work;
NOGODR42	the person will not go to the doctor.

Text responses at AC16, AC17, and AC19 were not coded as new responses or new variables.

2.6.7 Employment Variables

Employment questions were asked of all persons 16 years and older at the time of the interview. Employment variables consist of person-level indicators such as employment status and job-related variables such as hourly wage. All job-specific variables refer to a person’s current main job. The current main job, defined by the respondent, indicates the main source of employment.

Most employment variables pertain to the round interview date. The round dates are indicated by two numbers following the variable name; the first number representing the round for Panel 6 persons, the second number representing the round for Panel 7 persons. For example, EMPST31 refers to employment status on the Round 3 interview date for Panel 6 persons and employment status on the Round 1 interview date for Panel 7 persons.

With the exception of health insurance held at or offered through a current main job, no attempt has been made to logically edit any employment variables. When missing, values were imputed for certain persons’ hourly wages; however, there was no editing performed on any values reported by the respondent. Due to confidentiality concerns, hourly wages greater than or equal to \$61.98 were top-coded to –10 and the number of employees variable was top-coded at 500. With the exception of a variable indicating whether the employer has more than one location (MORE), all employer-specific variables refer to the establishment that is the location of a person’s current main job.

The MEPS employment section used dependent interviewing in Rounds 2 through 5. If employment status and certain job characteristics did not change from the previous round, as identified in the review of employment section, the respondent was skipped through the main employment section. A code of “–2” is used to indicate that the information in question was obtained in a previous round. For example, if the

HRWG42X (Round 4 interview date hourly wage for Panel 6 persons or Round 2 interview date hourly wage for Panel 7 persons) is coded as “-2”, refer to HRWG31X (Round 3 interview date hourly wage for Panel 6 persons or Round 1 interview date hourly wage for Panel 7 persons) for the value for HRWG42X. Note that there may be a value for the Round 3/1 hourly wage or there may be an “Inapplicable” code (-1). The “-2” value for HRWG42X simply indicates that the person was skipped past the question at the time of the subsequent interview. To determine who should be skipped through various employment questions, certain information, such as employment status, had to be asked in every round and, thus, “-2” codes do not apply to employment status. Additionally, information on whether the person currently worked at more than one job or whether the person held health insurance from a current main employer was asked in every round, and, therefore, those variables also have no “-2” codes.

For Panel 6 persons who have a current main job in Round 3 that continues from Round 1 or 2, the “-2” code is not sufficient for those variables that the person was skipped past at the time of the interview. This is because the Panel 6 Round 1 and 2 data are not included on this release and therefore there are no data to which to refer. For such persons, the values for the variables for these skipped questions are copied from the Round 1 or 2 constructed variable on the 2001 Full Year Public Use Release, depending on the round in which the job first became the current main job. The accompanying variable RNDFLG31 indicates the round in which these data were collected. For example, if the person has a Round 3 current main job that continues from Round 2 and was first reported as the current main job in Round 2, HRWG31X will be a copy of the HRWG42X variable from the 2001 Full Year Public Use Release and RNDFLG31 will be “2”, indicating the round in which the job was first reported as the current main job.

Employment Status (EMPST31, EMPST42, and EMPST53)

Employment status was asked for all persons age 16 or older. Allowable responses to the employment status questions were as follows:

- “currently employed” if the person had a job at the interview date;
- “has a job to return to” if the person did not work during the reference period but had a job to return to as of the interview date;
- “employed during the reference period” if the person had no job at the interview date but did work during the round;
- “not employed with no job to return to” if the person did not have a job at the interview date, did not work during the reference period, and did not have a job to which he or she could return.

These responses were mutually exclusive. A current main job was defined for persons who either reported that they were currently employed and identified a current main job or who reported and identified a job to return to. Therefore, job-specific information such

as hourly wage exists for persons not presently working at the interview date but who have a job to return to as of the interview date.

Data Collection Round for Round 3/1 CMJ (RNDFLG31)

For Panel 6, if a person's Round 3 current main job (CMJ) is a continuation CMJ from Round 2 or Round 1, the value of most "31" variables will be copied forward from the variable representing the round in which the job was first reported as the CMJ. For persons in Panel 6, RNDFLG31 indicates the round in which the Round 3 CMJ was first reported as the CMJ and provides a timeframe for the reported wage information and other job details. RNDFLG31 is used with many "31" variables to indicate the round on which the reported information is based.

RNDFLG31 is set to "Inapplicable" (-1) for persons in either panel who are under age 16 or who do not have a CMJ in Panel 6 Round 3 or Panel 7 Round 1. For persons who are part of Panel 6, RNDFLG31 is also set to "Inapplicable" (-1) if the person is out-of-scope in the 2002 portion of Round 3. For persons who are part of Panel 7, RNDFLG31 is also set to "Inapplicable" (-1) if the person is out-of-scope in Round 1. For persons who are part of Panel 6, other values for RNDFLG31 are set as follows:

- 1 continuing Round 3 CMJs reported first in Round 1;
- 2 continuing Round 3 CMJs reported first in Round 2;
- 3 jobs newly reported as current main in Round 3;
- -9 Round 3 CMJ is a continuation CMJ (wage information and other details were not collected in Round 3) but the Round 2 CMJ record either does not exist or is not the same job. This can occur in rare instances because corrections made to a person's record in a current file cannot be made to that record in an earlier file due to data base processing constraints.

For persons who are part of Panel 7 and reported a Round 1 CMJ, RNDFLG31 is set to "1" indicating that the job information represented in the "31" variables was collected in Round 1.

Self-employed (SELFCM31, SELFCM42, and SELFCM53)

Information on whether an individual was self-employed at the current main job was obtained for all persons who reported a current main job. Certain questions, namely those regarding benefits and hourly wage, were not asked of the self-employed. Variables constructed from these questions indicate whether the establishment reported by wage earners (those not self-employed) as the main source of employment offered any of the following benefits:

- Paid leave to visit a doctor (PAYDR31, PAYDR42, and PAYDR53)
- Paid sick leave (SICPAY31, SICPAY42, and SICPAY53)
- Paid vacation (PAYVAC31, PAYVAC42, and PAYVAC53)
- Pension plan (RETPLN31, RETPLN42, and RETPLN53)

For persons who were self-employed at their current main job, these benefits variables were coded as “Inapplicable” (-1) for all these variables. Additionally, information on whether the firm had more than one business location (MORE31, MORE42, and MORE53) and whether the establishment was a private for-profit, nonprofit, or a government entity (JOBORG31, JOBORG42, and JOBORG53) was not applicable for self-employed persons. Conversely, the variables that identify whether a business was incorporated, a proprietorship, or a partnership (BSNTY31, BSNTY42, and BSNTY53) applied only to those who were self-employed at their current main job.

Hourly wage (HRWG31X, HRWG42X, HRWG53X)

Hourly wage was asked of all persons who reported a current main job that was not self-employment (SELFCM). An hourly wage was imputed using a weighted sequential hot-deck procedure for those identified as having a current main job who were not self-employed and who did not know their wage or refused to report a wage. Hourly wage for persons for whom employment status was not known was coded as “Not Ascertained” (-9). Additionally, wages were imputed for wage earners reporting a wage range and not a specific value. For each of these persons, a value was imputed from other persons on the file who did report a specific value that fell within the reported range. The variables HRWGIM31, HRWGIM42, and HRWGIM53 identify persons whose wages were imputed. Note that wages were imputed only for persons with a positive person and/or positive family weight.

For reasons of confidentiality, the hourly wage variable was top-coded. A value of -10 indicates that the hourly wage was greater than or equal to \$61.98. The hourly wage variables on this file (HRWG31X, HRWG42X, HRWG53X) should be considered along with their accompanying variables - HRHOW31, HRHOW42, and HRHOW53 - which indicate how the respective round hourly wage was constructed. Hourly wage could be derived, as applicable, from a large number of source variables. In the simplest case, hourly wage was reported directly by the respondent. For other persons, construction of the hourly wage was based upon salary, the time period on which the salary was based, and the number of hours worked per time period. If the number of hours worked per time period was not available, a value of 40 hours per week was assumed, as identified in the HRHOW variable.

Health Insurance (HELD31X, HELD42X, HELD53X, OFFER31X, OFFER42X, OFFER53X, CHOIC31, CHOIC42, CHOIC53, DISVW31X, DISVW42X, DISVW53X, OFREMP31, OFREMP42, OFREMP53, YNOINS31, YNOINS42, YNOINS53)

There are several employment-related health insurance measures included in this release: health insurance held at a current main job (HELD31X, HELD42X, HELD53X), health insurance offered through a current main job (OFFER31X, OFFER42X, OFFER53X), and a choice of health plans available through the current main job (CHOIC31, CHOIC42, CHOIC53). The HELD and OFFER variables were logically edited using health insurance information.

Several persons indicated that they held health insurance through a current main job in the employment section and then denied this coverage later in the interview in the health insurance section. Employment section health insurance HELD variables were edited for consistency to match the health insurance measures obtained in the health insurance section. To allow for easy identification of these individuals, round-specific flag variables were constructed (DISVW31X, DISVW42X, DISVW53X).

Responses in the employment section for health insurance held were recoded to be consistent with the variables in the health insurance section of the survey. Due to questionnaire skip patterns, the responses to health insurance offered were affected by editing the HELD variable. For example, if a person responded that health insurance was held from a current main job, the question relating to whether health insurance was offered was skipped. For persons who responded in the employment section that they held health insurance coverage and then disavowed the coverage in the health insurance section, it could not be ascertained whether they were offered a policy. These individuals are coded as -9 for the OFFER variables.

In the first round in which a person is reported as having a specific CMJ, MEPS asks if the person holds health insurance through that job. If the person does not hold insurance, then a follow-up question is asked as to whether the person was offered insurance (but declined coverage). However, if a person does hold insurance, then that person is skipped over the offered question and the offer variable (OFFER31X, OFFER42X, OFFER53X) is automatically set to "Yes" (1).

In the rounds after a CMJ is initially reported, the "held" question is asked again in each interview (whether a person now holds insurance or not). This is to determine if there has been any change in coverage. As of Panel 6 Round 3 and Panel 7 Round 1, respondents with a continuing job who did not have coverage in the current round are asked if they were offered insurance. Thus, the OFFER variable now reflects responses from the current round. OFFER is no longer set to "-2" (value determined in previous round).

Because OFFER now reflects current round information (i.e. it is no longer set to '-2'), users will note the increases in responses on other values of this variable in the FY2002 delivery versus the FY2001 delivery.

The DISVW variable was also modified because of changes to the OFFER variable. Users will note an increase in 'not ascertained' responses on the DISVW variable in the FY2002 delivery versus the FY2001 delivery.

In addition to this modification to OFFER, MEPS now includes several clarifying questions regarding insurance availability to the jobholder through an employer. When a respondent indicates that the jobholder neither held nor was offered health insurance at the job, the respondent is asked if *any other* employees at the job were offered health insurance. The new variable OFREMP31/42/53 indicates whether or not an employer offered health insurance to other employees at a firm. If a respondent indicates that other employees were eligible for health insurance, a follow-up question is asked to determine the reason the jobholder was not eligible for coverage. This information is contained in the new YNOINS31/42/53 variable. The questions related to both of these new variables are asked when a job is initially reported and also for subsequent rounds in which the job continues, as applicable.

Data users should note that OFREMP31/42/53 is automatically set to '1' in cases where HELD and OFFER are '1,' thus indicating that the jobholder has health insurance coverage through the employer, that coverage is offered to the employee, and that the employer offers insurance to its employees.

The employment-related insurance variables, HELD, OFFER, OFREMP, and YNOINS, for each round are logically edited for consistency.

Finally, persons under age 16 as well as persons aged 16 and older who did not hold a current main job or who were self-employed with no employees were coded as "Inapplicable" for the health insurance-related employment variables.

Hours (HOUR31, HOUR42, HOUR53)

The hours measure refers to usual hours worked per week at the current main job.

Temporary (TEMPJB31, TEMPJB42, TEMPJB53) and Seasonal (SSNLJB31, SSNLJB42, SSNLJB53) Jobs

The temporary job variables (TEMPJB31, TEMPJB42, TEMPJB53) indicate whether a current main job lasts for only a limited amount of time or until the completion of a project.

The seasonal job variables (SSNLJB31, SSNLJB42, SSNLJB53) indicate whether the CMJ is only available during certain times of the year. SSNLJB is "YES" ('1') if the

job is year round; SSNLJB is “NO” (‘2’) if the job is only available during certain times of the year. Teachers and other school personnel who work only during the school year are considered to work year round.

Both variables are set on current main jobs whether a person is self-employed or not. Both are constructed based on questions that are round-specific, i.e., the questions are asked when a job is newly reported and when it is reviewed in subsequent rounds, even when the job ends in that round.

Number of Employees (NUMEMP31, NUMEMP42, NUMEMP53)

NUMEMP indicates the number of employees at the location of the person’s current main job. Due to confidentiality concerns, this variable indicating the number of employees at the establishment has been top coded at 500 or more employees. For persons who reported a categorical size, a median estimated size from donors within the reported range is used.

Other Employment Variables

Information about industry and occupation types for a person’s current main job at the interview date is also contained in this release. Based on verbatim text fields collected during the interview, numeric industry and occupation codes are assigned by trained coders at the Bureau of the Census. As of this FY2002 delivery, Census began using updated 2003 Census Industry and Occupation Coding schemes.

This release incorporates crosswalks showing how the detailed 2003 Census industry and occupation codes were collapsed into the condensed codes on the file, in both HTML and PDF formats. The same type of crosswalk is included for the pre-2002 file condensed codes, collapsed from the 1990 Census categories.

Current main jobs were initially coded at the 4-digit level for both industry and occupation. Then, for confidentiality reasons, these codes were condensed into broader groups for release on the file. INDCAT31, INDCAT42, and INDCAT53 represent the condensed industry codes for a person’s current main job at the interview date. OCCCAT31, OCCCAT42, and OCCCAT53 represent the condensed occupation codes for a person’s current main job at the interview date. Because of the change in coding schemes, users should note that the condensed categories are different than those delivered in previous years, and that the former industry (CIND31, CIND42, CIND53) and occupation (COCCP31, COCCP42, COCCP53) condensed variables are no longer available.

Information indicating whether a person belonged to a labor union (UNION31, UNION42, and UNION53) is also contained in this release.

The day, month, and year that the current main job started for Rounds 3, 4, and 5 of Panel 6 and Rounds 1, 2, and 3 of Panel 7 are provided in this release (STJBDD31, STJBMM31, STJBYY31, STJBDD42, STJBMM42, STJBYY42, STJBDD53, STJBMM53, and STJBYY53).

There are two measures included in this release that relate to a person's work history over a lifetime. One indicates whether a person ever retired from a job as of the Round 5 interview date for Panel 6 persons or the Round 3 interview date for Panel 7 persons (EVRETIRE). The other indicates whether a person ever worked for pay as of the Round 5 interview date for Panel 6 persons or the Round 3 interview date for Panel 7 persons (EVRWRK). The latter was asked of everyone who indicated that they were not working as of the round interview date. Therefore, anyone who indicated current employment or who had a job during any of the previous or current rounds was skipped past the question identifying whether the person ever worked for pay. These individuals were coded as "Inapplicable" (-1). All persons who ever reported a job and were 55 years or older as of the round interview date were asked if they "ever retired". Since both of these variables are not round specific, there are no "-2" codes.

This release contains variables indicating the main reason a person did not work since the start of the reference period (NWK31, NWK42, and NWK53). If a person was not employed at all during the reference period (at the interview date or at any time during the reference period) but was employed some time prior to the reference period, the person was asked to choose from a list the main reason he or she did not work during the reference period. The "Inapplicable" (-1) category for the NWK variables includes:

- Persons who were employed during the reference period;
- Persons who were not employed during the reference period and who were never employed;
- Persons who were out-of-scope the entire reference period and;
- Persons who were less than 16 years old.

A measure of whether an individual had more than one job on the round interview date (MORJOB31, MORJOB42, and MORJOB53) is provided on this release. In addition to those under 16 and those individuals who were out-of-scope, the "Inapplicable" category includes those who did not report having a current main job. Because this is not a job-specific variable, there are no "-2" codes.

This release contains variables indicating if a current main job changed between the third and fourth rounds for Panel 6 persons or between the first and second rounds for Panel 7 persons (CHGJ3142) and between the fourth and fifth rounds for Panel 6 persons or between the second and third rounds for Panel 7 persons (CHGJ4253). In addition to the

“Inapplicable”, “Refused”, “Don’t Know”, and “Not Ascertained” categories, the change job variables were coded to represent the following:

- 1 – person left previous round current main job and now has a new current main job;
- 2 – person still working at the previous round’s current main job but, as of the new round, no longer considers this job to be the current main job and defines a new main job (previous round’s current main job is now a current miscellaneous job);
- 3 – person left previous round’s current main job and does not have a new job;
- 4 – person did not change current main job.

Finally, this release contains the reason given by the respondent for the job change (YCHJ3142 and YCHJ4253). The reasons for a job change were listed in the CAPI questionnaire and a respondent was asked to choose the main reason from this list. In addition to those out-of-scope, those under 16, and those not having a current main job, the “Inapplicable” category for YCHJ3142 and YCHJ4253 includes workers who did not change jobs.

2.6.8 Health Insurance Variables

Constructed and edited variables are provided that indicate any coverage in each month of 2002 for the sources of health insurance coverage collected during the MEPS interviews (Panel 6, Rounds 3 through 5 and Panel 7, Rounds 1 through 3). In Rounds 2, 3, 4, and 5, insurance that was in effect at the previous round’s interview date was reviewed with the respondent. Most of the insurance variables have been logically edited to address issues that arose during such reviews in Rounds 2, 3, 4, and 5. One edit to the private insurance variables corrects for a problem concerning covered benefits that occurred when respondents reported a change in any of their private health insurance plan names. Additional edits address issues of missing data on the time period of coverage for both public and private coverage that was either reviewed or initially reported in a given round. Additional edits, described below, were performed on the Medicare and Medicaid or State Children’s Health Insurance Program (SCHIP) variables to assign persons to coverage from these sources. Observations that contain edits assigning persons to Medicare or Medicaid/SCHIP coverage can be identified by comparing the edited and unedited versions of the Medicare and Medicaid/SCHIP variables. Beginning October 1, 2001, persons 65 years and older can retain TRICARE coverage in addition to Medicare. Therefore, starting in Panel 7 Round 1 and Panel 6 Round 3, persons 65 years and older will no longer have their reported TRICARE coverage (TRIJA02X – TRIDE02X) overturned. TRICARE will act as a supplemental insurance for Medicare much as Medigap insurance does now.

Public sources include Medicare, TRICARE, Medicaid, SCHIP, and other public hospital/physician coverage. State-specific program participation in non-comprehensive coverage (STAJA02– STADE02) was also identified but is not considered health insurance for the purpose of this survey.

In addition to the month-by-month indicators of coverage, there are 24 round-specific Health Insurance variables indicating coverage by an HMO or managed care plan. The variables PRVHM031/42/02 and PRVMNC31/42/02 indicate coverage by a private HMO or gatekeeper plan in Panel 7, Rounds 1 - 3, and Panel 6, Rounds 3 - 5. The variables PRVDRL31/42/02 indicate coverage by a private insurance source that has a book or list of doctors in Panel 7, Rounds 1 – 3, and Panel 6, Rounds 3 – 5. The variables PRDRNP31/42/02 indicate coverage by at least one private insurance plan with a book or list of doctors that pays for visits to non-plan doctors in Panel 7, Rounds 1 – 3, and Panel 6, Rounds 3 – 5. The variables PHMONP31/42/02 indicate coverage by at least one private insurance source through an HMO that pays for visits to non-plan doctors in Panel 7, Rounds 1 – 3, and Panel 6, Rounds 3 – 5. Finally, the variables PMNCNP31/42/02 indicate coverage by at least one private insurance source through a Gatekeeper Plan that pays for visits to non-plan doctors in Panel 7, Rounds 1 – 3, and Panel 6, Rounds 3 – 5. The variables MCDHMO31/42/02 and MDCMC31/42/02 indicate coverage by a Medicaid or SCHIP HMO or managed care plan in Panel 7, Rounds 1 - 3, and Panel 6, Rounds 3 - 5. For Panel 7, the "31" version indicates coverage at any time in Round 1, the "42" version indicates coverage at any time in Round 2, and the "02" version represents coverage at any time during the 2002 portion of Round 3. For Panel 6, the "31" version indicates coverage at any time during the 2002 portion of Round 3, the "42" version indicates coverage at any time in Round 4, and the "02" version represents coverage at any time during Round 5 (because Round 5 ends on 12/31/02).

Beginning in FY 2002, 11 new round-specific Health Insurance variables have been added to indicate the specific plan for persons reporting coverage under TRICARE. The variables TRIST31/42/02X indicate coverage through TRICARE Standard. The variables TRIPR31/42/02X indicate coverage through TRICARE Prime. The variables TRIEX31/42/02X indicate coverage through TRICARE Extra. Finally, the variables TRILI42X and TRILIO2X indicate coverage through TRICARE For Life. Note that TRICARE for Life was added as an option in the health insurance section of the questionnaire in Round 2 of Panel 7 and Round 4 of Panel 6. For FY 2002 only, whether a person is covered by TRICARE for Life at any time during Round 1 of Panel 7 and Round 3 of Panel 6 (TRILI31X) will not be indicated. TRILI31X will be included in this data release starting in FY 2003.

In the health insurance section of the questionnaire, respondents reporting private health insurance were asked to identify what types of coverage they had via a checklist. If they selected prescription drug or dental coverage from this checklist, variables were constructed to indicate prescription drug or dental coverage respectively. It should be noted, however, that in some cases respondents may have failed to identify prescription drug or dental coverage that was included as part of a hospital and physician plan.

Medicare

Medicare (MCRJA02 – MCRDE02) coverage was edited (MCRJA02X – MCRDE02X) for persons age 65 or over. Within this age group, individuals were assigned Medicare coverage if:

- They answered "Yes" to a follow-up question on whether or not they received Social Security benefits; or
- They were covered by Medicaid/SCHIP, other public hospital/physician coverage or Medigap coverage; or
- Their spouse was age 65 or over and covered by Medicare; or
- They reported TRICARE coverage.

Medicaid and Other Public Hospital/Physician Coverage

Questions about other public hospital/physician coverage were asked in an attempt to identify Medicaid or SCHIP recipients who may not have recognized their coverage as such. These questions were asked only if a respondent did not report Medicaid or SCHIP directly. Respondents reporting other public hospital/physician coverage were asked follow-up questions to determine if their coverage was through a specific Medicaid HMO or if it included some other managed care characteristics. Respondents who identified managed care from either path were asked if they paid anything for the coverage and/or if a government source paid for the coverage.

The Medicaid/SCHIP variables (MCDJA02– MCDDE02) have been edited (MCDJA02X – MCDDE02X) to include persons who paid nothing for their other public hospital/physician insurance when such coverage was through a Medicaid HMO or reported to include some other managed care characteristics.

To assist users in further editing sources of insurance, this file contains variables constructed from the other public hospital/physician series that measure whether:

- The respondent reported some type of managed care and paid something for the coverage, Other Public A Insurance (OPAJA02 – OPADE02); and
- The respondent did not report any managed care, Other Public B Insurance (OPBJA02 – OPBDE02).

The variables OPAJA02 – OPADE02 and OPBJA02 – OPBDE02 are provided only to assist in editing and should not be used to make separate insurance estimates for these types of insurance categories.

Any Public Insurance in Month

The file also includes summary measures that indicate whether or not a sample person has any public insurance in a month (PUBJA02X – PUBDE02X). Persons identified as covered by public insurance are those reporting coverage under TRICARE, Medicare, Medicaid or SCHIP, or other public hospital/physician programs. Persons covered only by state-specific programs that did not provide comprehensive coverage (STAJA02 – STADE02), for example, the Maryland Kidney Disease Program, were not considered to have public coverage when constructing the variables PUBJA02X – PUBDE02X.

Private Insurance

Variables identifying private insurance in general (PRIJA02 – PRIDE02) and specific private insurance sources [such as employer/union group insurance (PEGJA02 – PEGDE02); non-group (PNGJA02 – PNGDE02); and other group (POGJA02 – POGDE02)] were constructed. Private insurance sources identify coverage in effect at any time during each month of 2002. Separate variables identify covered persons and policyholders (policyholder variables begin with the letter "H", e.g., HPEJA02 – HPEDE02). These variables indicate coverage or policyholder status within a source and do not distinguish between persons who are covered or are policyholders on one or more than one policy within a given source. In some cases, the policyholder was unable to characterize the source of insurance (PDKJA02 – PDKDE02). Covered persons (but not policyholders) are identified when the policyholder is living outside the RU (POUJA02 – POUDE02). An individual was considered to have private health insurance coverage if, at a minimum, that coverage provided benefits for hospital and physician services (including Medigap coverage). Sources of insurance with missing information regarding the type of coverage were assumed to contain hospital/physician coverage. Persons without private hospital/physician insurance were not counted as privately insured. Coverage indicated by these variables may be from any type of job where the employment section insurance variables delivered on this file reflect only coverage through a current main job.

Health insurance through a job or union (PEGJA02 – PEGDE02, PRSJA02 – PRSDE02) was initially asked about in the Employment Section of the interview and later confirmed in the Health Insurance Section. Respondents also had an opportunity to report employer and union group insurance (PEGJA02 – PEGDE02) for the first time in the Health Insurance Section, but this insurance was not linked to a specific job.

All insurance reported to be through a job classified as self-employed with firm size of 1 (PRSJA02 – PRSDE02) was initially reported in the Employment Section and verified in the Health Insurance Section. Unlike the other employment-related variables (PEGJA02 – PEGDE02), self-employed-firm size 1 (PRSJA02 – PRSDE02) health insurance could not be reported in the Health Insurance section for the first time. The variables PRSJA02 – PRSDE02 have been constructed to allow users to determine if the insurance should be considered employment-related.

Private insurance that was not employment-related (POGJA02 – POGDE02, PNGJA02 – PNGDE02, PDKJA02 – PDKDE02 and POUJA02 – POUDE02) was reported in the Health Insurance section only.

Any Insurance in Month

The file also includes summary measures that indicate whether or not a person has any insurance in a month (INSJA02X – INSDE02X). Persons identified as insured are those reporting coverage under TRICARE, Medicare, Medicaid, SCHIP, or other public hospital/physician or private hospital/physician insurance (including Medigap plans). A person is considered uninsured if not covered by one of these insurance sources.

Persons covered only by state-specific programs that provide non-comprehensive coverage (STAJA02 – STADE02), for example, the Maryland Kidney Disease Program, and those without hospital/physician benefits (for example, private insurance for dental or vision care only, or for accidents or specific diseases) were not considered to be insured when constructing the variables INSJA02X – INSDE02X.

FY 2002 PUF Managed Care Variables

Managed care variables have been constructed from information on health insurance coverage at any time in a reference period and the characteristics of the plan. A separate set of managed care variables has been constructed for private insurance and Medicaid coverage. The purpose of these variables is to provide information on managed care participation during the portion of the three rounds (i.e., reference periods) that fall within the same calendar year.

Managed care variables for calendar year 2002 are based on responses to health insurance questions asked during the Round 3, 4, and 5 interviews of Panel 6, and the Round 1, 2, and 3 interviews of Panel 7. Each variable ends in "xy" where x and y denote the interview round for Panels 6 and 7, respectively. The variables ending in "31" and "42" correspond to the first two interviews of each Panel in the calendar year. Because Round 3 interviews typically overlap the final months of one year and the beginning months of the next year, the "31" variables for Panel 6 have been restricted to the year 2002 portion of the reference period. Similarly, the Panel 6/Round 5 and Panel 7/Round 3 interviews have been restricted to the year 2002 portion of these reference periods, and the corresponding managed care variables have been given the suffix "02" (as opposed to "53") to emphasize the restricted time frame.

Construction of the managed care variables is straightforward, but three caveats are appropriate. First, MEPS estimates of the number of persons in HMOs are higher than figures reported by other sources, particularly those based on HMO industry data. The differences stem from the use of household-reported information, which may include respondent error, to determine HMO coverage in MEPS.

Second, the managed care questions are asked about the last plan held by a respondent through his or her establishment (employer or insurer) even though the person could have had a different plan through the establishment at an earlier point during the interview period. As a result, in instances where a respondent changed his or her establishment-related insurance, the managed care variables describe the characteristics of the last plan held through the establishment.

Third, the "02" versions of the managed care variables for Panel 7 are developed from Round 3 variables that cover different time frames. The health insurance variable for Round 3 is restricted to the same calendar year as the Round 1 and 2 data. The Round 3 variables describing plan type, on the other hand, overlap the next calendar year. As a consequence, the Round 3 managed care variables may not describe the characteristics of the last plan held in the calendar year if the person changed plans after the first of the year.

Medicaid Managed Care Plans

Persons were assigned Medicaid or SCHIP coverage based on their responses to the health insurance questions or through logical editing of the survey data. The number of persons who were edited to have Medicaid or SCHIP coverage is small, but they are comprised of two distinct groups of individuals. The first group includes persons in Other Government programs that were identified as being in a Medicaid HMO or gatekeeper plan that did not require premium payment from the insured party. By definition, this group was asked about the managed care characteristics of their insurance coverage. The second group includes a small number of persons who did not report public insurance, but were classified as Medicaid recipients because they reported receiving AFDC, SSI, or WIC. The health insurance plan type questions were not asked of this group. As a consequence, the plan type could be determined for some, but not all, respondents who were assigned Medicaid coverage through logical editing of the data.

Medicaid HMOs

If Medicaid/SCHIP or Other Government programs were identified as the source of hospital/physician insurance coverage, the respondent was asked about the characteristics of the plan. The variables MCDHMO31, MCDHMO42, and MCDHMO02 have been set to "Yes" if the plan was identified from a list of state names or programs for Medicaid HMOs in the area, or if an affirmative response was provided to the following question:

Under {{Medicaid/{STATE NAME FOR MEDICAID}/the program sponsored by a state or local government agency which provides hospital and physician benefits} (are/is) (READ NAME(S) FROM BELOW) signed up with an HMO, that is a Health Maintenance Organization?

[With an HMO, you must generally receive care from HMO physicians. If another doctor is seen, the expense is not covered unless you were referred by the HMO, or there was a medical emergency.]

In subsequent rounds, respondents who had been previously identified as covered by Medicaid were asked whether the name of their insurance plan had changed since the previous interview. An affirmative response triggered the previous set of questions about managed care (name on list of Medicaid HMOs or signed up with an HMO).

In each round, the variables MCDHMO31, MCDHMO42, and MCDHMO02 have five possible values:

- 1 The person was covered by a Medicaid/SCHIP HMO.
- 2 The person was covered by Medicaid/SCHIP but the plan was not an HMO.
- 3 The person was not covered by Medicaid/SCHIP.
- 9 The person was covered by Medicaid/SCHIP but the plan type was not ascertained.
- 1 The person was out-of-scope.

Medicaid Gatekeeper Plans

If the respondent did not belong to a Medicaid HMO, a third question was used to determine whether the person was in a gatekeeper plan. The variables MCDMC31, MCDMC42, and MCDMC02 were set to "Yes" if the person provided an affirmative response to the following question:

Does {{Medicaid /{STATE NAME FOR MEDICAID}}} require (READ NAME(S) BELOW) to sign up with a certain primary care doctor, group of doctors, or with a certain clinic which they must go to for all of their routine care?

Probe: Do not include emergency care or care from a specialist to which they were referred to.

In each round, the variables MCDMC31, MCDMC42, and MCDMC02 have five possible values:

- 1 The person was covered by a Medicaid/SCHIP gatekeeper plan.
- 2 The person was covered by Medicaid/SCHIP, but it was not a gatekeeper plan.
- 3 The person was not covered by Medicaid/SCHIP.
- 9 The person was covered by Medicaid/SCHIP but the plan type was not ascertained.
- 1 The person was out-of-scope.

Private Managed Care Plans

Persons with private insurance were identified from their responses to questions in the health insurance section of the MEPS questionnaire. In some cases, persons were assigned private insurance as a result of comments collected during the interview, but data editing was minimal. As a consequence, most persons with private insurance were asked about the characteristics of their plan, and their responses were used to identify HMO and gatekeeper plans.

Private HMOs

Persons with private insurance were classified as being covered by an HMO if they met any of the three following conditions:

1. The person reported that his or her insurance was purchased directly through an HMO,
2. The person reporting private insurance coverage identified the type of insurance company as an HMO, or
3. The person answered "Yes" to the following question:

Now I will ask you a few questions about how (POLICYHOLDER)'s insurance through (ESTABLISHMENT) works for non-emergency care.

We are interested in knowing if (POLICYHOLDER)'s (ESTABLISHMENT) plan is an HMO, that is, a health maintenance organization. With an HMO, you must generally receive care from HMO physicians. For other doctors, the expense is not covered unless you were referred by the HMO or there was a medical emergency. Is (POLICYHOLDER)'s (INSURER NAME) an HMO?

In subsequent rounds, policyholders were asked whether the name of their insurance plan had changed since the previous interview. An affirmative response triggered the detailed question about managed care (i.e., was the insurer an HMO).

Some insured persons have more than one private plan. In these cases, if the policyholder identified any plan as an HMO, the variables PRVHMO31, PRVHMO42, and

PRVHMO02 were set to "Yes." If a person had multiple plans and one or more were identified as not being an HMO and the other(s) had missing plan type information, the person-level variable was set to missing. Additionally, if a person had multiple plans and none were identified as an HMO, the person-level variable was set to "No." In each round, the variables PRVHMO31, PRVHMO42, and PRVHMO02 have five possible values:

- 1 The person was covered by a private HMO.
- 2 The person was covered by private insurance, but it was not an HMO.
- 3 The person was not covered by private insurance.
- 9 The person was covered by private insurance, but the plan type was not ascertained.
- 1 The person was out-of-scope.

Private Gatekeeper Plans

If the respondent did not report belonging to a private HMO, a follow up question was used to determine whether the person was in a gatekeeper plan. Persons with private insurance were classified as being covered by a gatekeeper plan if the person provided an affirmative response to the following question:

(Do/Does) (POLICYHOLDER)'S insurance plan require (POLICYHOLDER) to sign up with a certain primary care doctor, group of doctors, or a certain clinic which (POLICYHOLDER) must go to for all of (POLICYHOLDER)'s routine care?

Probe: Do not include emergency care or care from a specialist you were referred to.

Some insured persons have more than one private plan. In these cases, if the policyholder identified any plan as a gatekeeper plan, the variables PRVMNC31, PRVMNC42, and PRVMNC02 were set to "Yes." If a person had multiple plans and one or more were identified as not being a gatekeeper plan and the other(s) had missing plan type information, the person-level variable was set to missing. Additionally, if a person had multiple plans and none were identified as a gatekeeper plan, the person-level variable was set to "No". In each round, the variables PRVMNC31, PRVMNC42, and PRVMNC02 have five possible values:

- 1 The person was covered by a private gatekeeper plan.
- 2 The person was covered by private insurance, but it was not a gatekeeper plan.
- 3 The person was not covered by private insurance.
- 9 The person was covered by private insurance, but the plan type was not ascertained.
- 1 The person was out-of-scope.

Private Plan that has a Book or List of Doctors

If the respondent did not report belonging to a private gatekeeper plan, a follow up question was used to determine whether the person belonged to a plan that had a book or list of doctors. Persons with private insurance were classified as being covered by such a plan if the person provided an affirmative response to the following question:

Is there a book or list of doctors associated with the plan?

Some insured persons have more than one private plan. In these cases, if the policyholder identified any plan that had a book or list of doctors, the variables PRVDRL31, PRVDRL42, and PRVDRL02 were set to "Yes." If a person had multiple plans and one or more were identified as not being a plan that had a book or list of doctors and the other(s) had missing information, the person level variable was set to missing. Additionally, if a person had multiple plans and none were identified as a plan that had a book or list of doctors, the person level variable was set to "No." In each round, the variables PRVDRL31, PRVDRL42, and PRVDRL02 have five possible values:

- 1 The person was covered by a private insurance plan that has a book or list of doctors.
- 2 The person was covered by private insurance, but it did not have a book or list of doctors.
- 3 The person was not covered by private insurance.
- 9 The person was covered by private insurance but the plan type was not ascertained.
- 1 The person was out-of-scope.

Private HMO Plans that Pay for Visits to Non-Plan Doctors

If the respondent reported that they belong to a private HMO plan, a follow up question was used to determine whether the person was in a plan that pays for visits to non-plan doctors. Persons with private HMO insurance were classified as being covered by a plan that pays for visits to non-plan doctors if the person provided an affirmative response to the following question:

Will (POLICYHOLDER)'s plan pay for any of the costs of visits to doctors who are **not** associated with (POLICYHOLDER)'s plan, even if (POLICYHOLDER) (do/does) **not** have a referral?

Some insured persons have more than one private plan. In these cases, if the policyholder identified any plan as an HMO plan that pays for visits to non-plan doctors, the variables PHMONP31, PHMONP42, and PHMONP02 were set to "Yes." If a person had multiple plans and one or more were identified as being an HMO plan that does not pay for visits to non-plan doctors and the other(s) had missing information, the person level variable was set to missing. Additionally, if a person had multiple plans and one or more were identified as being an HMO but none were identified as an HMO plan that pays for visits

to non-plan doctors, the person level variable was set to "No." In each round, the variables PHMONP31, PHMONP42, and PHMONP02 have four possible values:

- 1 Person was covered by at least one private insurance source through an HMO, and the HMO pays for visits to non-plan doctors.
- 2 Person was covered by at least one private insurance source through an HMO, but the HMO does not pay for visits to non-plan doctors.
- 9 Person was covered by private insurance through an HMO and whether the HMO covers visits to non-plan doctors was refused, don't know, or not ascertained.
- 1 Person was out-of-scope for the round, was not privately insured at any time in the round, or was not covered by private insurance through an HMO.

Private Gatekeeper Plans that Pay for Visits to Non-Plan Doctors

If the respondent reported that they belong to a private gatekeeper plan, a follow up question was used to determine whether the person was in a plan that pays for visits to non-plan doctors. Persons with private gatekeeper insurance were classified as being covered by a plan that pays for visits to non-plan doctors if the person provided an affirmative response to the following question:

Will (POLICYHOLDER)'s plan pay for any of the costs of visits to doctors who are **not** associated with (POLICYHOLDER)'s plan, even if (POLICYHOLDER) (do/does) **not** have a referral?

Some insured persons have more than one private plan. In these cases, if the policyholder identified any plan as a gatekeeper plan that pays for visits to non-plan doctors, the variables PMNCNP31, PMNCNP42, and PMNCNP02 were set to "Yes." If a person had multiple plans and one or more were identified as being a gatekeeper plan that does not pay for visits to non-plan doctors and the other(s) had missing information, the person level variable was set to missing. Additionally, if a person had multiple plans and one or more was identified as being a gatekeeper plan, but none were identified as a gatekeeper plan that pays for visits to non-plan doctors, the person level variable was set to "No." In each round, the variables PMNCNP31, PMNCNP42, and PMNCNP02 have four possible values:

- 1 Person was covered by at least one private insurance source through a Gatekeeper Plan, and the plan pays for visits to non-plan doctors.
- 2 Person was covered by at least one private insurance source through a Gatekeeper Plan, but the plan does not pay for visits to non-plan doctors.
- 9 Person was covered by private insurance through a Gatekeeper Plan, and whether the plan covers visits to non-plan doctors was refused, don't know, or not ascertained.
- 1 Person was out-of-scope for the round, was not privately insured at any time in the round, or was not covered by private insurance through a Gatekeeper Plan.

Private Plan that has a Book or List of Doctor that Pays for Non-Plan Visits

If the respondent reported that they belong to a plan that had a book or list of doctors, a follow up question was used to determine whether the person was in a plan that pays for visits to non-plan doctors. Persons with a private insurance plan that has a book or list of doctors were classified as being covered by a plan that pays for visits to non-plan doctors if the person provided an affirmative response to the following question:

Will (POLICYHOLDER)'s plan pay for any of the costs of visits to doctors who are **not** associated with (POLICYHOLDER)'s plan, even if (POLICYHOLDER) (do/does) **not** have a referral?

Some insured persons have more than one private plan. In these cases, if the policyholder identified any plan as a plan that had a book or list of doctors and that pays for visits to non-plan doctors, the variables PRDRNP31, PRDRNP42, and PRDRNP02 were set to "Yes." If a person had multiple plans and one or more were identified as being a plan that had a book or list of doctors that does not pay for visits to non-plan doctors and the other(s) had missing information, the person level variable was set to missing.

Additionally, if a person had multiple plans and one or more were identified as being a plan with a book of list of doctors, but none were identified as a plan that had a book or list of doctors that pays for visits to non-plan doctors, the person level variable was set to "No." In each round, the variables PRDRNP31, PRDRNP42, and PRDRNP02 have four possible values:

- 1 Person was covered by at least one private insurance plan with a book or list of doctors, and the plan pays for visits to non-plan doctors.
- 2 Person was covered by at least one private insurance plan with a book or list of doctors, but the plan does not pay for visits to non-plan doctors.
- 9 Person was covered by at least one private insurance plan with a book or list of doctors, and whether the plan covers visits to non-plan doctors was refused, don't know, or not ascertained.
- 1 Person was out-of-scope for the round, was not privately insured at any time in the round, or was not covered by any private insurance plan with a book or list of doctors.

TRICARE Plan Variables

Round specific variables are provided that indicate which TRICARE plan the respondent was covered by for each round of 2002. These variables indicate whether the person was covered by TRICARE Standard (TRIST31/42/02X), TRICARE Prime (TRIPR31/42/02X), TRICARE Extra (TRIEX31/42/02X) and TRICARE For Life (TRILI42/02X). TRICARE For Life was added as an option to the health insurance section of the questionnaire in Round 2 of Panel 7 and Round 4 of Panel 6. Therefore, for FY 2002 only, whether the person was covered by TRICARE For Life in Round 1 of Panel 7 and Round 3 of Panel 6 (TRILI31X) will not be indicated. It should be noted that

the TRICARE Plan information was elicited from a pick-list, code all that apply, question that asked which type of TRICARE plan the person obtained. It should also be noted that the TRICARE plan question was asked at the RU-level, that is, if any person in the RU reported coverage under TRICARE, a follow-up question was asked to determine which TRICARE plan anyone in the RU was covered by. After indicating the specific TRICARE plan or plans for the RU, a second question was asked to determine who in the RU was covered by TRICARE. In each Round, each TRICARE Plan variable has five possible values:

- 1 The person was covered by the applicable TRICARE plan [Standard, Prime, Extra, or For Life].
- 2 The person was covered by TRICARE, but it was not through that particular plan [Standard, Prime, Extra, or For Life].
- 3 The person was not covered by TRICARE.
- 9 The person was covered by TRICARE but the plan type was not ascertained.
- 1 The person was out-of-scope.

Dental Private Insurance Variables

Round specific variables (DENTIN31/42/53) are provided that indicate the respondent was covered by a private health insurance plan that included at least some dental coverage for each round of 2002. It should be noted that the information was elicited from a pick-list, code all that apply, question that asked what type of health insurance person obtained through an establishment. The list included: hospital and physician benefits including coverage through an HMO, Medigap coverage, vision coverage, dental, and prescription drugs. It is possible that some dental coverage provided by hospital and physician plans was not independently enumerated in this question. Users should also note that persons with missing information on dental benefits for all reported private plans and those who reported that they did not have dental coverage for one or more plans but had missing information on other plans are coded as not having private dental coverage. Respondents who reported dental coverage from at least one reported private plan were coded as having private dental coverage.

Prescription Drug Private Insurance Variables

Round specific variables (PMEDIN31/42/53) are provided that indicate the respondent was covered by a private health insurance plan that included at least some prescription drug insurance coverage for each round of 2002. It should be noted that the information was elicited from a pick-list, code all that apply, question that asked what type of health insurance a person obtained through an establishment. The list included: hospital and physician benefits including coverage through an HMO, Medigap coverage, vision coverage, dental, and prescription drugs. It is possible some prescription drug coverage provided by hospital and physician plans was not independently enumerated in this question. Respondents who reported prescription drug coverage from at least one

reported private plan were coded as having private prescription drug coverage. Users should note that persons with missing information on prescription drug benefits for all reported private plans and those who reported that they did not have prescription drug coverage for one or more plans but had missing information on other plans are coded as not having private prescription drug coverage.

2.6.9 Person-Level Medical Utilization Variables

The MEPS Household Component (HC) collects data in each round on use for office and hospital-based care, home health care, dental services, and prescribed medicines. Data were collected for each person at the event level (e.g., doctor visit, hospital stay) and summed across Rounds 3 – 5 for Panel 6 (excluding 2001 events covered in Round 3) and across Rounds 1 – 3 for Panel 7 (excluding 2003 events covered in Round 3) to produce the annual utilization counts for 2002. This file contains utilization variables for several categories of health care services. In general, there is one utilization variable for each category of health care service. The utilization variable is typically a count of the number of medical events reported for the category. (Expenditure variables are not included on this file and will be provided in the forthcoming 2002 Income and Expenditure file.)

The following sections summarize definitional, conceptual, and analytic considerations when using the utilization variables on this file. Separate discussions are provided for each MEPS medical service category.

2.6.9.1 Medical Provider Visits (i.e., Office-Based Visits)

Medical provider visits consist of encounters that took place primarily in office-based settings and clinics. Care provided in other settings such as a hospital, nursing home, or a person's home are not included in this category.

The total number of office based visits reported for persons for 2002 (OBTOTV02) as well as the number of such visits to physicians (OBDRV02) and non-physician providers (OBOTHV02) are contained in this file. For a small proportion of persons, the sum of the physician and non-physician visit variables (OBDRV02 + OBOTHV02) is less than the total number of office-based visits variable (OBTOTV02) because OBTOTV02 contains reported visits where the respondent did not know the type of provider.

Non-physician visits (OBOTHV02) include visits to the following types of providers: chiropractors, midwives, nurses and nurse practitioners, optometrists, podiatrists, physician's assistants, physical therapists, occupational therapists, psychologists, social workers, technicians, receptionists/clerks/secretaries, or other medical providers. Separate utilization variables are included for selected types of more commonly seen non-physician providers including chiropractors (OBCHIR02), nurses/nurse practitioners

(OBNURS02), optometrists (OBOPTO02), physician assistants (OBASST02), and physical or occupational therapists (OBTHER02).

2.6.9.2 Hospital Events

Separate utilization variables for hospital care are provided for each type of setting (outpatient department, emergency room, and inpatient stays).

Hospital Outpatient Visits

Variables for the total number of reported visits to hospital outpatient departments in 2002 (OPTOTV02) as well as the number of outpatient department visits to physicians (OPDRV02) and non-physician providers (OPOTHV02) are contained in this file. For a small proportion of sample persons, the sum of the physician and non-physician visit variables (OPDRV02 + OPOTHV02) is less than the total number of outpatient visits variable (OPTOTV02) because OPTOTV02 contains reported visits where the respondent did not provide information on the type of provider seen.

Hospital Emergency Room Visits

The variable ERTOT02 represents a count of all emergency room visits reported for a person for the survey year.

Hospital Inpatient Stays

Two measures of total inpatient utilization are provided on this file:

- IPDIS02 is the total number of hospital discharges. It includes hospital stays where the dates of admission and discharge were reported as identical. These “zero night stays” can be included or excluded from inpatient analyses at the user’s discretion (see last paragraph of this section).
- IPNGT02 is the total number of nights spent in a hospital by a person for all stays that end in 2002, unimputed. The imputed version will be on the forthcoming 2002 Income and Expenditure file, as IPNGT02X.

Data used to construct the inpatient utilization variables for newborns were edited to exclude stays where the newborn left the hospital on the same day as the mother. This edit was applied because discharges for infants without complications after birth were not consistently reported in the survey. However, if the newborn was discharged at a later date than the mother was discharged, then the discharge was considered a separate stay for the newborn when constructing the utilization variables.

Some analysts may prefer to exclude “zero night stays” from inpatient analyses and/or count these stays as ambulatory visits. Therefore, IPZERO02, as a separate use variable,

is provided. IPZERO02 contains a count of the number of inpatient events where the reported dates of admission and discharge were the same. This variable can be subtracted from IPDIS02 to exclude “zero night stays” from inpatient utilization estimates.

2.6.9.3 Dental Care Visits

The total number of dental care visits variable (DVTOT02) includes those to any person(s) for dental care including general dentists, dental hygienists, dental technicians, dental surgeons, orthodontists, endodontists, and periodontists. Additional variables are provided for the numbers of dental visits to general dentists (DVGEN02) and to orthodontists (DVORTH02).


2.6.9.4 Home Health Care

In contrast to other types of medical events where data were collected on a per visit basis, information on home health care utilization is collected in MEPS on a per month basis. Variables are provided which indicate the number of “provider days” of home health care received in 2002 from any type of paid or unpaid caregiver (HHTOTD02), from agencies, hospitals, or nursing homes (HHAGD02), from self-employed persons (HHINDD02), and from unpaid informal caregivers not living with the person (HHINFD02). The number of provider days represents the sum across months of the number of days on which home health care was received, with days summed across all providers seen. For example, if a person received care in one month from one provider on two different days, then the number of providers would equal 2. The number of provider days would also equal 2 if a person received care from two different providers on the same day. However, if a person received care from one provider two times on the same day, then the provider days would equal 1. Variables for provider days were assigned missing values if the number of provider days could not be computed for any month in which the specific type of home health care was received.

3.0 Survey Sample Information

3.1 Background on Sample Design and Response Rates

The MEPS is designed to produce estimates at the national and regional level over time for the civilian, noninstitutionalized population of the United States and some subpopulations of interest. The data in this public use file pertain to calendar year 2002. The data were collected in Rounds 1, 2, and 3 for MEPS Panel 7 and Rounds 3, 4, and 5 for MEPS Panel 6. (Note that Round 3 for a MEPS panel is designed to overlap two calendar years.) The utilization data that appear on the file are those associated with health care events occurring in calendar year 2002.



3.1.1. References

There have been some published reports on the MEPS sample design. For detailed information on the MEPS sample design for Panel 1, see Cohen, S. Sample Design of the 1996 Medical Expenditure Panel Survey Household Component. Rockville (MD): Agency for Health Care Policy and Research; 1997. MEPS Methodology Report, No. 2. AHCPR Pub. No. 97-0027. For detailed information on the MEPS sample design for Panel 2, see Cohen, S., Sample Design of the 1997 Medical Expenditure Panel Survey Household Component. Rockville (MD): Agency for Healthcare Research and Quality; 2000. MEPS Methodology Report, No. 11. AHRQ Pub No. 01-0001.

3.1.2. MEPS--Linked to the National Health Interview Survey

The households in this 2002 MEPS database are related to households participating in the National Health Interview Survey in 2000 and 2001. The households (occupied DUs) selected for MEPS Panel 6 were a subsample of the 2000 National Health Interview Survey (NHIS) responding households while those in MEPS Panel 7 were a subsample of 2001 NHIS respondents. A household may contain one or more family units, each consisting of one or more individuals. Analysis can be undertaken using either the individual or the family as the unit of analysis.

There were 10,704 households (occupied DUs) selected for inclusion in MEPS Panel 6, of which 10,651 were eligible for fielding (college dormitories were eliminated). They were selected as a nationally representative subsample of the households responding to the 2000 NHIS. A subsample of 8,132 households was selected for MEPS Panel 7 from among households responding to the 2001 NHIS, of which 8,083 were fielded after the elimination of college dorms.

The NHIS is a complex multi-stage sample design. A brief and simplified description of the NHIS design follows. The first stage of sample selection is an area sample of PSUs, where PSUs generally consist of one or more counties. Within PSUs, density strata are formed, generally reflecting the density of minority populations for single or groups of blocks or block equivalents that are assigned to the strata. Within each such density

stratum "supersegments" are formed, consisting of clusters of housing units. Samples of supersegments are selected for use over a 10-year data collection period for the NHIS. Households within supersegments are selected for each calendar year the NHIS is carried out. Households containing Hispanics and blacks are oversampled at rates of approximately 2 and 1.5 times, respectively, the rate of remaining households. The only major difference in eligibility status for housing units between NHIS and MEPS is that college dorms represent ineligible housing units for MEPS. College aged students living away from home during the school year were interviewed at their place of residence for the NHIS but were identified by and linked to their parents' household for MEPS. (There is also a person-level stage of sampling for the NHIS but that does not have a direct impact on the MEPS sample design.)

3.1.3. Sample Weights and Variance Estimation

In the database "MEPS HC-062: 2002 Full Year Population Characteristics," weight variables are provided for generating MEPS estimates of totals, means, percents, and rates for persons and families in the civilian noninstitutionalized population. Procedures and considerations associated with the construction and interpretation of person and family-level estimates using these and other variables are discussed below.

3.2. The MEPS Sampling Process and Response Rates: An Overview

Generally, a sample representing about three-eighths of the NHIS responding households is made available for use in MEPS. A subsample of these households is then drawn for MEPS interviewing. Because the MEPS subsampling has to be done soon after NHIS responding households are identified, a small percentage of the NHIS households initially characterized as NHIS respondents are later classified as nonrespondents for the purposes of NHIS data analysis. This actually serves to increase the overall MEPS response rate slightly since the percentage of NHIS households eligible for MEPS is slightly larger than the final NHIS household-level response rate and some NHIS nonresponding households do participate in MEPS. However, as a result, these NHIS nonrespondents who are MEPS participants have no NHIS data available to incorporate into analyses with MEPS data.

Once the MEPS sample is selected from among the NHIS households characterized as NHIS respondents, RUs representing students living in student housing or consisting entirely of military personnel are deleted from the sample. For the NHIS, college students living in student housing are sampled independently from their families. For MEPS, such students are identified through the sample selection of their parents' RU. Removing from MEPS those college students found in college housing sampled for the NHIS eliminates the opportunity of multiple chances of selection for MEPS for these students. Military personnel not living in the same RU as civilians are ineligible for MEPS. After such exclusions, all RUs associated with households selected from among

those identified as NHIS responding households are then fielded in the first round of MEPS.

Table 3.1 shows these three informational components just discussed in Rows A, B, and C. Row A indicates the percentage of NHIS households eligible for MEPS. Row B indicates the number of NHIS households sampled for MEPS. Row C indicates the number of sampled households actually fielded for MEPS (after dropping the students and military members discussed above).

Table 3.1. Sample size and Response rates for Full Year file (Panel 7 Rounds 1-3/Panel 6, Rounds 3-5)

	Panel 6	Panel 7	2002 Combined
A. Percentage of NHIS sample eligible for MEPS	89.9%	89.7%	
B. Number of households sampled from the NHIS	10,704	8,132	
C. Number of Households sampled from the NHIS and fielded for MEPS	10,651	8,083	
D. Round 1 – Number of RUs eligible for interviewing	11,556	8,710	
E. Round 1 – Number of RUs with completed interviews	9,377	7,008	
F. Round 2 – Number of RUs eligible for interviewing	9,666	7,197	
G. Round 2 – Number of RUs with completed interviews	9,222	6,802	
H. Round 3 – Number of RUs eligible for interviewing	9,380	6,937	
I. Round 3 – Number of RUs with completed interviews	9,001	6,673	
J. Round 4 – Number of RUs eligible for interviewing	9,117		
K. Round 4 – Number of RUs with completed interviews	8,843		
L. Round 5 – Number of RUs eligible for interviewing	8,892		
M. Round 5 – Number of RUs with	8,781		

	Panel 6	Panel 7	2002 Combined
completed interviews			
Overall response rates through the Spring of 2003			
P7: A x (E/D) x (G/F) x (I/H)	64.0%	65.6%	64.7%
P6: A x (E/D) x (G/F) x (I/H) x (K/J) x (M/L)	(Panel 6 through Round 5)	(Panel 7 through Round 3)	
Combined: .55 x P6 + .45 x P7			

3.2.1. Response Rates

In order to produce annual health care estimates for calendar year 2002 based on the full MEPS sample, data from the MEPS Panel 6 and Panel 7 samples are combined. More specifically, full calendar year 2002 data collected in Rounds 3 through 5 for the MEPS from the Panel 6 sample are combined with data from the first three rounds of data collection for the MEPS Panel 7 sample (the general approach is described below).

In gaining understanding about the determination of MEPS response rates, some features related to MEPS data collection should be noted. When an RU is visited for a round of data collection, changes in RU membership are identified. Such changes include RU members who have moved to another location in the U.S., thus creating a new RU to be interviewed for MEPS, as well as student RUs. Thus, the number of RUs eligible for MEPS interviewing in a given round can only be determined after data collection is fully completed. The ratio of the number of RUs completing the MEPS interview in a given round to the number of RUs characterized as eligible to complete the interview for that round represents the "conditional" response rate for that round expressed as a proportion. It is "conditional" in that it pertains to the set of RUs characterized as eligible for MEPS for that round, and thus is "conditioned" on prior participation rather than representing the overall response rate through that round. For example, in Table 3.1, for Panel 6, Round 2 the ratio of 9,222 (Row G) to 9,666 (Row F) multiplied by 100 represents the percentage response rate for the round (95.4 percent when computed), conditioned on the set of RUs characterized as eligible for MEPS for that round. Taking the product of the percentage of the NHIS sample eligible for MEPS (row A) with the product of the ratios for a consecutive set of MEPS rounds beginning with round one produces the overall response rate through the last MEPS round specified.

The overall response rate for the combined sample of Panels 6 and 7 for 2002 was obtained by computing the products of the relative sample sizes and the corresponding overall panel response rates and then summing the two products. Panel 7 represents about 45 percent of the combined sample size while Panel 6 represents the remaining 55 percent. Thus, the combined response rate has been computed as .45 times the overall

Panel 7 response rate through Round 3 plus .55 times the overall Panel 6 response rate through Round 5.

3.2.2 Panel 7 Response Rates

For MEPS Panel 7, Round 1 8,083 households were fielded in 2002 (row C of Table 3.1), a nationally representative subsample of the households responding to the 2001 National Health Interview Survey (NHIS).

Table 3.1 shows the number of RUs eligible for interviewing in each Round of Panel 7 as well as the number of RUs completing the MEPS interview. Computing the individual Round "conditional" response rates as described in section 3.2.1 and then taking the product of these three response rates and the factor 89.7 (the percentage of the NHIS sampled households eligible for MEPS) yields an overall response rate of 65.6 percent for Panel 7 through Round 3.

3.2.3 Panel 6 Response Rates

For MEPS Panel 6, the initial sample of 10,651 households was fielded in 2001 (as indicated in Row C of Table 3.1), a nationally representative subsample of the households responding to the 2000 National Health Interview Survey (NHIS).

Table 3.1 shows the number of RUs eligible for interviewing and the number completing the interview for all five rounds of Panel 6. The overall response rate for Panel 6 has been computed in a similar fashion to that of Panel 7 but covering all five rounds of MEPS interviewing as well the factor representing the percentage of NHIS sampled households eligible for MEPS. The overall response rate for Panel 6 through Round 5 is 64.0 percent.

3.2.4 Combined Panel Response

A combined response rate for the survey respondents in this data set is obtained by taking a weighted average of the panel specific response rates. The Panel 6 response rate was weighted by a factor of .55 while that of Panel 7 by a factor of .45, reflecting approximately the distribution of the overall sample between the two panels. The resulting combined response rate for the combined panels has been computed as $(.55 \times 64.0) + (.45 \times 65.6)$ or 64.7 percent (as shown in Table 3.1).

3.2.5 Oversampling

Oversampling is a feature of the MEPS sample design, helping to increase the precision of estimates for some subgroups of interest. Before going into details related to MEPS, the concept of oversampling will be discussed.

In a sample where all persons in a population are selected with the same probability and survey coverage of the population is high, the sample distribution is expected to be proportionate to the population distribution. For example, if Hispanics represent 15 percent of the general population, one would expect roughly 15 percent of the persons sampled to be Hispanic. However, in order to improve the precision of estimates for specific subgroups of a population, one might decide to select samples from those subgroups at higher rates than the remainder of the population. Thus, one might select Hispanics at twice the rate (i.e., at double the probability) of persons not oversampled. As a result, an oversampled subgroup comprises a higher proportion of the sample than it represents in the general population. Sample weights ensure that population estimates are not distorted by a disproportionate contribution from oversampled subgroups (i.e., base sample weights for oversampled groups will be smaller than for the portion of the population not oversampled). For example, if a subgroup is sampled at roughly twice the rate of sample selection for the remainder of the population not oversampled, members of the oversampled subgroup will receive base or initial sample weights (prior to nonresponse or poststratification adjustments) that are roughly half the size of the group "not oversampled".

As mentioned above, oversampling is implemented to increase the sample sizes and thus improve the precision of survey estimates for particular subgroups of the population. The "cost" of oversampling is that the precision of estimates for the general population and subgroups not oversampled will be reduced to some extent compared to the precision one could have achieved if the same overall sample size were selected without any oversampling.

Oversampling of Hispanic and Black households in the NHIS carries through to MEPS. In the NHIS, Hispanic households were oversampled at a rate of roughly 2 to 1. That is, the probability of selecting a Hispanic household for participation in the NHIS was roughly twice that for households in the general population that were not oversampled. The oversampling rate for black households was roughly 1.5 to 1.

The oversampling approach differed somewhat between Panels 6 and 7 as, beginning with Panel 7, MEPS was designed to oversample Asians and those predicted to be living in families with income under 200 percent of the poverty level. For MEPS Panel 6, a systematic random sample of households selected from among the sample of NHIS responding households eligible for MEPS resulted in oversampling rates for Hispanics and blacks consistent with those for the NHIS. For purposes of the additional oversampling, two sampling strata were formed for Panel 7 from among the NHIS responding households eligible for MEPS. One stratum contained all households with either persons in families "predicted to be under 200 percent of poverty" (based on a statistical model) or Asians. All households in this stratum were selected with certainty. A systematic sample was selected from the second stratum containing all remaining MEPS-eligible households. Thus, while Hispanic and black households continued to be oversampled for MEPS, the oversampling rates differed from those used in the NHIS

because they varied according to which of the two subsampling strata a household was assigned. In summary, households containing Hispanics, Blacks, Asians, and those predicted to be under 200 percent of poverty were oversampled in Panel 7.

3.3 Background on Person-Level Estimation Using This MEPS Public Use Release

3.3.1. Overview

There is a single person-level weight variable called PERWT02P. However, care should be taken in its application as it permits both “point-in-time” and “range of time” estimates, depending on the variables used to define the set of persons of interest for analysis. A person-level weight was assigned to each key, inscope person who responded to MEPS for the full period of time that he or she was inscope during the MEPS (recall that a person is inscope whenever he or she is a member of the civilian, noninstitutionalized portion of the U.S. population). A note on how MEPS population estimates differ somewhat from those in earlier years appears in section 3.4.6.

3.3.2. Developing Person-Level Estimates

The data in this file can be used to develop estimates on persons in the civilian, noninstitutionalized population at any time during 2002 and for the slightly smaller population of persons in the civilian, noninstitutionalized population on December 31, 2002. To obtain a cross-sectional (point-in-time) estimate for inscope persons living in the country on December 31, 2002, the analysis should be restricted to cases where INSC1231=1 (the person is inscope on December 31, 2002). The weight variable PERWT02P must be applied to the analytic variable(s) of interest to obtain either type of national estimate. Table 3.2 contains a summary of cases to include and sample sizes for the two populations described above.

Table 3.2 Identifying Populations of Interest at the Person Level and Corresponding Sample Sizes

Population of Interest	Cases to Include	Sample Size
Civilian, Noninstitutionalized Population over the course of 2002	PERWT02P>0	37,418
Civilian, Noninstitutionalized Population on December 31, 2002	PERWT02P>0 and INSC1231=1	37,015

3.4. Details on Person-Level Weights Construction

3.4.1. Overview

The person-level weight PERWT02P was developed in three stages. A person-level weight for Panel 7 was created, including both an adjustment for nonresponse over time and raking, controlling to several sets of marginal control totals reflecting Current Population Survey (CPS) population estimates based on five different variables. Person-level weights for Panel 6 were also created, again including an adjustment for nonresponse over time and raking to CPS control figures, based on the same five variables. A composite weight was formed from the Panel 6 and Panel 7 weights by multiplying the Panel weights by factors corresponding to the relative sample size of the two panels. Then a final raking was undertaken on this composite weight variable, again based on the same five variables used previously.

3.4.2. MEPS Panel 6

The person-level weight for MEPS Panel 6 was developed using the 2001 full year weight for an individual as a “base” weight for survey participants present in 2001. For key, inscope respondents who joined an RU some time in 2002 after being out-of-scope in 2001, the “base” weight was taken to be the 2001 family weight associated with the family the person joined. The weighting process included an adjustment for nonresponse over Rounds 4 and 5 as well as raking to population control totals for December, 2002 for key, responding persons in scope on December 31, 2002. These control totals were derived by scaling back the population distribution obtained from the March 2003 CPS to reflect the December, 2002 estimated population distribution. Variables used for person-level poststratification included: Census region (Northeast, Midwest, South, West); MSA status (MSA, non-MSA); race/ethnicity (Hispanic, black but non-Hispanic, and other); sex, and age. (Poverty status is not included since income data for assigning persons to a poverty status category cannot be created in time to incorporate it for this version of the

MEPS full year database). Key responding persons not inscope on December 31, 2002 but inscope earlier in the year retained, as their final Panel 6 weight, the weight after the nonresponse adjustment.

3.4.3. MEPS Panel 7

The person-level weight for MEPS Panel 7 was developed using the MEPS Round 1 person-level weight as a “base” weight. For key, inscope respondents who joined an RU after Round 1, the Round 1 family weight served as a “base” weight. The weighting process included an adjustment for nonresponse over the remaining data collection rounds in 2002 as well as raking to the same population control figures for December 2002 used for the MEPS Panel 6 weights for key, responding persons inscope on December 31, 2002. The same five variables employed for Panel 6 raking (census region, MSA status, race/ethnicity, sex, and age) were also used for Panel 7 raking. As with Panel 6, Panel 7 key, responding persons not inscope on December 31, 2002 but inscope earlier in the year retained the weight after nonresponse adjustment as their final Panel 7 weight.

Note that the MEPS Round 1 weights for both panels incorporated the following components: the original household probability of selection for the NHIS; ratio-adjustment to NHIS-based national population estimates at the household (occupied DU) level; adjustment for nonresponse at the DU-level for Round 1; and poststratification to figures at the family and person level obtained from the corresponding March CPS data bases.

3.4.4. Raking

Beginning in 2002, “raking” is being employed to calibrate surveys weights to match designated population control totals, replacing the poststratification process previously employed. Raking is a commonly used process for adjusting survey weights so that estimates of subpopulation totals match more stable figures available from independent sources. It can be thought of as multi-dimensional poststratification that requires an iterative solution. Survey weights are poststratified to several sets of control figures (dimensions) in a sequential and continuous fashion until convergence is achieved. Convergence is the state where survey weights satisfy the criteria that the sums of the survey weights for the subgroups represented by the various dimensions are simultaneously within a specified distance of the corresponding control figures (for example, within 1, 10, 100, 500, etc. of the control totals). For example, if one dimension in a raking effort was sex by MSA status and the specified distance was 10, then, after convergence has been achieved, the sum of the survey weights for males in MSA areas would be within 10 of the control figure for males in MSA areas, etc.

3.4.5. The Final Weight for 2002

Variables used in the raking of the person-level weights to control totals derived from CPS data included: census region (Northeast, Midwest, South, West); MSA status (MSA, non-MSA); race/ethnicity (Hispanic, black but non-Hispanic, and other); sex, and age. Persons included in the raking process were those inscope on December 31, 2002. In addition, the weights of some persons out-of-scope on December 31, 2002 were poststratified. Specifically, the weights of persons out-of-scope on December 31, 2002 that were inscope some time during the year and also entered a nursing home during the year were poststratified to a corresponding control total obtained from the 1996 MEPS Nursing Home Component. The weights of persons who died while inscope during 2002 were poststratified to corresponding estimates derived using data obtained from the Medicare Current Beneficiary Survey (MCBS) and Vital Statistics information provided by the National Center for Health Statistics (NCHS). Separate control totals were developed for the “65 and older” and “under 65” civilian, noninstitutionalized decedent populations.

Overall, the weighted population estimate for the civilian, noninstitutionalized population over the course of the year (PERWT02P>0) is 288,181,763 (see Table 3.3). The weighted population for the population that was in-scope for the survey on December 31, 2002 (PERWT02P>0 and INSC1231=1) is 284,568,843.

Table 3.3. Persons with a person weight for the 2002 Full Year file

	Panel 6	Panel 7	Combined	Population estimate (weighted total of combined sample)
Number	20,890	16,582	37,418	288,181,763

3.4.6. A Note on MEPS Population Estimates

Recent MEPS population estimates reflect noteworthy “jumps” in CPS estimates, the source of the control figures used for raking the MEPS weights. More specifically, MEPS estimates for the civilian, noninstitutionalized population from the full year 2001 public use files compared to those from previous years show a sizeable increase in population in 2001. In previous years the percentage increase had been slightly under one percent while between the 2000 and 2001 MEPS population estimates it is roughly two percent. The MEPS file for full year 2001 was the first where CPS figures reflected 2000 Census figures instead of projections from figures obtained from the 1990 Census. The projections were somewhat low compared to 2000 Census figures. Some subgroups were particularly affected. For example, the new CPS figures provide population estimates for Hispanics that are roughly 8 percent higher than previous projections

suggested. For the full year 2002 files there is another discontinuity. The March, 2003 CPS data base, the basis of the MEPS full year 2002 control figures, experienced a one time population adjustment of roughly 941,000, reflecting current information and research on net migration. This had a large impact on the Hispanic population (roughly a 1.7 percent increase), a minor impact on the white population (a .4 percent increase), and no change at all in Black population estimates.

For more information about these recent changes in CPS population estimates, see "Revisions to the Current Population Survey Effective in January 2003" in the January 2003 issue of the monthly Labor Review (authored by Mary Bowler, Randy E. Ilg, Stephen Miller, Ed Robison, and Anne Polivka, all at the Bureau of Labor Statistics). Recent changes in the definition of racial categories are also noted in this report.

3.4.7. Coverage

The target population associated with this MEPS database is the 2002 U.S. civilian, noninstitutionalized population. However, the MEPS sampled households are a subsample of the NHIS households interviewed in 2000 (Panel 6) and 2001 (Panel 7). New households created after the NHIS interviews for the respective Panels and consisting exclusively of persons who entered the target population after 2000 (Panel 6) or after 2001 (Panel 7) are not covered by MEPS. Neither are previously out-of-scope persons who join an existing household but are unrelated to the current household residents. Persons not covered by a given MEPS panel thus include some members of the following groups: immigrants; persons leaving the military; U.S. citizens returning from residence in another country; and persons leaving institutions. The set of uncovered persons constitutes only a small proportion of the MEPS target population.

3.5 Background on Family-Level Estimation Using This MEPS Public Use Release

There is a single family weight variable called FAMWT02P provided in this release. It can be used to make estimates for the cross-section of families in the U.S. civilian, noninstitutionalized population on December 31, 2002 using the MEPS definition of a family unit (see next section for definition). Estimates can include MEPS families that existed at some time during 2002 but whose members became out-of-scope prior to the end of the year (e.g., all family members moved out of the country, died, etc.) or can be restricted to the cross-section of MEPS families in the U.S. civilian noninstitutionalized population on December 31, 2002.

3.5.1. Definition of “Family” for Estimation Purposes

A family in MEPS generally consists of two or more persons living together in the same household who are related by blood, marriage, or adoption, as well as foster children. (Foster children are not included as members under the CPS definition of a family.) However, MEPS also defines as a family unmarried persons living together who consider themselves a family unit (these are not families under the CPS definition.) Single persons living with neither a relative nor a person identified as a “significant other” have also been assigned a family ID value and a family-level weight, and thus can be included or excluded from family-level estimates, as desired. Relatives identified as usual residents of the household who were not present at the time of the interview, such as college students living away from their parents’ home during the school year, were considered as members of the family that identified them.

To make estimates at the family-level, it is necessary to prepare a family-level file containing one record per family (see instructions below), family-level summary characteristics, and the family-level weight variable (FAMWT02P). Each MEPS family unit is uniquely identified by the combination of the variables DUID and FAMIDYR. The number of persons in a MEPS sample family ranges from 1 to 14 (the positive values for the variable FAMSZEYR). Only persons with positive nonzero family weight values (FAMWT02P>0) are candidates for inclusion in family estimates.

Two sets of families for whom estimates can be obtained are defined in table 3.4 below (along with respective sample sizes). Persons with FMRS1231=1 were inscope for the survey on 12/31/02 and therefore part of a MEPS family on 12/31/02. The more expansive definition of families (second row in table 3.4) includes families and members of families who were not inscope at the end of the year. While MEPS includes individual persons as family units (about one-third of all units) to cover the entire civilian, noninstitutionalized population, analysts may restrict their analyses to families with two or more members (using FAMS1231 > 1 or FAMSZEYR>1).

Table 3.4 Identifying Populations of Interest at the Family Level with Corresponding Sample Sizes and Family Size Variables

Population of Interest	Cases to Include	Sample Size (Includes single person units)	Family Size Variable
Cross-section of Families in the Civilian Noninstitutionalized Population on 12/31/02	FAMWT02P>0 & FMRS1231=1	14,707	FAMS1231

Population of Interest	Cases to Include	Sample Size (Includes single person units)	Family Size Variable
Families in the Civilian Noninstitutionalized Population on 12/31/02 <u>plus</u> families and members of families in existence earlier in 2002 who were not part of the civilian noninstitutionalized population on 12/31/02	FAMWT02P>0	14,828	FAMSZEYR

3.5.2. Instructions to Create Family Estimates

The following is a summary of the steps and the variables to be used for family-level estimation based on the MEPS type definition of families.

1. Concatenate the variables DUID and FAMIDYR into a new variable (e.g., DUIDFAMY).
2. To create a family-level file, sort by DUIDFAMY and then subset to one record per DUIDFAMY value by retaining only the reference person record (FAMRFPYR=1) for each value of DUIDFAMY. Some family-level measures needed for analytic purposes (e.g., means or totals) can be obtained after aggregating person-level information across all members of a family. For other types of measures, analysts frequently use the characteristics of the reference person to characterize his or her family unit (e.g., the race/ethnicity, marital status, or age of the reference person).
3. Apply the weight FAMWT02P to the analytic variable(s) of interest to obtain national family estimates.

3.5.3. Details on Family Weight Construction and Estimated Number of Families

To develop the family-level weight (FAMWT02P), the person-level weight (PERWT02P) of the family reference person (FAMRFPYR=1) was used as the “base” weight for all responding full year families. Then, for responding families eligible for weighting and in existence at the end of 2002, these “base” weights were raked to population control figures derived from CPS estimates for December 2002 (these figures were derived by scaling the population totals obtained from the March 2003 CPS to reflect family estimates as of December, 2002). The family-level raking incorporated the following variables: census region; MSA status; race/ethnicity of reference person (Hispanic, black but non Hispanic, and other); family type (reference person married, living with spouse; male reference person, unmarried or spouse not present; female

reference person, unmarried or spouse not present); age of reference person; and family size as of December 31, 2002.

Overall, the weighted population estimate for the 14,707 MEPS family units containing at least one member of the U.S. civilian, noninstitutionalized population on December 31, 2002 (those families whose members have FAMWT02P>0 and FMRS1231=1) is 123,330,252. The inclusion of families whose members left the inscope population prior to December 31, 2002 brought the estimated total number of families represented by the 14,828 MEPS responding families (those families whose members have FAMWT02P>0) to 124,521,879.

Table 3.5. Families with a family weight for the 2002 Full Year file

	Panel 6	Panel 7	Combined	Population estimate (weighted total of combined sample)
Number	8,393	6,435	14,828	124,521,879

3.6 Relationship between Person and Family-Level Weights

There were 910 persons with a person weight but no family weight. Some persons with positive person-level weights do not have family-level weights because at least one member of their family was a non-participant in MEPS. For example, if a parent RU responded to MEPS for the full year but an associated student RU, such as a son away at college, failed to respond in any round of data collection, the family would be considered nonrespondent for this full year database. Nevertheless, all key, inscope members of the parent RU would receive person-level weights. Others with positive person weights do not receive a family weight because the family reference person was not key. In addition, some persons with positive family-level weights do not have person-level weights because they were either non-key or a member of the military.

Analysts should include only persons with positive person-level weights for analyses focused on the civilian, noninstitutionalized population or subgroups of this population. Analyses focused on members of families should include persons with positive family-level weights. Family level analyses can be undertaken as described in Section 3.5.

3.7 Weights and Response Rates for the Self-Administered Questionnaire

For analytic purposes, a single person-level weight variable, SAQWT02, has been provided for use with the data obtained from the Self-Administered Questionnaire (SAQ). This questionnaire was administered in Panel 7, Round 2 and Panel 6, Round 4 and was to be completed by each adult (person aged 18 or older) in the family. Thus, the

target population for the SAQ is adults in the civilian, noninstitutionalized population at the time data were collected for Rounds 2/4.

The weight variable was developed by first adjusting for questionnaire non-response. Variables used in the nonresponse adjustment process were region, MSA status, family size, marital status, level of education, health status, health insurance status, and age. Then the weights were raked to Current Population Survey (CPS) estimates corresponding to December 2002 (the same source of control figures used for the full year person weights). The variables used to form control figures were region, MSA status, age, sex, and race/ethnicity, as were used for the full year person weights. The only difference was that age categories were developed after excluding ages under 18, since only adults were eligible for the SAQ.

In all, there were 24,249 persons assigned a SAQ weight with the sum of the weights being 211,389,189 (an estimate of the civilian, noninstitutionalized population aged 18 or older at the time the SAQ was administered).

The Panel 6 response rate for the 2002 SAQ was 94.8 percent, while the Panel 7 response rate for the 2002 SAQ was 94.0 percent. Pooled response rates for the survey respondents have been computed by taking a weighted average of the panel-specific response rates, where the weights were the relative proportion of persons with sample weights associated with each panel (a value of .55 was associated with Panel 6, and a value of .45 was associated with Panel 7). The pooled response rate for the combined panels for the 2002 SAQ is 94.4 percent.

3.8 Weights and Response Rates for the Diabetes Care Survey

A person-level weight, DIABW02P, was developed for use with the data obtained from the Diabetes Care Survey (DCS). This weight was assigned to each person with a SAQ weight who was also classified as having diabetes (thus, no one aged 17 or under receives a DCS weight).

To determine this classification, the RU respondent was asked to identify any family member in the residence having diabetes. Then, those identified with diabetes were asked if a doctor had ever indicated that the person had diabetes. Those who responded affirmatively to that question and who also had a SAQ weight were assigned a DCS weight.

In all, 1,175 people were assigned a DCS weight (DIABW02P>0). The sum of the DCS weights is 14,028,990, an estimate of the adult population with diabetes as identified by the two step process described above. This estimate likely understates the number of persons with diabetes because occasionally a family member with diabetes may not have been identified by the respondent. In addition, persons who joined an RU in Round 3 of

Panel 7 or Round 5 of Panel 6, some of whom may have diabetes, were not eligible for the SAQ and thus not eligible for a DCS weight.

The Panel 6 response rate for the 2002 DCS was 97.0 percent. The Panel 7 response rate for the 2002 DCS was 97.5 percent. The pooled response rate for the combined panels for the DCS is 97.2 percent. The pooled response rate is a weighted average for the two panels, reflecting their relative sample sizes (roughly 55 percent of the respondents are from Panel 6, the remaining 45 percent from Panel 7).

3.9. Variance Estimation

To obtain estimates of variability (such as the standard error of sample estimates or corresponding confidence intervals) for estimates based on MEPS survey data, the complex sample design of MEPS for both person and family-level analyses must be taken into account. Various approaches can be used to develop such estimates of variance including use of the Taylor series or replication methodologies. However, replicate weights have not been developed for the MEPS 2002 data.

Using a Taylor Series approach, variance estimation strata and the variance estimation PSUs within these strata must be specified. The variance strata variable is named VARSTR while the variance PSU variable is named VARPSU. Specifying a “with replacement” design in a computer software package, such as SUDAAN, provides standard errors appropriate for assessing the variability of MEPS survey estimates. It should be noted that the number of degrees of freedom associated with estimates of variability indicated by such a package may not appropriately reflect the actual number available. For MEPS sample estimates for characteristics generally distributed throughout the country (and thus the sample PSUs), one can expect at least 100 degrees of freedom for the 2002 full year data associated with the corresponding estimates of variance.

Prior to 2002, MEPS variance strata and PSUs were developed independently from year to year, and the last two characters of the strata and PSU variable names denoted the year. However, beginning with the 2002 Point-in-Time PUF, the variance strata and PSUs have been developed to be compatible with all future PUFs. Thus, data from future years can be pooled and the variance strata and PSU variables provided can be used without modification for variance estimation purposes for estimates covering multiple years of data. There are 203 variance estimation strata, each stratum with either two or three variance estimation PSUs.

3.10. Guidelines for which Weight to Use for Analysis Involving Data/Variables from Multiple Sources and Supplements: MEPS 2002 Full-Year Use File

For person level analyses not involving variables from the SAQ or DCS, PERWT02P should always be used. FAMWT02P should be used for all family level analyses.

For person-level analysis involving variables from the SAQ, the SAQWT02P should be used. For example, if examining access to care or quality of care variables from the SAQ by social-demographics, health status, or health insurance, SAQWT02P is the appropriate weight even though person level socio-demographic variables, health status, and health insurance are part of the core person level questionnaire. The exception is for analysis involving access to care or quality of care variables from the SAQ that are to be used in conjunction with variables from the Diabetes Care Survey. In this case the variable DIABW02P should be used.

D. Variable-Source Crosswalk

SURVEY ADMINISTRATION VARIABLES - PUBLIC USE

VARIABLE	DESCRIPTION	SOURCE
DUID	Dwelling Unit ID	Assigned in Sampling
PID	Person Number	Assigned in Sampling or by CAPI
DUPERSID	Person ID (DUID+PID)	Assigned in Sampling
PANEL02	Panel Number	Constructed
FAMID31	Family ID (Student Merged In) – R3/1	CAPI Derived
FAMID42	Family ID (Student Merged In) – R4/2	CAPI Derived
FAMID53	Family ID (Student Merged In) – R5/3	CAPI Derived
FAMID02	Family ID (Student Merged In) – 12/31/02	CAPI Derived
FAMIDYR	Annual Family Identifier	Constructed
RULETR31	RU Letter – R3/1	CAPI Derived
RULETR42	RU Letter – R4/2	CAPI Derived
RULETR53	RU Letter – R5/3	CAPI Derived
RULETR02	RU Letter As of 12/31/02	CAPI Derived
RUSIZE31	RU Size – R3/1	CAPI Derived
RUSIZE42	RU Size – R4/2	CAPI Derived
RUSIZE53	RU Size – R5/3	CAPI Derived
RUSIZE02	RU Size As of 12/31/02	CAPI Derived
RUCLAS31	RU fielded as: Standard/New/Student – R3/1	CAPI Derived
RUCLAS42	RU fielded as: Standard/New/Student – R4/2	CAPI Derived
RUCLAS53	RU fielded as: Standard/New/Student – R5/3	CAPI Derived
RUCLAS02	RU fielded as: Standard/New/Student-12/31/02	CAPI Derived
FAMSZE31	RU Size Including Students – R3/1	CAPI Derived
FAMSZE42	RU Size Including Students – R4/2	CAPI Derived
FAMSZE53	RU Size Including Students – R5/3	CAPI Derived
FAMSZE02	RU Size Including Students As of 12/31/02	CAPI Derived
FMRS1231	Member of Responding 12/31 Family	Constructed
FAMS1231	Family Size of Responding 12/31 Family	Constructed
FAMSZEYR	Size of Responding Annualized Family	Constructed
FAMRFPYR	Reference Person of Annualized Family	Constructed
REGION31	Census Region – R3/1	Assigned in Sampling
REGION42	Census Region – R4/2	Assigned in Sampling
REGION53	Census Region – R5/3	Assigned in Sampling
REGION02	Census Region As Of 12/31/02	Assigned in Sampling
MSA31	MSA Status – R3/1	Assigned in Sampling
MSA42	MSA Status – R4/2	Assigned in Sampling
MSA53	MSA Status – R5/3	Assigned in Sampling
MSA02	MSA Status As Of 12/31/02	Assigned in Sampling
REFPRS31	Reference Person At - R3/1	RE 42-45
REFPRS42	Reference Person At - R4/2	RE 42-45
REFPRS53	Reference Person At - R5/3	RE 42-45
REFPRS02	Reference Person As Of 12/31/02	RE 42-45
RESP31	1st Respondent Indicator For R3/1	RE 6, 8
RESP42	1st Respondent Indicator For R4/2	RE 6, 8

VARIABLE	DESCRIPTION	SOURCE
RESP53	1st Respondent Indicator For R5/3	RE 6, 8
RESP02	1st Respondent Indicator As Of 12/31/02	RE 6, 8
PROXY31	Was Respondent A Proxy In R3/1	RE 2
PROXY42	Was Respondent A Proxy In R4/2	RE 2
PROXY53	Was Respondent A Proxy In R5/3	RE 2
PROXY02	Was Respondent A Proxy As Of 12/31/02	RE 2
BEGRFD31	R3/1 Reference Period Begin Date: Day	CAPI Derived
BEGRFM31	R3/1 Reference Period Begin Date: Month	CAPI Derived
BEGRFY31	R3/1 Reference Period Begin Date: Year	CAPI Derived
ENDRFD31	R3/1 Reference Period End Date: Day	CAPI Derived
ENDRFM31	R3/1 Reference Period End Date: Month	CAPI Derived
ENDRFY31	R3/1 Reference Period End Date: Year	CAPI Derived
BEGRFD42	R4/2 Reference Period Begin Date: Day	CAPI Derived
BEGRFM42	R4/2 Reference Period Begin Date: Month	CAPI Derived
BEGRFY42	R4/2 Reference Period Begin Date: Year	CAPI Derived
ENDRFD42	R4/2 Reference Period End Date: Day	CAPI Derived
ENDRFM42	R4/2 Reference Period End Date: Month	CAPI Derived
ENDRFY42	R4/2 Reference Period End Date: Year	CAPI Derived
BEGRFD53	R5/3 Reference Period Begin Date: Day	CAPI Derived
BEGRFM53	R5/3 Reference Period Begin Date: Month	CAPI Derived
BEGRFY53	R5/3 Reference Period Begin Date: Year	CAPI Derived
ENDRFD53	R5/3 Reference Period End Date: Day	CAPI Derived
ENDRFM53	R5/3 Reference Period End Date: Month	CAPI Derived
ENDRFY53	R5/3 Reference Period End Date: Year	CAPI Derived
ENDRFD02	2002 Reference Period End Date: Day	RE Section
ENDRFM02	2002 Reference Period End Date: Month	RE Section
ENDRFY02	2002 Reference Period End Date: Year	RE Section
KEYNESS	Person Key Status	RE Section
INSCOP31	Inscope – R3/1	RE Section
INSCOP42	Inscope – R4/2	RE Section
INSCOP53	Inscope – R5/3	RE Section
INSCOP02	Inscope – R5/3 Start Through 12/31/02	RE Section
INSC1231	Inscope Status on 12/31/02	Constructed
INSCOPE	Was Person Ever Inscope In 2002	RE Section
ELGRND31	Eligibility – R3/1	RE Section
ELGRND42	Eligibility – R4/2	RE Section
ELGRND53	Eligibility – R5/3	RE Section
ELGRND02	Eligibility Status as of 12/31/02	RE Section
PSTATS31	Person Disposition Status – R3/1	RE Section
PSTATS42	Person Disposition Status – R4/2	RE Section
PSTATS53	Person Disposition Status – R5/3	RE Section
RURSLT31	RU Result – R3/1	Assigned by CAPI
RURSLT42	RU Result – R4/2	Assigned by CAPI

VARIABLE	DESCRIPTION	SOURCE
RURSLT53	RU Result – R5/3	Assigned by CAPI

DEMOGRAPHIC VARIABLES - PUBLIC USE

VARIABLE	DESCRIPTION	SOURCE
AGE31X	Age – R3/1 (Edited/Imputed)	RE 12, 57-66
AGE42X	Age – R4/2 (Edited/Imputed)	RE 12, 57-66
AGE53X	Age – R5/3 (Edited/Imputed)	RE 12, 57-66
AGE02X	Age as of 12/31/02 (Edited/Imputed)	RE 12, 57-66
DOBMM	Date of Birth: Month	RE 12, 57-66
DOBY	Date of Birth: Year	RE 12, 57-66
SEX	Sex	RE 12, 57, 61
RACEX	Race (Edited/Imputed)	RE 101A, 102
RACEAX	Asian Among Races Reported (Edited/Imputed)	RE101A
RACEBX	Black Among Races Reported (Edited/Imputed)	RE101A
RACEWX	White Among Races Reported (Edited/Imputed)	RE101A
RACETHNX	Race/Ethnicity (Edited/Imputed)	RE 98A-100A
HISPANX	Hispanic Ethnicity (Edited/Imputed)	RE 98A-101A
HISPCAT	Specific Hispanic Ethnicity Group	RE 98A-101A
MARRY31X	Marital Status – R3/1 (Edited/Imputed)	RE 13, 97
MARRY42X	Marital Status – R4/2 (Edited/Imputed)	RE 13, 97
MARRY53X	Marital Status – R5/3 (Edited/Imputed)	RE 13, 97
MARRY02X	Marital Status–12/31/02 (Edited/Imputed)	RE 13, 97
SPOUID31	Spouse ID – R3/1	RE 13, 76, 77, 97
SPOUID42	Spouse ID – R4/2	RE 13, 76, 77, 97
SPOUID53	Spouse ID – R5/3	RE 13, 76, 77, 97
SPOUID02	Spouse ID – 12/31/02	RE 13, 76, 77, 97
SPOUIN31	Marital Status W/ Spouse Present – R3/1	RE 13, 76, 77, 97
SPOUIN42	Marital Status W/ Spouse Present – R4/2	RE 13, 76, 77, 97
SPOUIN53	Marital Status W/ Spouse Present – R5/3	RE 13, 76, 77, 97
SPOUIN02	Marital Status W/Spouse Present–12/31/02	RE 13, 76, 77, 97
EDUCYR	Years of Educ When First Entered MEPS	RE 103-105
HIDEG	Highest Degree When First Entered MEPS	RE 103-105
FTSTU31X	Student Status If Ages 17-23 – R3/1	RE 11A, 106-108
FTSTU42X	Student Status If Ages 17-23 – R4/2	RE 11A, 106-108
FTSTU53X	Student Status If Ages 17-23 – R5/3	RE 11A, 106-108
FTSTU02X	Student Status If Ages 17-23 – 12/31/02	RE 11A, 106-108
ACTDTY31	Military Full-Time Active Duty – R3/1	RE 14, 96A
ACTDTY42	Military Full-Time Active Duty – R4/2	RE 14, 96B1
ACTDTY53	Military Full-Time Active Duty – R5/3	RE 14, 96B1
DIDSERVE	Ever Served In Armed Forces	RE 18, 95
VETVIET	Served In Vietnam War Era	RE 35, 94, 94A, 95, 96
VETKOR	Served In Korean War Era	RE 35, 94, 94A, 95, 96
VETWW	Served In WWI Or WW2 Era	RE 35, 94, 94A, 95, 96
VETGULF	Served in Persian Gulf/Desert Storm	RE 35, 94, 94A, 95, 96
VETOTH	Served In Other Period	RE 35, 94, 94A, 95, 96

VARIABLE	DESCRIPTION	SOURCE
RFREL31X	Relation To Ref Pers – R3/1 (Edit/Imp)	RE 76-77
RFREL42X	Relation To Ref Pers – R4/2 (Edit/Imp)	RE 76-77
RFREL53X	Relation To Ref Pers – R5/3 (Edit/Imp)	RE 76-77
RFREL02X	Relation To Ref Pers – 12/31/02 (Edit/Imp)	RE 76-77
MOPID31X	PID of Person's Mom – RD 3/1	RE 76-77
MOPID42X	PID of Person's Mom – RD 4/2	RE 76-77
MOPID53X	PID of Person's Mom – RD 5/3	RE 76-77
DAPID31X	PID of Person's Dad – RD 3/1	RE 76-77
DAPID42X	PID of Person's Dad – RD 4/2	RE 76-77
DAPID53X	PID of Person's Dad – RD 5/3	RE 76-77

HEALTH STATUS VARIABLES - PUBLIC USE

VARIABLE	DESCRIPTION	SOURCE
RTHLTH31	Perceived Health Status – RD 3/1	CE 1
RTHLTH42	Perceived Health Status – RD 4/2	CE 1
RTHLTH53	Perceived Health Status – RD 5/3	CE 1
MNHLTH31	Perceived Mental Health Status – RD 3/1	CE 2
MNHLTH42	Perceived Mental Health Status – RD 4/2	CE 2
MNHLTH53	Perceived Mental Health Status – RD 5/3	CE 2
IADLHP31	IADL Screener – RD 3/1	HE 2-4
IADLHP42	IADL Screener – RD 4/2	HE 2-4
IADLHP53	IADL Screener – RD 5/3	HE 2-4
IADL3M31	IADL Help 3+ Months – RD 3/1	HE 3A
IADL3M42	IADL Help 3+ Months – RD 4/2	HE 3A
IADL3M53	IADL Help 3+ Months – RD 5/3	HE 3A
ADLHLP31	ADL Screener – RD 3/1	HE 5-6
ADLHLP42	ADL Screener – RD 4/2	HE 5-6
ADLHLP53	ADL Screener – RD 5/3	HE 5-6
ADL3MO31	ADL Help 3+ Months – RD 3/1	HE 6A
ADL3MO42	ADL Help 3+ Months – RD 4/2	HE 6A
ADL3MO53	ADL Help 3+ Months – RD 5/3	HE 6A
AIDHLP31	Used Assistive Devices – RD 3/1	HE 7-8
AIDHLP53	Used Assistive Devices – RD 5/3	HE 7-8
WLKLIM31	Limitation In Physical Functioning – RD 3/1	HE 9-18
WLKLIM53	Limitation In Physical Functioning – RD 5/3	HE 9-18
LFTDIF31	Difficulty Lifting 10 Pounds – RD 3/1	HE 11
LFTDIF53	Difficulty Lifting 10 Pounds – RD 5/3	HE 11
STPDIF31	Difficulty Walking Up 10 Steps – RD 3/1	HE 12
STPDIF53	Difficulty Walking Up 10 Steps – RD 5/3	HE 12
WLKDIF31	Difficulty Walking 3 Blocks – RD 3/1	HE 13
WLKDIF53	Difficulty Walking 3 Blocks – RD 5/3	HE 13
MILDIF31	Difficulty Walking A Mile – RD 3/1	HE 14
MILDIF53	Difficulty Walking A Mile – RD 5/3	HE 14
STNDIF31	Difficulty Standing 20 Minutes – RD 3/1	HE 15
STNDIF53	Difficulty Standing 20 Minutes – RD 5/3	HE 15
BENDIF31	Difficulty Bending/Stooping – RD 3/1	HE 16
BENDIF53	Difficulty Bending/Stooping – RD 5/3	HE 16
RCHDIF31	Difficulty Reaching Overhead – RD 3/1	HE 17
RCHDIF53	Difficulty Reaching Overhead – RD 5/3	HE 17
FNGRDF31	Difficulty Using Fingers To Grasp – RD 3/1	HE 18
FNGRDF53	Difficulty Using Fingers To Grasp – RD 5/3	HE 18
WLK3MO31	Phys Functioning Help 3+ Months – RD 3/1	HE 18A
WLK3MO53	Phys Functioning Help 3+ Months – RD 5/3	HE 18A
ACTLIM31	Any Limitation Work/Housewrk/Schl – RD 3/1	HE 19-20

VARIABLE	DESCRIPTION	SOURCE
ACTLIM53	Any Limitation Work/Housewrk/Schl – RD 5/3	HE 19-20
WRKLIM31	Work Limitation – RD 3/1	HE 20A
WRKLIM53	Work Limitation – RD 5/3	HE 20A
HSELIM31	Housework Limitation – RD 3/1	HE 20A
HSELIM53	Housework Limitation – RD 5/3	HE 20A
SCHLIM31	School Limitation – RD 3/1	HE 20A
SCHLIM53	School Limitation – RD 5/3	HE 20A
UNABLE31	Completely Unable To Do Activity – RD 3/1	HE 21
UNABLE53	Completely Unable To Do Activity – RD 5/3	HE 21
SOCLIM31	Social Limitations – RD 3/1	HE 22-23
SOCLIM53	Social Limitations – RD 5/3	HE 22-23
COGLIM31	Cognitive Limitations – RD 3/1	HE 24-25
COGLIM53	Cognitive Limitations – RD 5/3	HE 24-25
WRGLAS42	Wears Glasses or Contacts – RD 4/2	HE 26-27
SEEDIF42	Diffclty Seeing W/Glasses/Cntcts–RD 4/2	HE 28-29
BLIND42	Person Is Blind – RD 4/2	HE 30
READNW42	Can Read Newsprnt W/Glasses/Cntcts-RD4/2	HE 31
RECPEP42	Can Recgnze People W/Glasses/Cntcts-RD4/2	HE 32
VISION42	Vision Impairment (Summary) – RD 4/2	Constructed
HEARAD42	Person Wears Hearing Aid – RD 4/2	HE 33-34
HEARDI42	Any Difficlty Hearing W/Hearing Aid–RD4/2	HE 35-36
DEAF42	Person Is Deaf – RD 4/2	HE 37
HEARMO42	Can Hear Most Conversation – RD 4/2	HE 38
HEARSM42	Can Hear Some Conversation – RD 4/2	HE 39
HEARNG42	Hearing Impairment (Summary) – RD 4/2	Constructed
ANYLIM02	Any Limitation in P5R3,4,5/P6R1,2,3	Constructed
LSHLTH42	Less Healthy than Othr Child (0-17)-R4/2	CS01_01
NEVILL42	Never Been Seriously Ill (0-17)-R4/2	CS01_02
SICEAS42	Child Gets Sick Easily (0-17)-R4/2	CS01_03
HLTHLF42	Child Will Have Healthy Life (0-17)-R4/2	CS01_04
WRHLTH42	Worry More about Health (0-17)-R4/2	CS01_05
CHPMED42	CSHCN: Child Needs Prescrib Med(0-17)-R4/2	CS03
CHPMHB42	CSHCN: Pmed for Hlth/Behv Cond (0-17)-R4/2	CS03OV1
CHPMC42	CSHCN: Pmed Cond Last 12+ Mos (0-17)-R4/2	CS03OV2
CHSERV42	CSHCN: Chld Needs Med&Oth Serv (0-17)-R4/2	CS04
CHSRHB42	CSHCN: Serv for Hlth/Behav Cond(0-17)-R4/2	CS04OV1
CHSRC42	CSHCN: Serv Cond Last 12+ Mos (0-17)-R4/2	CS04OV2
CHLIMI42	CSHCN: Limited in Any Way (0-17)-R4/2	CS05
CHLIHB42	CSHCN: Limt for Hlth/Behav Cond(0-17)-R4/2	CS05OV1
CHLICO42	CSHCN: Limit Cond Last 12+ Mos (0-17)-R4/2	CS05OV2
CHTHER42	CSHCN: Chld Needs Spec Therapy (0-17)-R4/2	CS06
CHTHHB42	CSHCN: Spec Ther for Hlth+Cond(0-17)-R4/2	CS06OV1
CHTHCO42	CSHCN: Ther Cond Last 12+ Mos (0-17)-R4/2	CS06OV2

VARIABLE	DESCRIPTION	SOURCE
CHCOUN42	CSHCN: Child Needs Counseling (0-17)-R4/2	CS07
CHEMPB42	CSHCN: Couns Prob last 12+ Mos (0-17)-R4/2	CS07OV
MOMPRO42	Problem Getting Along W/Mom (5-17)-R4/2	CS08_01
DADPRO42	Problem Getting Along W/Dad (5-17)-R4/2	CS08_02
UNHAP42	Problem Feeling Unhappy/Sad (5-17)-R4/2	CS08_03
SCHLBH42	Problem Behavior At School (5-17)-R4/2	CS08_04
HAVFUN42	Problem Having Fun (5-17) – R4/2	CS08_05
ADUPRO42	Prblm Getting Along W/Adults (5-17)-R4/2	CS08_06
NERVAF42	Prblm Feeling Nervous/Afraid (5-17)-R4/2	CS08_07
SIBPRO42	Problem Getting Along W/Sibs (5-17)-R4/2	CS08_08
KIDPRO42	Prblm Getting Along W/Kids (5-17)-R4/2	CS08_09
SPRPRO42	Problem W/Sports/Hobbies (5-17)-R4/2	CS08_10
SCHPRO42	Problem With Schoolwork (5-17)-R4/2	CS08_11
HOMEBH42	Problem W/Behavior At Home (5-17)-R4/2	CS08_12
TRBLE42	Prblm Stay Out Of Trouble (5-17)-R4/2	CS08_13
CHRTCR42	CAHPS:12Mos: Make Rout Care Apt (0-17)R4/2	CS09
CHRTWW42	CAHPS:12Mos: Rout Apt Whn Wntd (0-17)R4/2	CS10
CHILCR42	CAHPS:12Mos: Ill/Inj Need Care (0-17)R4/2	CS11
CHILWW42	CAHPS:12Mos: Ill Care Whn Wntd (0-17)R4/2	CS12
CHAPPT42	CAHPS:12Mos: # of Off/Clin Apts (0-17)R4/2	CS13
CHNDCR42	CAHPS:12Mos:Need Any Care/Trt(0-17)-R4/2	CS14A
CHNECP42	CAHPS:12Mos: Prob Get Nec Care (0-17)R4/2	CS14
CHLIST42	CAHPS:12Mos: Chld Dr Lsn to You (0-17)R4/2	CS15
CHEXPL42	CAHPS:12Mos: Chld Dr Expl Thng (0-17)R4/2	CS16
CHRESP42	CAHPS:12Mos: Chld's Dr Shw Resp(0-17)R4/2	CS17
CHPRTM42	CAHPS:12Mos: Child Dr Engh Time(0-17)R4/2	CS18
CHHECR42	CAHPS:12Mos: Rate Chld Hlt Care (0-17)R4/2	CS19
CHSPEC42	CAHPS:12Mos: Chld Needed Spec (0-17)R4/2	CS20
CHPRE42	CAHPS:12Mos: Prb W/Rfr to Spec (0-17)R4/2	CS21
MESHGT42	Doctor Ever Measured Height (0-17)-R4/2	CS22
WHNHGT42	When Doctor Measured Height (0-17)-R4/2	CS22OV
MESWGT42	Doctor Ever Measured Weight (0-17)-R4/2	CS24
WHNWGT42	When Doctor Measured Weight (0-17)-R4/2	CS24OV
CHBMIX42	Child's Body Mass Index (3-17)-R4/2	Constructed
MESVIS42	Doctor Checked Child's Vision (3-6)-R4/2	CS26
MESBPR42	Dr Checked Blood Pressure (2-17)-R4/2	CS27
WHNBPR42	When Dr Checked Blood Press (2-17)-R4/2	CS27OV
DENTAL42	Dr Advise Reg Dental Checkup (2-17)-R4/2	CS28
WHNDEN42	When Dr Advise Dent Checkup (2-17)-R4/2	CS28OV
EATHLT42	Dr Advise Eat Healthy (2-17)-R4/2	CS29
WHNEAT42	When Dr Advise Eat Healthy (2-17)-R4/2	CS29OV
PHYSCL42	Dr Advise Exercise (2-17)-R4/2	CS30
WHNPHY42	When Dr Advise Exercise (2-17)-R4/2	CS30OV

VARIABLE	DESCRIPTION	SOURCE
SAFEST42	Dr Advise Chld Safety Seat (Wt<=40)-R4/2	CS31
WHNSAF42	When Dr Advise Safety Seat (Wt<=40)-R4/2	CS31OV
BOOST42	Dr Advise Booster Seat (40<Wt<=80)-R4/2	CS32
WHNBST42	Whn Dr Advise Booster Seat(40<Wt<=80)-R4/2	CS32OV
LAPBLT42	Dr Advise Lap/Shoulder Belt (80<Wt)-R4/2	CS33
WHNLAP42	Whn Dr Advise Lap/Shldr Blt (80<Wt)-R4/2	CS33OV
HELMET42	Dr Advise Bike Helmet (2-17)-R4/2	CS34
WHNHEL42	When Dr Advise Bike Helmet (2-17)-R4/2	CS34OV
NOSMOK42	Dr Advise Smkg in Home is Bad(0-17)-R4/2	CS35
WHNSMK42	Whn Dr Advis Smkg in Home Bad(0-17)-R4/2	CS35OV
TIMALN42	Doctor Spend Any Time Alone (12-17)-R4/2	CS36
DENTCK53	How Often Dental Check-up – RD 5/3	AP12
CHOLCK53	How Lng Cholest Lst Chck (>17) – RD 5/3	AP16
CHECK53	How Lng Lst Routne Checkup (>17) – RD 5/3	AP17
FLUSHT53	How Lng Last Flu Sht (>17) – RD 5/3	AP18
LSTETH53	Lost All Uppr And Lowr Teeth (>17) – RD 5/3	AP18B
PSA53	How Long Since Last PSA (>39) – RD 5/3	AP19
HYSTER53	Had A Hysterectomy (>17) – RD 5/3	AP20A
PAPSMR53	How Lng Lst Pap Smear Tst (>17) – RD 5/3	AP20
BRSTEX53	How Lng Snce Lst Breast Exam (>17) – RD 5/3	AP21
MAMOGR53	How Lng Snce Lst Mammogram (>29) – RD 5/3	AP22
STOOL53	Bld Stool Tst Kit/Crds Home (>17) – RD 5/3	AP23
WHENST53	Whn Lst Bld Stool Tst Hme Kit (>17) – RD 5/3	AP24
BOWEL53	Sigmoidoscopy/Colonoscopy (>17) – RD 5/3	AP25
WHNBWL53	Lst Sigmoidoscop/Colonoscop (>17) – RD 5/3	AP26
PHYACT53	Mod/Vig Phys Activ 3X Wk (>17) – RD 5/3	AP28
BMINDX53	Adult Body Mass Index (> 17) - Rd 5/3	Constructed
SEATBE53	Wears Seat Belt (>15) – RD 5/3	AP32
SRTHRT53	12MO: Serious Sore Throat (0-17)-RD 5/3	PC01A
THSYMP53	12MO: Sore Thrt/Oth Symptms(0-17)-RD 5/3	PC01B
DRTHRT53	12MO: See Dr for Sore Thrt (0-17)-RD 5/3	PC01C
THANTB53	12MO: Dr Pres Antbtc Sre Thrt (0-17)-RD 5/3	PC01D
THSWAB53	12MO: Dr Gave Throat Swab (0-17)-RD 5/3	PC01E
THSYMF53	12MO: Fam Same Sre Thrt Symp (0-17)-RD 5/3	PC01F
THSWBF53	12MO: Dr Gave Fam Thrt Swab (0-17)-RD 5/3	PC01G
THANTF53	12MO: Dr Pres Fam Atbtc Sr Tht(0-17)-RD 5/3	PC01H
DIABDX53	Diabetes Diagnosis – RD 5/3	PC02
ASTHDX53	Asthma Diagnosis – RD 5/3	PC04
ASATAK53	Asthma Attack Last 12 Mos– RD 5/3	PC05
ASMED53	Take Meds For Asthma – RD 5/3	PC06
ASSTER53	Take Inhaled Steroids Asthma – RD 5/3	PC07
ASFLOW53	Have Peak Flow Meter At Home – RD 5/3	PC08
HIBPDX53	High Blood Pressure Diag (>17) – RD 5/3	PC09

VARIABLE	DESCRIPTION	SOURCE
BPMLDX53	Mult Diag High Blood Press (>17) – RD 5/3	PC10
BPCHEK53	Time Snce Lst Blood Pres Chk (>17) – RD 5/3	PC11
BPMONT53	# Mos Snce Lst Blood Pres Chk (>17) – RD 5/3	PC11OV
CHDDX53	Coronary Hrt Disease Diag (>17) – RD 5/3	PC12_01
ANGIDX53	Angina Diagnosis (>17) – RD 5/3	PC12_02
MIDX53	Heart Attack (MI) Diag (>17) – RD 5/3	PC12_03
OHRDX53	Other Heart Disease Diag (>17) – RD 5/3	PC12_04
STRKDX53	Stroke Diagnosis (>17) – RD 5/3	PC12_05
EMPHDX53	Emphysema Diagnosis (>17) – RD 5/3	PC12_06
NOFAT53	Restrict HGH Fat/Choles Food (>17)–RD 5/3	PC13_02
EXRCIS53	Advised to Exercise More (>17) – RD 5/3	PC13_02
ASPRIN53	Tke Aspirn Every (Othr) Day (>17)–RD 5/3	PC15
NOASPR53	Taking Aspirin Unsafe (>17) – RD 5/3	PC16
STOMCH53	Tke Asprn Unsafe B/C Stomch (>17) – RD 5/3	PC17
JTPAIN53	Joint Pain Last 12 Months (>17) – RD 5/3	PC18
ARTHDX53	Arthritis Diagnosis (>17) – RD 5/3	PC19
ARTHTX53	Arthritis Treatmnt Currently (>17)RD5/3	PC20
SAQELIG	Eligibility Status For SAQ	Constructed
ADPRX42	SAQ: Relationship Of Proxy To Adult	Constructed
ADILCR42	SAQ 12Mos: Ill/Injury Needing Immed Care	SAQ Q1
ADILWW42	SAQ 12 Mos: Got Care When Needed Ill/Inj	SAQ Q2
ADRPCR42	SAQ 12 Mos: Made Appt Routine Med Care	SAQ Q3
ADRTWW42	SAQ 12 Mos: Got Med Appt When Wanted	SAQ Q4
ADAPPT42	SAQ 12 Mos:# Visits To Med Off For Care	SAQ Q5
ADNDCR42	SAQ 12Mos: Need Any Care, Test, Treatmnt	SAQ Q6
ADNECP42	SAQ 12Mos: Probs Getting Needed Med Care	SAQ Q7
ADLIST42	SAQ 12 Mos: Doctor Listened To You	SAQ Q8
ADEXPL42	SAQ 12 Mos: Doc Explained So Understood	SAQ Q9
ADRESP42	SAQ 12 Mos: Dr Showed Respect	SAQ Q10
ADPRTM42	SAQ 12 Mos: Dr Spent Enuf Time With You	SAQ Q11
ADHECR42	SAQ 12 Mos: Rating Of Health care	SAQ Q12
ADSMOK42	SAQ: Currently Smoke	SAQ Q13
ADDSMK42	SAQ 12 Mos: Dr Advised Quit Smoking	SAQ Q14
ADDRBP42	SAQ 2 Yrs: Dr Checked Blood Pressure	SAQ Q15
ADSPEC42	SAQ 12 Mos: Needed To See Specialist	SAQ Q16
ADPRRE42	SAQ 12Mos: Problem Getting Spec Referral	SAQ Q17
ADGENH42	SAQ: Health In General SF-12	SAQ Q18
ADDAYA42	SAQ: Hlth Limits Mod Activities SF-12	SAQ Q19
ADCLIM42	SAQ: Hlth Limits Climbing Stairs SF-12	SAQ Q20
ADPACC42	SAQ 4 Wks: Did Less B/C Phys Probs SF-12	SAQ Q21
ADPLMT42	SAQ 4 Wks: Limit Wk B/C Phys Probs SF-12	SAQ Q22
ADMACC42	SAQ 4 Wks: Did Less B/C Ment Probs SF-12	SAQ Q23
ADMLMT42	SAQ 4 Wks: Lim Wk B/C Ment Probs SF-12	SAQ Q24

VARIABLE	DESCRIPTION	SOURCE
ADPAIN42	SAQ 4 Wks: Pain Limits Normal Work SF-12	SAQ Q25
ADCALM42	SAQ 4 Wks: Felt Calm/Peaceful SF-12	SAQ Q26
ADPEP42	SAQ 4 Wks: Had A Lot Of Energy SF-12	SAQ Q27
ADBLUE42	SAQ 4 Wks: Felt Downhearted/Blue SF-12	SAQ Q28
ADSOCA42	SAQ 4 Wks: Hlth Stopped Soc Activ SF-12	SAQ Q29
ADMOBI42	SAQ Health Today: Mobility EQ-5D	SAQ Q30
ADSELF42	SAQ Health Today: Self-Care EQ-5D	SAQ Q31
ADACTI42	SAQ Health Today: Usual Activity EQ-5D	SAQ Q32
ADPAYN42	SAQ Health Today: Pain/Discomfort EQ-5D	SAQ Q33
ADDEPR42	SAQ Hlth Today: Anxiety/Depression EQ-5D	SAQ Q34
ADSCAL42	SAQ Scale: Health State Today EQ-5D	SAQ Q35
ADINSA42	SAQ: Do Not Need Health Insurance	SAQ Q36
ADINSB42	SAQ: Health Insurance Not Worth Cost	SAQ Q37
ADRISK42	SAQ: More Likely To Take Risks	SAQ Q38
ADOVER42	SAQ: Can Overcome Ills Without Med Help	SAQ Q39
ADCMPM42	SAQ: Date Completed - Month	Constructed
ADCMPD42	SAQ: Date Completed - Day	Constructed
ADCMPY42	SAQ: Date Completed – Year	Constructed
ADLANG42	SAQ: Language Of SAQ Interview	Constructed
DSDIA53	DCS: Diabetes Diagnosis By Health Prof	DCS Q1
DSA1C53	DCS: Times Tested For A-One-C – 2002	DCS Q2
DSCKFT53	DCS: Times Feet Checked For Sores – 2002	DCS Q3
DSEY0353	DCS: Dilated Eye Exam In 2003	DCS Q4
DSEY0253	DCS: Dilated Eye Exam In 2002	DCS Q4
DSEY0153	DCS: Dilated Eye Exam In 2001	DCS Q4
DSEB0153	DCS: Dilated Eye Exam Before 2001	DCS Q4
DSEYNV53	DCS: Never Had Dilated Eye Exam	DCS Q4
DSKIDN53	DCS: Has Diabetes Caused Kidney Problems	DCS Q5
DSEYPR53	DCS: Has Diabetes Caused Eye Probs	DCS Q6
DSDIET53	DCS: Treat Diabetes W/Diet Modification	DCS Q7
DSMED53	DCS: Treat Diabetes W/Meds By Mouth	DCS Q8
DSINSU53	DCS: Treat Diabetes W/Insulin Injections	DCS Q9
DSPRX53	DCS: Was Respondent A Proxy	Constructed

ACCESS TO CARE VARIABLES - PUBLIC USE

VARIABLE	DESCRIPTION	SOURCE
ACCELI42	Pers Eligible for Access Supplement-R4/2	Constructed
LANGHM42	AC01 Pers Language Prference at Home-R4/2	AC01
ENGSPK42	AC02 Pers Comfrtble Speakng English-R4/2	AC02
USBORN42	AC03 Was Person Born in Us – R4/2	AC03
USLGLV42	AC04 How Long Has Pers Lived in Us-R4/2	AC04
HAVEUS42	AC05 Does Person Have USC Provider-R4/2	AC05
YNOUSC42	AC07 Main Reas Pers Doesnt Have USC-R4/2	AC07
NOREAS42	AC08 Oth Reas No USC:No Oth Reasons-R4/2	AC08
SELDSI42	AC08 Oth Reas No USC:Seldm/Nev Sick-R4/2	AC08
NEWARE42	AC08 Oth Reas No USC:Recently Moved-R4/2	AC08
DKWHRU42	AC08 Oth Reas No USC:Dk Where to Go-R4/2	AC08
USCNOT42	AC08 Oth Reas No USC: USC Not Avail-R4/2	AC08
PERSLA42	AC08 Oth Reas No USC: Language - R4/2	AC08
DIFFPLA42	AC08 Oth Reas No USC:Diffrnt Places-R4/2	AC08
INSRPL42	AC08 Oth Reas No USC:Just Chngd Ins-R4/2	AC08
MYSELF42	AC08 Oth Reas No USC:No Doc/Trt Slf-R4/2	AC08
CARECO42	AC08 Oth Reas No USC:Cost Of Med Cr-R4/2	AC08
OTHINS42	AC08 Oth Reas No USC:Ins Reltd Reas-R4/2	AC08
JOBRSN42	AC08 Oth Reas No USC: Job Related-R4/2	AC08
NEWDOC42	AC08 Oth Reas No USC: Looking for Dr-R4/2	AC08
DOCELS42	AC08 Oth Reas No USC: Dr Elsewhere-R4/2	AC08
NOLIKE42	AC08 Oth Reas No USC: Dont Like Drs-R4/2	AC08
HEALTH42	AC08 Oth Reas No USC: Hlth Related-R4/2	AC08
KNOWDR42	AC08 Oth Reas No USC: Knows/Is a Dr-R4/2	AC08
ONJOB42	AC08 Oth Reas No USC: Dr at Work-R4/2	AC08
NOGODR42	AC08 Oth Reas No USC: Wont Go to Dr-R4/2	AC08
OTHREA42	AC08 Oth Reas No USC: Other Reason–R4/2	AC08
PROVTY42	Provider Type – R4/2	PV01, PV03, PV05, PV10
FACLPR42	AC10 Does Pers See Particular Prov -R4/2	AC10
PLCTYP42	USC Type of Place – R4/2	AC11
GOTOUS42	AC12 How Does Pers Get to USC Prov–R4/2	AC12
TMTKUS42	AC13 How Long It Takes Get to USC-R4/2	AC13
DFTOUS42	AC14 How Difficult Is It Get to USC–R4/2	AC14
TYPEPE42	USC Type of Provider – R4/2	AC15, AC16, AC160V, AC17, AC170V
LOCATN42	USC Location – R4/2	Constructed
HSPLAP42	AC18 Is Provider Hispanic or Latino–R4/2	AC18
WHITPR42	AC19 Is Provider White – R4/2	AC19
BLCKPR42	AC19 Is Provider Black/African Amer-R4/2	AC19

VARIABLE	DESCRIPTION	SOURCE
ASIANP42	AC19 Is Provider Asian – R4/2	AC19
NATAMP42	AC19 Is Provider Native American – R4/2	AC19
PACISP42	AC19 Is Provider Oth Pacific Islndr-R4/2	AC19
OTHRCP42	AC19 Is Provider Some Other Race – R4/2	AC19
GENDRP42	AC20 Is Provider Male or Female – R4/2	AC20
MINORP42	AC22 Go To USC For New Health Prob-R4/2	AC22
PREVEN42	AC22 Go To USC For Prvntve Hlt Care-R4/2	AC22
REFFRL42	AC22 Go To USC For Referrals – R4/2	AC22
ONGONG42	AC22 Go To USC For Ongoing Hlth Prb-R4/2	AC22
PHNREG42	AC23 How Diff Contact USC By Phone-R4/2	AC23
OFFHOU42	AC24 USC Has Offce Hrs Nghts/Wkends-R4/2	AC24
AFTHOU42	AC25 How Diff Contact USC Aft Hours-R4/2	AC25
TREATM42	AC26 Prov Ask About Oth Treatments-R4/2	AC26
RESPCT42	AC27 Prov Shows Respect For Trtmnts-R4/2	AC27
DECIDE42	AC28 Prov Asks Pers to Help Decide-R4/2	AC28
CONTRL42	AC29 Prov Gives Pers Control of Trt-R4/2	AC29
EXPLOP42	AC30 Prov Explns Options to Pers – R4/2	AC30
LANGPR42	AC31 Prov Speaks Person’s Language–R4/2	AC31
MDUNAB42	Unable To Get Necessary Medical Care–R4/2	AC32A, AC32, AC33
MDUNRS42	AC34 Rsn Unable Get Necsry Med Care-R4/2	AC34
MDUNPR42	AC35 Prb Not Getting Ncsry Med Care-R4/2	AC35
MDDLAY42	Delayed In Getting Necsry Med Care-R4/2	AC36, AC37
MDDLRS42	AC38 Rsn Dlayd Getting Nec Med Care-R4/2	AC38
MDDLPR42	AC39 Prb Dlayd Getting Nec Med Care-R4/2	AC39
DNUNAB42	Unable To Get Necessary Dental Care-R4/2	AC40A, AC40, AC41
DNUNRS42	AC42 Rsn Unable Get Ncsry Dent Care-R4/2	AC42
DNUNPR42	AC43 Prb Unable Get Ncsry Dent Care-R4/2	AC43
DNDLAY42	Delayed In Getting Nec Dental Care-R4/2	AC44, AC45
DNDLRS42	AC46 Rsn Dlayd Gettng Nec Dent Care-R4/2	AC46
DNDLPR42	AC47 Prb Dlayd Gettng Nec Dent Care-R4/2	AC47
PMUNAB42	Unable to Get Necessary Pres Med – R4/2	AC48A, AC48, AC49
PMUNRS42	AC50 Rsn Unable to Get Nec Pres Med-R4/2	AC50
PMUNPR42	AC51 Prb Unable to Get Nec Pres Med-R4/2	AC51
PMDLAY42	Delayed In Getting Necsry Pres Med-R4/2	AC52, AC53
PMDLRS42	AC54 Rsn Dlayd Getting Nec Pres Med-R4/2	AC54
PMDLPR42	AC55 Prb Dlayd Getting Nec Pres Med-R4/2	AC55

EMPLOYMENT VARIABLES - PUBLIC USE

VARIABLE	DESCRIPTION	SOURCE
EMPST31	Employment Status Rd 3/1	EM 1-3; RJ 1, 6
EMPST42	Employment Status Rd 4/2	EM 1-3; RJ 1, 6
EMPST53	Employment Status Rd 5/3	EM 1-3; RJ 1, 6
RNDFLG31	Data Collection Round for Rd 3/1 CMJ	Constructed
MORJOB31	Has More Than One Job Rd 3/1 Int Date	EM 1-4, 51; RJ 1, 6; Constructed
MORJOB42	Has More Than One Job Rd 4/2 Int Date	EM 1-4, 51; RJ 1, 6; Constructed
MORJOB53	Has More Than One Job Rd 5/3 Int Date	EM 1-4, 51; RJ 1, 6; Constructed
EVRWRK	Ever Worked For Pay in Life as of 12/31/02	EM 1-4, 51; RJ 1, 6; Constructed
HRWG31X	Hourly Wage Rd 3/1 CMJ (Imputed)	EW 5, 7, 11-13, 17-18, 24; EM 104, 111
HRWG42X	Hourly Wage Rd 4/2 CMJ (Imputed)	EW 5, 7, 11-13, 17-18, 24; EM 104, 111
HRWG53X	Hourly Wage Rd 5/3 CMJ (Imputed)	EW 5, 7, 11-13, 17-18, 24; EM 104, 111
HRWGIM31	HRWG31X Imputation Flag	Constructed
HRWGIM42	HRWG42X Imputation Flag	Constructed
HRWGIM53	HRWG53X Imputation Flag	Constructed
HRHOW31	How Hourly Wage Was Calculated R3/1	EM 2-3, 51, 104, 111; EW 2-24
HRHOW42	How Hourly Wage Was Calculated R4/2	EM 2-3, 51, 104, 111; EW 2-24
HRHOW53	How Hourly Wage Was Calculated R5/3	EM 2-3, 51, 104, 111; EW 2-24
HOUR31	Hours Per Week at RD 3/1 CMJ	EM 1-3, 51, 104-105, 111; EW 17
HOUR42	Hours Per Week at RD 4/2 CMJ	EM 1-3, 51, 104-105, 111; EW 17
HOUR53	Hours Per Week at RD 5/3 CMJ	EM 1-3, 51, 104-105, 111; EW 17
TEMPJB31	Is CMJ a Temporary Job RD 3/1	EM 105C, 111C; RJ 01AA, 06A
TEMPJB42	Is CMJ a Temporary Job RD 4/2	EM 105C, 111C; RJ 01AA, 06A
TEMPJB53	Is CMJ a Temporary Job RD 5/3	EM 105C, 111C; RJ 01AA, 06A

VARIABLE	DESCRIPTION	SOURCE
SSNLJB31	Is CMJ a Seasonal Job RD 3/1	EM 105D, 111D; RJ 01AAA, 06AA
SSNLJB42	Is CMJ a Seasonal Job RD 4/2	EM 105D, 111D; RJ 01AAA, 06AA
SSNLJB53	Is CMJ a Seasonal Job RD 5/3	EM 105D, 111D; RJ 01AAA, 06AA
SELFCM31	Self-Employed at RD 3/1 CMJ	EM 1-3, 51; RJ 01
SELFCM42	Self-Employed at RD 4/2 CMJ	EM 1-3, 51; RJ 01
SELFCM53	Self-Employed at RD 5/3 CMJ	EM 1-3, 51; RJ 01
DISVW31X	Disavowed Health Ins at R3/1 CMJ (Ed)	EM113, 117; RJ07, 08, 08A; HX and OE Sections
DISVW42X	Disavowed Health Ins at R4/2 CMJ (Ed)	EM113, 117; RJ07, 08, 08A; HX and OE Sections
DISVW53X	Disavowed Health Ins at R5/3 CMJ (Ed)	EM113, 117; RJ07, 08, 08A; HX and OE Sections
CHOIC31	Choice of Health Plans at Rd 3/1 CMJ	EM 1-3, 51, 96, 113-115, 124; RJ08
CHOIC42	Choice of Health Plans at Rd 4/2 CMJ	EM 1-3, 51, 96, 113-115, 124; RJ08
CHOIC53	Choice of Health Plans at Rd 5/3 CMJ	EM 1-3, 51, 96, 113-115, 124; RJ08
INDCAT31	Industry Group Rd 3/1 CMJ	EM 97-100; RJ01; Constructed
INDCAT42	Industry Group Rd 4/2 CMJ	EM 97-100; RJ01; Constructed
INDCAT53	Industry Group Rd 5/3 CMJ	EM 97-100; RJ01; Constructed

VARIABLE	DESCRIPTION	SOURCE
NUMEMP31	Number of Employees at Rd 3/1 CMJ	EM 91-92, 124; RJ01
NUMEMP42	Number of Employees at Rd 4/2 CMJ	EM 91-92, 124; RJ01
NUMEMP53	Number of Employees at Rd 5/3 CMJ	EM 91-92, 124; RJ01
MORE31	Rd 3/1 CMJ Firm Has More Than One Locat	EM 1-3, 51, 94; RJ01
MORE42	Rd 4/2 CMJ Firm Has More Than One Locat	EM 1-3, 51, 94; RJ01
MORE53	Rd 5/3 CMJ Firm Has More Than One Locat	EM 1-3, 51, 94; RJ01
UNION31	Union Status at Rd 3/1 CMJ	EM 1-3, 51, 96, 116; RJ01
UNION42	Union Status at Rd 4/2 CMJ	EM 1-3, 51, 96, 116; RJ01
UNION53	Union Status at Rd 5/3 CMJ	EM 1-3, 51, 96, 116; RJ01
NWK31	Reason Not Working During Rd 3/1	EM 1-3, 101-102, 126-127, 132- 133, 138-139, 141, 141OV; RJ10
NWK42	Reason Not Working During Rd 4/2	EM 1-3, 101-102, 126-127, 132- 133, 138-139, 141, 141OV; RJ10
NWK53	Reason Not Working During Rd 5/3	EM 1-3, 101-102, 126-127, 132- 133, 138-139, 141, 141OV; RJ10
CHGJ3142	Changed Job Between Rd 3/1 and Rd 4/2	RJ01, 01A
CHGJ4253	Changed Job Between Rd 4/2 and Rd 5/3	RJ01, 01A
YCHJ3142	Why Chngd Job Between Rd 3/1 and Rd 4/2	RJ10, 100V
YCHJ4253	Why Chngd Job Between Rd 4/2 and Rd 5/3	RJ10, 100V
STJBMM31	Month Started Rd 3/1 CMJ	EM10, 100V, 100V2; RJ01, 02A
STJBDD31	Day Started Rd 3/1 CMJ	EM10, 100V, 100V2; RJ01, 01A
STJBYY31	Year Started Rd 3/1 CMJ	EM10, 100V, 100V2; RJ01,

VARIABLE	DESCRIPTION	SOURCE
		01A
STJBMM42	Month Started Rd 4/2 CMJ	EM10, 100V, 100V2; RJ01, 01A
STJBDD42	Day Started Rd 4/2 CMJ	EM10, 100V, 100V2; RJ01, 01A
STJBYY42	Year Started Rd 4/2 CMJ	EM10, 100V, 100V2; RJ01, 01A
STJBMM53	Month Started Rd 5/3 CMJ	EM10, 100V, 100V2; RJ01, 01A
STJBDD53	Day Started Rd 5/3 CMJ	EM10, 100V, 100V2; RJ01, 01A
STJBYY53	Year Started Rd 5/3 CMJ	EM10, 100V, 100V2; RJ01, 01A
EVRETIRE	Person Has Ever Retired	EM 1-3, 101-102, 126-127, 132-133, 138-139, 141, 141OV; RJ 02, 10
OCCCAT31	Occupation Group Rd 3/1 CMJ	EM99-100; RJ 01, 01A; Constructed
OCCCAT42	Occupation Group Rd 4/2 CMJ	EM99-100; RJ 01, 01A; Constructed
OCCCAT53	Occupation Group Rd 5/3 CMJ	EM99-100; RJ 01, 01A; Constructed
PAYVAC31	Paid Vacation at Rd 3/1 CMJ	EM 1-3, 51, 109; RJ 01, 02
PAYVAC42	Paid Vacation at Rd 4/2 CMJ	EM 1-3, 51, 109; RJ 01, 02
PAYVAC53	Paid Vacation at Rd 5/3 CMJ	EM 1-3, 51, 109; RJ 01, 02
SICPAY31	Paid Sick Leave at Rd 3/1 CMJ	EM 1-3, 51, 107; RJ 01, 02
SICPAY42	Paid Sick Leave at Rd 4/2 CMJ	EM 1-3, 51, 107; RJ 01, 02
SICPAY53	Paid Sick Leave at Rd 5/3 CMJ	EM 1-3, 51, 107; RJ 01, 02

VARIABLE	DESCRIPTION	SOURCE
PAYDR31	Paid Leave to Visit Dr Rd 3/1 CMJ	EM 1-3, 51, 107-108; RJ 01, 02
PAYDR42	Paid Leave to Visit Dr Rd 4/2 CMJ	EM 1-3, 51, 107-108; RJ 01, 02
PAYDR53	Paid Leave to Visit Dr Rd 5/3 CMJ	EM 1-3, 51, 107-108; RJ 01, 02
RETPLN31	Pension Plan at Rd 3/1 CMJ	EM 1-3, 51, 110; RJ 01, 02
RETPLN42	Pension Plan at Rd 4/2 CMJ	EM 1-3, 51, 110; RJ 01, 02
RETPLN53	Pension Plan at Rd 5/3 CMJ	EM 1-3, 51, 110; RJ 01, 02
BSNTY31	Sole Prop, Partner, Corp, Rd 3/1 CMJ	EM 1-3, 51, 94-95; RJ 01, 02
BSNTY42	Sole Prop, Partner, Corp, Rd 4/2 CMJ	EM 1-3, 51, 94-95; RJ 01, 02
BSNTY53	Sole Prop, Partner, Corp, Rd 5/3 CMJ	EM 1-3, 51, 94-95; RJ 01, 02
JOBORG31	Priv (Profit/Nonprofit) Gov Rd 3/1 CMJ	EM 1-3, 51, 96; RJ 01, 02
JOBORG42	Priv (Profit/Nonprofit) Gov Rd 4/2 CMJ	EM 1-3, 51, 96; RJ 01, 02
JOBORG53	Priv (Profit/Nonprofit) Gov Rd 5/3 CMJ	EM 1-3, 51, 96; RJ 01, 02
HELD31X	Health Insur Held from Rd 3/1 CMJ (Ed)	EM117; HX, HP and OE Sections
HELD42X	Health Insur Held from Rd 4/2 CMJ (Ed)	EM117; HX, HP and OE Sections
HELD53X	Health Insur Held from Rd 5/3 CMJ (Ed)	EM117; HX, HP and OE Sections
OFFER31X	Health Insur Offered by Rd 3/1 CMJ (Ed)	EM113, 114, 117; RJ and HX Sections
OFFER42X	Health Insur Offered by Rd 4/2 CMJ (Ed)	EM113, 114, 117; RJ and HX Sections
OFFER53X	Health Insur Offered by Rd 5/3 CMJ (Ed)	EM113, 114, 117; RJ and HX Sections
OFREMP31	Employer Offers Health Ins Rd 3/1 CMJ	EM115A, RJ08AAA
OFREMP42	Employer Offers Health Ins Rd 4/2 CMJ	EM115A, RJ08AAA
OFREMP53	Employer Offers Health Ins Rd 5/3 CMJ	EM115A, RJ08AAA

VARIABLE	DESCRIPTION	SOURCE
YNOINS31	Why Not Eligible Health Ins Rd 3/1 CMJ	EM115B, RJ08AAAA
YNOINS42	Why Not Eligible Health Ins Rd 4/2 CMJ	EM115B, RJ08AAAA
YNOINS53	Why Not Eligible Health Ins Rd 5/3 CMJ	EM115B, RJ08AAAA

HEALTH INSURANCE VARIABLES - PUBLIC USE

VARIABLE	DESCRIPTION	SOURCE
TRImm02X	Covered By TRICARE In mm 02 (Ed), where mm = JA-DE	HX12, 13, PR19-22, HQ Section
MCRmm02	Covered By Medicare In mm 02, where mm = JA-DE	HX05-07, 27, 29, 29OV
MCRmm02X	Covered By Medicare In mm 02 (Ed), where mm = JA-DE	HX05-07, 27, 29, 29OV, see documentation, section 2.6.8, for additional edit specifications
MCDmm02	Cov By Medicaid or SCHIP In mm 02, where mm = JA-DE	HX10-11, PR07-10 and HQ Section
MCDmm02X	Cov By Medicaid or SCHIP In mm 02 (Ed), where mm = JA-DE	MCDmm02, HX14-16, 18-19, 41-43, 45, PR11-14, 23-32, 39-42
OPAm02	Cov By Other Public A Ins In mm 02, where mm = JA-DE	HX14-15, 41-45, PR 23-32 and HQ Section
OPBmm02	Cov By Other Public B Ins In mm 02, where mm = JA-DE	HX14-15, 41-43, PR23-30 and HQ Section
STAm02	Covered By Other State Prog In mm 02, where mm = JA-DE	HX16-19, PR35-38 and HQ Section
PUBmm02X	Covr By Any Public Ins In mm 02 (Ed), where mm = JA-DE	TRImm02X, MCRmm02X, MCDmm02X, OPAmm02, OPBmm02
PEGmm02	Covered By Empl Union Ins In mm 02, where mm = JA-DE	HX2-4, 21-24, 48; HP, OE, HQ, EM, RJ Sections
PDKmm02	Covr By Priv Ins (Source Unknwn) mm 02, where mm = JA-DE	HX21-24, 48,

VARIABLE	DESCRIPTION	SOURCE
		HP, OE, and HQ Sections
PNGmm02	Covered By Nongroup Ins In mm 02, where mm = JA-DE	HX21-24, 48, HP, OE, and HQ Sections
POGmm02	Covered By Other Group Ins In mm 02, where mm = JA-DE	HX21-24, 48, HP, OE, and HQ Sections
PRSmm02	Covered By Self-Emp-1 Ins In mm 02, where mm = JA-DE	HX3, 4, 48, HQ, OE, RJ and EM sections
POUmm02	Covered By Holder Outside Of RU In mm 02, where mm = JA-DE	HX21-24, 48, HP, OE, and HQ Sections
PRImm02	Covered By Private Ins In mm 02, where mm = JA-DE	POGmm02, PDKmm02, PEGmm02, PRSmm02, POUmm02, PNGmm02
HPEmm02	Holder Of Empl Union Ins In mm 02, where mm = JA-DE	PEGmm02, HP9, 11
HPDmm02	Holder Of Priv Ins (Source Unknwn) mm 02, where mm = JA-DE	PDKmm02; HP11
HPNmm02	Holder Of Nongroup Ins In mm 02, where mm = JA-DE	PNGmm02; HP11
HPOmm02	Holder Of Other Group Ins In mm 02, where mm = JA-DE	POGmm02; HP11
HPSmm02	Holder Of Self-Emp-1 Ins In mm 02, where mm = JA-DE	PRSmm02; HP9
HPRmm02	Holder Of Private Insurance In mm 02, where mm = JA-DE	HPEmm02, HPSmm02, HPOmm02, HPNmm02, HPDmm02
INSmm02X	Covr By Hosp/Med Ins In mm 02 (Ed), where mm = JA-DE	PUBmm02X, PRImm02

VARIABLE	DESCRIPTION	SOURCE
MCDHMO31	Covered By Medicaid or SCHIP HMO – R3/1	HX10-11, HX14-16, HX18-19, HX41-43, HX45, PR07-10, PR11-14, PR23-32, PR39-42 and HQ Section
MCDHMO42	Covered By Medicaid or SCHIP HMO – R4/2	HX10-11, HX14-16, HX18-19, HX41-43, HX45, PR07-10, PR11-14, PR23-32, PR39-42 and HQ Section
MCDHMO02	Covered By Medicaid or SCHIP HMO – 12/31/02	HX10-11, HX14-16, HX18-19, HX41-43, HX45, PR07-10, PR11-14, PR23-32, PR39-42 and HQ Section
MCDMC31	Cov By Mcaid/SCHIP Gatekeeper Plan-R3/1	MCDHMO31, HX10-11, HX14-16, HX18-19, HX41-43, HX45, PR07-10, PR11-14, PR23-32, PR39-42 and HQ Section
MCDMC42	Cov By Mcaid/SCHIP Gatekeeper Plan-R4/2	MCDHMO42, HX10-11, HX14-16, HX18-19, HX41-43, HX45, PR07-10, PR11-14, PR23-32, PR39-42 and HQ Section
MCDMC02	Covered By Mcaid/SCHIP Gtkeepr Plan-12/31/02	MCDHMO02, HX10-11, HX14-16, HX18-19, HX41-43, HX45, PR07-10, PR11-14, PR23-32, PR39-42 and HQ Section

VARIABLE	DESCRIPTION	SOURCE
PRVHMO31	Covered By Private HMO – R3/1	MC01, HX2-4, 21-24,48; HP, OE, HQ, EM, and RJ Sections
PRVHMO42	Covered By Private HMO – R4/2	MC01, HX2-4, 21-24,48; HP, OE, HQ, EM, and RJ Sections
PRVHMO02	Covered By Private HMO –12/31/02	MC01, HX2-4, 21-24,48; HP, OE, HQ, EM, and RJ Sections
PRVMNC31	Covered By Private Gatekeeper Plan-R3/1	MC01-02, HX2-4, 21-24,48; HP, OE, HQ, EM, and RJ Sections
PRVMNC42	Covered By Private Gatekeeper Plan-R4/2	MC01-02, HX2-4, 21-24,48; HP, OE, HQ, EM, and RJ Sections
PRVMNC02	Covered By Priv Gatekeeper Plan-12/31/02	MC01-02, HX2-4, 21-24,48; HP, OE, HQ, EM, and RJ Sections
PRVDRL31	Cov by Priv Plan w/Doctor List – R3/1	MC01-03, HX2-4, 21-24,48; HP, OE, HQ, EM, and RJ Sections
PRVDRL42	Cov by Priv Plan w/Doctor List – R4/2	MC01-03, HX2-4, 21-24,48; HP, OE, HQ, EM, and RJ Sections
PRVDRL02	Cov by Priv Plan w/Doctor List-12/31/02	MC01-03, HX2-4, 21-24,48; HP, OE, HQ, EM, and RJ Sections
PHMONP31	Cov by HMO-Pays Non-Plan Dr Visits-R3/1	PRVHMO31, HX60A, MC05, MC01-03, HX2-4, 21-24,48; HP, OE, HQ, EM, and RJ Sections
PHMONP42	Cov by HMO-Pays Non-Plan Dr Visits-R4/2	PRVHMO42, HX60A, MC05, MC01-03, HX2-

VARIABLE	DESCRIPTION	SOURCE
		4, 21-24,48; HP, OE, HQ, EM, and RJ Sections
PHMONP02	Cov by HMO-Pays Non-Plan Drs Vis-12/31/02	PRVHMO02, HX60A, MC05, MC01-03, HX2-4, 21-24,48; HP, OE, HQ, EM, and RJ Sections
PMNCNP31	Cov by Gatekpr-Pays Non-Plan Drs-R3/1	PRVMNC31, MC04, MC01-03, HX2-4, 21-24,48; HP, OE, HQ, EM, and RJ Sections
PMNCNP42	Cov by Gatekpr-Pays Non-Plan Drs-R4/2	PRVMNC42, MC04, MC01-03, HX2-4, 21-24,48; HP, OE, HQ, EM, and RJ Sections
PMNCNP02	Cov by Gatekpr-Pays Non-Plan Drs-12/31/02	PRVMNC02, MC04, MC01-03, HX2-4, 21-24,48; HP, OE, HQ, EM, and RJ Sections
PRDRNP31	Cov by Dr List-Pays Non-Plan Drs-R3/1	PRVDRL31, MC04, MC01-03, HX2-4, 21-24,48; HP, OE, HQ, EM, and RJ Sections
PRDRNP42	Cov by Dr List-Pays Non-Plan Drs-R4/2	PRVDRL42, MC04, MC01-03, HX2-4, 21-24,48; HP, OE, HQ, EM, and RJ Sections
PRDRNP02	Cov by Dr List-Pays Non-Plan Drs-12/31/02	PRVDRL02, MC04, MC01-03, HX2-4, 21-24,48; HP, OE, HQ, EM, and RJ Sections

VARIABLE	DESCRIPTION	SOURCE
TRIST31X	Covered by Tricare Standard – R3/1	HX12, 12A, 13, PR19, 19A, 20-22, HQ Section
TRIST42X	Covered by Tricare Standard – R4/2	HX12, 12A, 13, PR19, 19A, 20-22, HQ Section
TRIST02X	Covered by Tricare Standard – 12/31/02	HX12, 12A, 13, PR19, 19A, 20-22, HQ Section
TRIPR31X	Covered by Tricare Prime – R3/1	HX12, 12A, 13, PR19, 19A, 20-22, HQ Section
TRIPR42X	Covered by Tricare Prime – R4/2	HX12, 12A, 13, PR19, 19A, 20-22, HQ Section
TRIPR02X	Covered by Tricare Prime – 12/31/02	HX12, 12A, 13, PR19, 19A, 20-22, HQ Section
TRIEX31X	Covered by Tricare Extra – R3/1	HX12, 12A, 13, PR19, 19A, 20-22, HQ Section
TRIEX42X	Covered by Tricare Extra – R4/2	HX12, 12A, 13, PR19, 19A, 20-22, HQ Section
TRIEX02X	Covered by Tricare Extra – 12/31/02	HX12, 12A, 13, PR19, 19A, 20-22, HQ Section
TRILI42X	Covered by Tricare For Life – R4/2	HX12, 12A, 13, PR19, 19A, 20-22, HQ Section
TRILI02X	Covered by Tricare For Life – 12/31/02	HX12, 12A, 13, PR19, 19A, 20-22, HQ Section
DENTIN31	Dental Insurance– RD 3/1	HX48, OE10, OE24, OE37
DENTIN42	Dental Insurance– RD 4/2	HX48, OE10, OE24, OE37
DENTIN53	Dental Insurance– RD 5/3	HX48, OE10, OE24, OE37
PMEDIN31	Prescription Drug Insurance – RD 3/1	HX48, OE10, OE24, OE37
PMEDIN42	Prescription Drug Insurance – RD 4/2	HX48, OE10, OE24, OE37
PMEDIN53	Prescription Drug Insurance – RD 5/3	HX48, OE10, OE24, OE37

PERSON-LEVEL UTILIZATION VARIABLES - PUBLIC USE

VARIABLE	DESCRIPTION	SOURCE
OBTOTV02	# Office-Based Provider Visits 2002	Constructed
OBDRV02	# Office-Based Physician Visits 2002	Constructed
OBOHV02	# Office-Based Non-Physician Visits 2002	Constructed
OBCHIR02	# Office-Based Chiropractor Visits 2002	Constructed
OBNURS02	# Off-Based Nurse/Practitioner Visits 2002	Constructed
OBOPTO02	# Office-Based Optometrist Visits 2002	Constructed
OBASST02	# Office-Based Physician Assistant Visits 2002	Constructed
OBTHER02	# Office-Based PT/OT Visits 2002	Constructed
OPTOTV02	# Outpatient Dept Provider Visits 2002	Constructed
OPDRV02	# Outpatient Dept Physician Visits 2002	Constructed
OPOTHV02	# Outpatient Dept Non-DR Visits 2002	Constructed
ERTOT02	# Emergency Room Visits 2002	Constructed
IPZERO02	# Zero-Night Hospital Stays 2002	Constructed
IPDIS02	# Hospital Discharges 2002	Constructed
IPNGT02	# Nights in Hosp for Discharges 2002	Constructed
DVTOT02	# Dental Care Visits 2002	Constructed
DVGEN02	# General Dentist Visits 2002	Constructed
DVORTH02	# Orthodontist Visits 2002	Constructed
HHTOTD02	# Home Health Provider Days 2002	Constructed
HHAGD02	# Agency Home Health Provider Days 2002	Constructed
HHINDD02	# Non-Agency Home Hlth Providr Days 2002	Constructed
HHINFD02	# Informal Home Hlth Provider Days 2002	Constructed

WEIGHTS VARIABLES - PUBLIC USE

VARIABLE	DESCRIPTION	SOURCE
PERWT02P	Use File Person Weight	Constructed
FAMWT02P	Use File Family Weight	Constructed
SAQWT02P	Use File SAQ Weight	Constructed
DIABW02P	Use File Diabetes Care Supplement Weight	Constructed
VARSTR	Variance Estimation Stratum - 2002	Constructed
VARPSU	Variance Estimation PSU - 2002	Constructed