#### COMPARISON OF MEPS 2003 HEALTH CARE EXPENDITURE ESTIMATES FROM THE FY 03 PERSON-LEVEL FILE (HC-079) AND THE FY 03 EVENT FILES (HC-077A THROUGH HC-077H) WEIGHT = PERWT03F

# (B) (C) (D) (E) (G) (H) **(I)** (A) (F) **VARIABLE VARIABLE LABEL ON TECHNICAL** UN-UN-**WEIGHTED SUM** WEIGHTED **WEIGHTED SUM** WEIGHTED NAME ON PERSON LEVEL FILE **SPECIFICATION WEIGHTED WEIGHTED OF VARIABLE OF VARIABLE MEAN OF MEAN OF** PERSON-# PERS # PERS FROM PERSON-FROM EVENT-VARIABLE **VARIABLE** FOR **LEVEL FILE LEVEL FILE FOR LEVEL FILE FOR** FROM FROM **CONSTRUCTION OF** WITH WITH **PERSON-LEVEL VARIABLE VARIABLE** PERS WITH **PERS WITH** PERSON-**EVENT-**VARIABLE FROM > 0 & > 0 & WITH VARIABLE > 0 VARIABLE > 0 **LEVEL FILE** LEVEL FILE WEIGHT > **FOR PERS FOR PERS EVENT-LEVEL FILE** WEIGHT > 0 FROM 0 FROM WITH WITH PERSON-**EVENT-**VARIABLE > **VARIABLE** > 0 LEVEL FILE LEVEL 0 FILE TOTTCH03 Sum of (DVTC03X 0.1 TOTAL HEALTH CARE CHARGES 03, EXCL. RX from DVIS records) + (OMTC03X from OMED records) + (OPFTC03X OPDTC03X from OPAT records) (ERFTC03X ERDTC03X from EROM records) + (IPFTC03X IPDTC03X from STAZ records) + (HPTC03X + HATC03X from HVIS records) + (OBTC03X from MVIS records) 26301 26301 1382157360049.10 5633.80 5633.78 1382162727224.20

#	(A)  VARIABLE  NAME ON  PERSON-  LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D)  UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E)  UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F)  WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G)  WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H)  WEIGHTED  MEAN OF  VARIABLE  FROM  PERSON- LEVEL FILE  FOR PERS  WITH  VARIABLE >  0	(I)  WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
0.2	TOTEXP03X	TOTAL HEALTH CARE EXP 03	Sum of (DVXP03X from DVIS records) + (OMXP03X from OMED records) + (OPFXP03X + OPDXP03X from OPAT records) + (ERFXP03X + ERDXP03X from EROM records) + (IPFXP03X + IPDXP03X from STAZ records) + (IPFXP03X from HVIS records) + (OBXP03X from MVIS records) + (RXXP03X from PMED records)	26653	26653	895527093124.04	895524270359.80	3600.57	3600.56

#	(A)  VARIABLE  NAME ON  PERSON-  LEVEL FILE	(B)  VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D)  UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E)  UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F)  WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G)  WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H)  WEIGHTED  MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I)  WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
0.3	TOTSLF03	TOTAL AMT PAID BY SELF/FAMILY 03	Sum of (DVSF03X from DVIS records) + (OMSF03X from OMED records) + (OPSF03X + OPDSF03X from OPAT records) + (ERFSF03X + ERDSF03X from EROM records) + (IPFSF03X + IPDSF03X from STAZ records) + (IPSF03X from HVIS records) + (OBSF03X from MVIS records) + (OBSF03X from MVIS records) + (RXSF03X from PMED records)	23637	23639	175821703644.01	175818775572.30	764.72	764.67

#	(A)  VARIABLE  NAME ON  PERSON-  LEVEL FILE	(B)  VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D)  UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E)  UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F)  WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G)  WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H)  WEIGHTED  MEAN OF  VARIABLE  FROM  PERSON- LEVEL FILE  FOR PERS  WITH  VARIABLE > 0	(I)  WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
0.4	TOTMCR03	TOTAL AMT PAID BY MEDICARE 03	Sum of (DVMR03X from DVIS records) + (OMMR03X from OMED records) + (OPFMR03X + OPDMR03X from OPAT records) + (ERFMR03X + ERDMR03X from EROM records) + (IPFMR03X + IPDMR03X from STAZ records) + (HPMR03X from HVIS records) + (OBMR03X from MVIS records) + (RXMR03X from PMED records)	4138	4139	178570180883.59	178569752399.61	4479.84	4479.30

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
0.5	TOTMCD03	TOTAL AMT PAID BY MEDICAID 03	Sum of (DVMD03X from DVIS records) + (OMMD03X from OMED records) + (OPFMD03X + OPDMD03X from OPAT records) + (ERFMD03X + ERDMD03X from EROM records) + (IPFMD03X + IPDMD03X from STAZ records) + (HPMD03X from HVIS records) + (OBMD03X from MVIS records) + (RXMD03X from PMED records)	6889	6892	81972121302.41	81971468420.12	2123.24	2122.47

#	(A)  VARIABLE  NAME ON  PERSON-  LEVEL FILE	(B)  VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D)  UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E)  UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F)  WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G)  WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H)  WEIGHTED  MEAN OF  VARIABLE  FROM  PERSON- LEVEL FILE  FOR PERS  WITH  VARIABLE > 0	(I)  WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
0.6	TOTPRV03	TOTAL AMT PAID BY PRIVATE INS 03	Sum of (DVPV03X from DVIS records) + (OMPV03X from OMED records) + (OPFPV03X + OPDPV03X from OPAT records) + (ERFPV03X + ERDPV03X from EROM records) + (IPFPV03X + IPDPV03X from STAZ records) + (IPPV03X from HVIS records) + (OBPV03X from MVIS records) + (OBPV03X from MVIS records) + (RXPV03X from PMED records)	15109	15113	372825491466.35	372824218107.01	2193.91	2193.35

#	(A)  VARIABLE  NAME ON  PERSON-  LEVEL FILE	(B)  VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D)  UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E)  UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F)  WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G)  WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H)  WEIGHTED  MEAN OF  VARIABLE  FROM  PERSON- LEVEL FILE  FOR PERS  WITH  VARIABLE > 0	(I)  WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
0.7	TOTVA03	TOTL AMT PAID BY VA 03	Sum of (DVVA03X from DVIS records) + (OMVA03X from OMED records) + (OPFVA03X + OPDVA03X from OPAT records) + (ERFVA03X + ERDVA03X from EROM records) + (IPFVA03X + IPDVA03X from STAZ records) + (IPVA03X from HVIS records) + (OBVA03X from MVIS records) + (RXVA03X from PMED records)	1141	1144	22651047695.01	22650704318.41	1870.38	1868.07

#	(A)  VARIABLE  NAME ON  PERSON-  LEVEL FILE	(B)  VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D)  UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E)  UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G)  WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H)  WEIGHTED  MEAN OF  VARIABLE  FROM  PERSON-  LEVEL FILE  FOR PERS  WITH  VARIABLE >  0	(I)  WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
0.8	TOTTRI03	TOTL AMT PAID BY TRICARE	Sum of (DVTR03X from DVIS records) + (OMTR03X from OMED records) + (OPFTR03X + OPDTR03X from OPAT records) + (ERFTR03X + ERDTR03X from EROM records) + (IPFTR03X + IPDTR03X from STAZ records) + (HPTR03X + HATR03X from HVIS records) + (OBTR03X from MVIS records) + (RXTR03X from PMED records)	454	454	6611639952.55	6611549573.85	1384.08	1384.07

#	(A)  VARIABLE  NAME ON  PERSON-  LEVEL FILE	(B)  VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D)  UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E)  UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F)  WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G)  WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H)  WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I)  WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
0.9	TOTOFD03	TOTL AMT PAID BY OTHER FEDERAL 03	Sum of (DVOF03X from DVIS records) + (OMOF03X from OMED records) + (OPFOF03X + OPDOF03X from OPAT records) + (ERFOF03X + ERDOF03X from EROM records) + (IPFOF03X + IPDOF03X from STAZ records) + (HPOF03X from HVIS records) + (OBOF03X from MVIS records) + (RXOF03X from PMED records)	289	289	2076567716.70	2076421090.76	801.49	801.44

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
0.10	TOTSTL03	TOTL AMT PAID BY OTH ST/LOCAL 03	Sum of (DVSL03X from DVIS records) + (OMSL03X from OMED records) + (OPFSL03X + OPDSL03X from OPAT records) + (ERFSL03X + ERDSL03X from EROM records) + (IPFSL03X + IPDSL03X from STAZ records) + (IPFSL03X from STAZ records) + (IPSL03X from HVIS records) + (OBSL03X from MVIS records) + (RXSL03X from PMED records)	656	657	4378228057.58	4378151778.30	947.52	946.94

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
0.11	TOTWCP03	TOTL AMT PAID BY WORKERS COMP 03	Sum of (DVWC03X from DVIS records) + (OMWC03X from OMED records) + (OPFWC03X + OPDWC03X from OPAT records) + (ERFWC03X + ERDWC03X from EROM records) + (IPFWC03X + IPDWC03X from STAZ records) + (HPWC03X from HVIS records) + (OBWC03X from MVIS records) + (RXWC03X from PMED records)	737	737	25219619300.38	25219451845.12	3666.08	3666.06

#	(A)  VARIABLE  NAME ON  PERSON-  LEVEL FILE	(B)  VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D)  UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E)  UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G)  WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H)  WEIGHTED  MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I)  WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
0.12	TOTOPR03	TOTL AMT PAID BY OTHER PRIVATE 03	Sum of (DVOR03X from DVIS records) + (OMOR03X from OMED records) + (OPFOR03X + OPDOR03X from OPAT records) + (ERFOR03X + ERDOR03X from EROM records) + (IPFOR03X + IPDOR03X from STAZ records) + (IPFOR03X from STAZ records) + (IPFOR03X from MVIS records) + (OBOR03X from MVIS records) + (RXOR03X from PMED records)	1819	1819	15953304069.32	15953135527.35	1046.02	1046.01

#	(A)  VARIABLE  NAME ON  PERSON-  LEVEL FILE	(B)  VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D)  UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E)  UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G)  WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H)  WEIGHTED  MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I)  WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
0.13	TOTOPU03	TOTL AMT PAID BY OTHER PUBLIC 03	Sum of (DVOU03X from DVIS records) + (OMOU03X from OMED records) + (OPFOU03X + OPDOU03X from OPAT records) + (ERFOU03X + ERDOU03X from EROM records) + (IPFOU03X + IPDOU03X from STAZ records) + (IPFOU03X from MVIS records) + (OBOU03X from MVIS records) + (RXOU03X from PMED records)	390	390	1977511100.73	1977433453.14	835.65	835.62

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
0.14	TOTOSR03	TOTL AMT PAID OTHR UNCLASS SOURCES 03	Sum of (DVOT03X from DVIS records) + (OMOT03X from OMED records) + (OPFOT03X + OPDOT03X from OPAT records) + (ERFOT03X + ERDOT03X from EROM records) + (IPFOT03X + IPDOT03X from STAZ records) + (IPFOT03X from HVIS records) + (OBOT03X from MVIS records) + (RXOT03X from PMED records)	1628	1628	7473312585.13	7473208273.83	530.43	530.42
1.0	OBTOTV03	# OFFICE-BASED PROVIDER VISITS 03	Count of MVIS records with SEETLKPV = (1, - 7, -8 or -9)	22663	22663	1494747396.27	1494747396.27	7.01	7.01
1.1	OBVTCH03	OFFICE-BASED PROVIDER VISIT CHARGES 03	Sum of OBTC03X from MVIS records with SEETLKPV = (1, - 7, -8 or -9)	22649	22649	306608129780.28	306605446198.18	1439.24	1439.23
1.2	OBVEXP03	TOTAL OFFICE-BASED EXP 03	Sum of OBXP03X from MVIS records with SEETLKPV = (1, - 7, -8 or -9)	22268	22268	180678749549.20	180678107557.85	859.61	859.61

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
1.3	OBVSLF03	ALL OFFICE VISITS - SELF/FAMILY AMT 03	Sum of OBSF03X from MVIS records with SEETLKPV = (1, - 7, -8 or -9)	15803	15804	31199021826.38	31198436866.98	188.11	188.09
1.4	OBVMCR03	ALL OFFICE VISITS - MEDICARE AMT 03	Sum of OBMR03X from MVIS records with SEETLKPV = (1, - 7, -8 or -9)	3783	3784	32336968537.16	32336846515.39	888.02	887.90
1.5	OBVMCD03	ALL OFFICE VISITS - MEDICAID AMT 03	Sum of OBMD03X from MVIS records with SEETLKPV = (1, - 7, -8 or -9)	5308	5314	14474894955.83	14474829873.00	498.53	498.04
1.6	OBVPRV03	ALL OFFICE VISITS - PRIVATE INS AMT 03	Sum of OBPV03X from MVIS records with SEETLKPV = (1, - 7, -8 or -9)	12414	12417	80711677467.44	80710727697.28	573.07	572.96
1.7	OBVVA03	ALL OFFICE VISITS-VA AMT 03	Sum of OBVA03X from MVIS records with SEETLKPV = (1, - 7, -8 or -9)	624	627	4754739294.55	4754443530.66	740.86	738.44
1.8	OBVTRI03	ALL OFFICE VISITS- TRICARE AMT 03	Sum of OBTR03X from MVIS records with SEETLKPV = (1, - 7, -8 or -9)	331	331	1882174735.61	1882098223.72	542.23	542.21
1.9	OBVOFD03	ALL OFFICE VISITS- OTHER FEDERAL AMT 03	Sum of OBOF03X from MVIS records with SEETLKPV = (1, - 7, -8 or -9)	202	202	1440987829.00	1440855288.65	791.37	791.30

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
1.10	OBVSTL03	ALL OFFICE VISITS-OTH ST/LOCAL AMT 03	Sum of OBSL03X from MVIS records with SEETLKPV = (1, - 7, -8 or -9)	349	350	1129707318.44	1129664309.19	483.57	482.98
1.11	OBVWCP03	ALL OFFICE VISITS - WORKERS COMP AMT 03	Sum of OBWC03X from MVIS records with SEETLKPV = (1, - 7, -8 or -9)	512	512	5237386009.73	5237306483.55	1088.76	1088.74
1.12	OBVOPR03	ALL OFFICE VISITS - OTH PRIVATE AMT 03	Sum of OBOR03X from MVIS records with SEETLKPV = (1, - 7, -8 or -9)	1209	1209	4128565197.37	4128604216.65	396.08	396.08
1.13	OBVOPU03	ALL OFFICE VISITS - OTH PUBLIC AMT 03	Sum of OBOU03X from MVIS records with SEETLKPV = (1, - 7, -8 or -9)	215	215	390290449.47	390279239.21	333.80	333.79
1.14	OBVOSR03	ALL OFF VSTS - OTH UNCLASS SRCE AMT 03	Sum of OBOT03X from MVIS records with SEETLKPV = (1, - 7, -8 or -9)	1060	1060	2993979618.73	2994015313.55	359.60	359.60
2.0	OBDRV03	# OFFICE-BASED PHYSICIAN VISITS, 03	Count of MVIS records with SEETLKPV = (1, - 7, -8 or -9) and SEEDOC=1	21296	21296	970410302.33	970410302.33	4.86	4.86
2.1	OBDTCH03	OFFICE-BASED PHYSICIAN VISIT CHARGES 03	Sum of OBTC03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	21278	21278	225603412746.28	225600704098.30	1130.99	1130.98

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
2.2	OBDEXP03	TOTAL OFF-BASED DR EXP 03	Sum of OBXP03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	20970	20970	130653020717.99	130651816504.31	662.53	662.53
2.3	OBDSLF03	DR OFFICE VISITS - SELF/FAMILY AMT 03	Sum of OBSF03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	14461	14462	19868076665.69	19867544679.21	131.24	131.22
2.4	OBDMCR03	DR OFFICE VISITS - MEDICARE AMT 03	Sum of OBMR03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	3653	3654	24497892920.91	24497559570.92	696.98	696.88
2.5	OBDMCD03	DR OFFICE VISITS - MEDICAID AMT 03	Sum of OBMD03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	5028	5035	11254084715.88	11253868958.94	412.82	412.27
2.6	OBDPRV03	DR OFFICE VISITS - PRIVATE INS AMT 03	Sum of OBPV03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	11708	11710	58828306167.54	58827414153.69	444.12	444.04
2.7	OBDVA03	DR OFFICE VISITS -VA AMT 03	Sum of OBVA03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	485	486	3446433864.72	3446310794.64	726.38	725.74

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
2.8	OBDTRI03	DR OFFICE VISITS- TRICARE AMT 03	Sum of OBTR03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	299	299	1429411222.69	1429298155.42	456.27	456.23
2.9	OBDOFD03	DR OFFICE VISITS - OTHER FEDERAL AMT 03	Sum of OBOF03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	184	184	1230626715.07	1230508488.62	751.11	751.04
2.10	OBDSTL03	DR OFFICE VISITS -OTH ST/LOCAL AMT 03	Sum of OBSL03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	292	293	982069349.05	982005304.58	508.51	507.75
2.11	OBDWCP03	DR OFFICE VISITS - WORKERS COMP AMT 03	Sum of OBWC03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	463	463	3408979836.82	3408886739.26	790.39	790.37
2.12	OBDOPR03	DR OFFICE VISITS - OTH PRIVATE AMT 03	Sum of OBOR03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	1124	1124	3459834144.05	3459911651.82	356.11	356.11
2.13	OBDOPU03	DR OFFICE VISITS - OTH PUBLIC AMT 03	Sum of OBOU03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	189	189	304773942.90	304760655.18	309.84	309.82

#### TABLE H77IT2 COMPARISON OF MEPS 2003 HEALTH CARE EXPENDITURE ESTIMATES

#### FROM THE FY 03 PERSON-LEVEL FILE (HC-079) AND THE FY 03 EVENT FILES (HC-077A THROUGH HC-077H) WEIGHT = PERWT03F

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
TT	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
2.14	OBDOSR03	DR OFF VSTS - OTH UNCLASS SRCE AMT 03	Sum of OBOT03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	820	820	1943686854.11	1943747352.04	307.15	307.16
3.0	OBOTHV03	# OFFICE-BASED NON- PHYSICAN VISITS 03	Count of MVIS records with SEETLKPV = (1, - 7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or - 9) and MEDPTYPE > 0)]	8744	8744	516880413.57	516880413.57	5.59	5.59
3.1	OBOTCH03	OFFICE-BASED NON-DR VISIT CHARGES 03	Sym of OBTC03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	8722	8722	79646740782.08	79645902581.35	864.39	864.38
3.2	OBOEXP03	TOTAL OFF-BASED NON-DR EXP 03	Sum of OBXP03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	8337	8338	49227780907.79	49227234494.53	555.37	555.31

(I) (A) (B) (C) (D) (E) (F) (G) (H) **VARIABLE** UN-WEIGHTED **VARIABLE LABEL ON TECHNICAL** UN-**WEIGHTED SUM WEIGHTED SUM** WEIGHTED NAME ON PERSON LEVEL FILE **SPECIFICATION** WEIGHTED WEIGHTED OF VARIABLE OF VARIABLE **MEAN OF MEAN OF** PERSON-FOR # PERS # PERS FROM PERSON-FROM EVENT-**VARIABLE VARIABLE LEVEL FILE FOR LEVEL FILE CONSTRUCTION OF** WITH WITH **LEVEL FILE FOR** FROM FROM PERSON-LEVEL **VARIABLE VARIABLE** PERS WITH **PERS WITH** PERSON-**EVENT-VARIABLE FROM** > 0 & > 0 & WITH VARIABLE > 0 VARIABLE > 0 **LEVEL FILE LEVEL FILE EVENT-LEVEL FILE FOR PERS FOR PERS** WEIGHT > 0 WEIGHT > FROM 0 FROM WITH WITH PERSON-**EVENT-**VARIABLE > **VARIABLE LEVEL FILE** LEVEL > 0 FILE 3.3 OBOSLF03 NON-DR OFF VISTS -Sum of OBSF03X from SELF/FAMILY AMT 03 MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)] 5070 5071 11160904501.78 11160655728.19 192.29 192.26 Sum of OBMR03X 3.4 OBOMCR03 NON-DR OFF VISTS -MEDICARE AMT 03 from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or](SEEDOC = (-7, -8 or -9) and MEDPTYPE > 1502 472.41 472.17 0)] 1501 7709953238.04 7709895256.67 OBOMCD03 NON-DR OFF VISTS -Sum of OBMD03X 3.5 MEDICAID AMT 03 from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or](SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)] 1265 1266 3182636096.92 3182631387.41 409.49 408.90 OBOPRV03 NON-DR OFF VISTS -Sum of OBPV03X 3.6 PRIVATE INS AMT 03 from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or ](SEEDOC = (-7, -8 or -9) and MEDPTYPE > 4506 4509 21509324349.77 21508780510.55 395.91 395.69

WEIGHT = PERWIOSP

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
3.7	OBOVA03	NON-DR OFF VISTS -VA AMT 03	Sum of OBVA03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	263	265	1282594230.55	1282352519.90	437.05	434.52
3.8	OBOTRI03	NON-DR OFF VISTS- TRICARE AMT 03	Sum of OBTR03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	119	119	434757721.47	434691431.52	324.69	324.64
3.9	OBOOFD03	NON-DR OFF VISTS - OTHER FEDERAL AMT 03	Sum of OBOF03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	44	44	206501433.61	206436967.68	465.97	465.82
3.10	OBOSTL03	NON-DR OFF VISTS - OTH ST/LOCAL AMT 03	Sum of OBSL03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, - 8 or -9) and MEDPTYPE > 0)]	80	80	145763977.04	145757475.50	251.49	251.48

#### COMPARISON OF MEPS 2003 HEALTH CARE EXPENDITURE ESTIMATES FROM THE FY 03 PERSON-LEVEL FILE (HC-079) AND THE FY 03 EVENT FILES (HC-077A THROUGH HC-077H) WEIGHT = PERWT03F

(C) (I) (A) (B) (D) (E) (F) (G) (H) **VARIABLE VARIABLE LABEL ON TECHNICAL** UN-UN-WEIGHTED **WEIGHTED SUM WEIGHTED SUM** WEIGHTED NAME ON PERSON LEVEL FILE **SPECIFICATION** WEIGHTED WEIGHTED OF VARIABLE OF VARIABLE **MEAN OF MEAN OF** # PERS PERSON-FOR # PERS FROM PERSON-FROM EVENT-**VARIABLE VARIABLE LEVEL FILE FOR LEVEL FILE CONSTRUCTION OF** WITH WITH **LEVEL FILE FOR** FROM FROM PERSON-LEVEL **VARIABLE VARIABLE** PERS WITH **PERS WITH** PERSON-**EVENT-**VARIABLE > 0 **LEVEL FILE LEVEL FILE VARIABLE FROM** > 0 & > 0 & WITH VARIABLE > 0 **EVENT-LEVEL FILE FOR PERS FOR PERS** WEIGHT > 0 WEIGHT > WITH FROM 0 FROM WITH PERSON-**EVENT-**VARIABLE > **VARIABLE LEVEL FILE** LEVEL > 0 FILE 3.11 OBOWCP03 NON-DR OFF VISTS -Sum of OBWC03X WORKERS COMP AMT from MVIS records 03 with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or](SEEDOC = (-7, -8 or -9) and MEDPTYPE > 155 155 1811554803.04 1811562376.19 1194.40 1194.41 3.12 OBOOPR03 NON-DR OFF VISTS -Sum of OBOR03X OTH PRIVATE AMT 03 from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or](SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)1 304 304 664086176.53 664006946.72 217.04 217.01 3.13 OBOOPU03 NON-DR OFF VISTS -Sum of OBOU03X OTH PUBLIC AMT 03 from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or](SEEDOC = (-7, -8 or -9) and MEDPTYPE > 42 42 85262048.89 327.21 327.19 0)1 85267799.13 OBOOSR03 NON-DR OF VSTS - OTH Sum of OBOT03X 3.14 UNCLASS SRCE AMT 03 from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or(SEEDOC = (-7, -8 or -9) and MEDPTYPE > 345 345 1035192698.13 1035201845.31 348.81 348.81 0)]

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
4.0	OBCHIR03	# OFFICE-BASED CHIROPRACTOR VISITS 03	Count of MVIS records with SEETLKPV = (1, - 7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	1081	1081	114286393.70	114286393.70	8.94	8.94
4.1	ОВСТСН03	OFFICE-BASED CHIRO VISIT CHARGES 03	Sum of OBTC03X from MVIS records with SEETLKPV = (1, - 7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	1079	1079	6496451007.83	6496482268.59	509.02	509.03
4.2	OBCEXP03	TOTAL OFF-BASED CHIRO EXP 03	Sum of OBXP03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	1036	1036	5522517436.03	5522536424.50	448.32	448.32
4.3	OBCSLF03	CHIRO OFF VISITS - SELF/FAMILY AMT 03	Sum of OBSF03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	828	828	2386097704.11	2386096887.58	233.92	233.92

(C) (I) (A) (B) (D) (E) (F) (G) (H) **VARIABLE** UN-UN-WEIGHTED **VARIABLE LABEL ON TECHNICAL WEIGHTED SUM WEIGHTED SUM** WEIGHTED NAME ON PERSON LEVEL FILE **SPECIFICATION** WEIGHTED WEIGHTED OF VARIABLE OF VARIABLE **MEAN OF MEAN OF** # PERS PERSON-FOR # PERS FROM PERSON-FROM EVENT-**VARIABLE** VARIABLE **LEVEL FILE FOR LEVEL FILE** WITH **CONSTRUCTION OF** WITH **LEVEL FILE FOR** FROM FROM PERSON-LEVEL **VARIABLE VARIABLE PERS WITH PERS WITH** PERSON-**EVENT-VARIABLE FROM** > 0 & > 0 & WITH VARIABLE > 0 VARIABLE > 0 **LEVEL FILE LEVEL FILE EVENT-LEVEL FILE FOR PERS FOR PERS** WEIGHT > 0 WEIGHT > FROM 0 FROM WITH WITH PERSON-**EVENT-**VARIABLE > **VARIABLE LEVEL FILE** LEVEL 0 > 0 **FILE** 4.4 OBCMCR03 CHIRO OFF VISITS -Sum of OBMR03X MEDICARE AMT 03 from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8)or -9) and MEDPTYPE = 1 114 114 359665492.04 359649950.04 269.13 269.12 CHIRO OFF VISITS -Sum of OBMD03X 4.5 OBCMCD03 MEDICAID AMT 03 from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8)or -9) and MEDPTYPE = 1 40 40 128011290.00 128005856.44 393.02 393.00 CHIRO OFF VISITS 4.6 OBCPRV03 Sum of OBPV03X PRIVATE INS AMT 03 from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8)or -9) and MEDPTYPE = 1 515 515 2176445087.19 2176404381.07 344.47 344.46 4.7 OBCVA03 CHIRO OFF VISITS -VA Sum of OBVA03X AMT 03 from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8)or -9) and MEDPTYPE = 1 15 15 30235111.21 30203725.67 174.95 174.77

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
4.8	OBCTRI03	CHIRO OFF VISITS- TRICARE AMT 03	Sum of OBTR03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	1	1	582069.57	582069.57	50.00	50.00
4.9	OBCOFD03	CHIRO OFF VISITS - OTHER FEDERAL AMT 03	Sum of OBOF03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	0	0			0.00	0.00
4.10	OBCSTL03	CHIRO OFF VISITS -OTH ST/LOCAL AMT 03	Sum of OBSL03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	0	0			0.00	0.00
4.11	OBCWCP03	CHIRO OFF VISITS - WORKERS COMP AMT 03	Sum of OBWC03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	35	35	212338712.18	212334296.14	698.48	698.46

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
4.12	OBCOPR03	CHIRO OFF VISTS - OTHR PRIVATE AMT 03	Sum of OBOR03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	30	30	88329499.60	88325267.92	263.94	263.93
4.13	OBCOPU03	CHIRO OFF VISTS - OTHR PUBLIC AMT 03	Sum of OBOU03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	1	1	4339239.77	4338932.02	423.00	422.97
4.14	OBCOSR03	CHIRO OF VSTS - OTHR UNCLASS SRCE AMT 03	Sum of OBOT03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	43	43	136607312.12	136595058.05	364.95	364.92
5.0	OBNURS03	# OFF-BASED NURSE/PRACTITIONER VISITS 03	Count of MVIS records with SEETLKPV = (1, - 7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	2881	2881	85104630.97	85104630.97	2.92	2.92

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
5.1	OBNTCH03	OFFICE-BASED NURSE/PRAC VISIT CHARGES 03	Sum of OBTC03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	2866	2866	14163989194.92	14163730916.79	489.54	489.54
5.2	OBNEXP03	TOTAL OFF-BASED NURSE/PRAC 03	Sum of OBXP03X from MVIS records with SEETLKPV = (1, - 7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	2632	2632	7665572817.10	7665602105.40	284.34	284.35
5.3	OBNSLF03	NURSE/PRAC OFF VISITS-SELF/FAMILY AMT 03	Sum of OBSF03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	1400	1400	1321639924.05	1321591135.12	84.82	84.81
5.4	OBNMCR03	NURSE/PRAC OFF VISITS -MEDICARE AMT 03	Sum of OBMR03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	543	543	1922664047.63	1922612256.08	332.93	332.92

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
5.5	OBNMCD03	NURSE/PRAC OFF VSTS -MEDICAID AMT 03	Sum of OBMD03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	462	463	690647973.22	690682261.98	248.16	247.19
5.6	OBNPRV03	NURSE/PRAC OFF VSTS -PRIVATE INS AMT 03	Sum of OBPV03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	1258	1262	3045201656.63	3045160880.30	200.12	199.66
5.7	OBNVA03	NURSE/PRAC OFF VSTS-VA AMT 03	Sum of OBVA03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	67	68	272366781.46	272341042.44	403.26	395.97
5.8	OBNTRI03	NURSE/PRAC OFF VSTS-TRICARE AMT 03	Sum of OBTR03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	38	38	56794645.49	56764868.63	154.12	154.04

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
5.9	OBNOFD03	NURSE/PRAC OFF VSTS-OTHER FEDERAL AMT 03	Sum of OBOF03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	13	13	63402516.07	63382509.78	553.53	553.35
5.10	OBNSTL03	NURSE/PRAC OFF VSTS -OTH ST/LOCAL AMT 03	Sum of OBSL03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	27	27	29622685.36	29625715.40	177.51	177.53
5.11	OBNWCP03	NURSE/PRAC OFF VSTS-WORKERS COMP AMT 03	Sum of OBWC03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	11	11	36468123.39	36464723.75	374.87	374.83
5.12	OBNOPR03	NURSE/PRAC OFF VSTS - OTH PRIVATE AMT 03	Sum of OBOR03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	83	83	51530154.09	51513106.37	62.87	62.85

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
5.13	OBNOPU03	NURSE/PRAC OFF VSTS - OTH PUBLIC AMT 03	Sum of OBOU03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	15	15	6838166.98	6841449.74	87.60	87.64
5.14	OBNOSR03	NRS/PR OF VSTS - OTH UNCLASS SRCE AMT 03	Sum of OBOT03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	145	145	168624665.93	168622155.81	154.82	154.82
6.0	OBOPTO03	# OFFICE-BASED OPTOMETRIST VISITS, 03	Count of MVIS records with SEETLKPV = (1, - 7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	1641	1641	21191615.91	21191615.91	1.20	1.20
6.1	OBETCH03	OFFICE-BASED OPTOMTRIST VISIT CHARGES 03	Sum of OBTC03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	1638	1638	2311148834.00	2311119671.27	131.10	131.10

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
6.2	OBEEXP03	TOTAL OFF-BASED OPOTMETRIST EXP 03	Sum of OBXP03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	1605	1605	2057991975.81	2057891425.12	118.91	118.90
6.3	OBESLF03	OPTOMETRIST OFF VSTS -SELF/FAMILY AMT 03	Sum of OBSF03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	1148	1148	1052067381.41	1051975647.78	81.09	81.09
6.4	OBEMCR03	OPTOMETRIST OFF VSTS -MEDICARE AMT 03	Sum of OBMR03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	100	100	86270261.82	86233580.30	83.66	83.62
6.5	OBEMCD03	OPTOMETRIST OFF VSTS -MEDICAID AMT 03	Sum of OBMD03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	195	195	96023551.87	95971783.03	83.72	83.67

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
6.6	OBEPRV03	OPTOMETRIST OFF VSTS -PRIVATE INS AMT 03	Sum of OBPV03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	658	658	705459284.22	705285203.29	86.58	86.56
6.7	OBEVA03	OPTOMETRIST OFF VSTS -VA AMT 03	Sum of OBVA03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	31	31	43005771.11	42937881.82	143.83	143.61
6.8	OBETRI03	OPTOMETRIST OFF VSTS-TRICARE AMT 03	Sum of OBTR03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	7	7	4690281.55	4686449.87	59.55	59.50
6.9	OBEOFD03	OPTOMETRIST OFF VSTS-OTH FEDERAL AMT 03	Sum of OBOF03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	9	9	27200981.58	27178983.42	370.14	369.84

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
6.10	OBESTL03	OPTOMETRIST OFF VSTS -OTH ST/LOCL AMT 03	Sum of OBSL03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	6	6	9329379.42	9327629.01	132.42	132.40
6.11	OBEWCP03	OPTOMETRIST OFF VSTS-WORKERS COMP AMT 03	Sum of OBWC03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	0	0			0.00	0.00
6.12	OBEOPR03	OPTOMETRIST OFF VSTS -OTH PRIVATE AMT 03	Sum of OBOR03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	20	20	11682386.99	11676884.22	53.23	53.21
6.13	OBEOPU03	OPTOMETRIST OFF VSTS -OTH PUBLIC AMT 03	Sum of OBOU03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	4	4	2358089.27	2359901.99	168.64	168.76

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
6.14	OBEOSR03	OPTOM OF VSTS - OTH UNCLASS SRCE AMT 03	Sum of OBOT03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	22	22	20265343.19	20257480.41	97.47	97.43
7.0	OBASST03	# OFF-BASED PHYSICIAN ASS T VSTS, 03	Count of MVIS records with SEETLKPV = (1, - 7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	639	639	12675916.44	12675916.44	1.85	1.85
7.1	OBATCH03	OFFICE-BASED PHYS ASST VISIT CHARGES 03	Sum of OBTC03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	637	637	2143147359.35	2143082045.00	313.61	313.60
7.2	OBAEXP03	TOTAL OFF-BASED PHYS ASS T EXP 03	Sum of OBXP03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	619	620	1195194309.94	1195124831.87	180.06	179.82

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
7.3	OBASLF03	PHYS ASS T OFF VSTS- SELF/FAMILY AMT 03	Sum of OBSF03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	399	400	232816529.37	232756252.01	50.66	50.55
7.4	OBAMCR03	PHYS ASS T OFF VSTS- MEDICARE AMT 03	Sum of OBMR03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	97	99	189907933.40	189941945.95	189.53	185.73
7.5	OBAMCD03	PHYS ASS T OFF VSTS- MEDICAID AMT 03	Sum of OBMD03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	83	83	72121201.68	72100448.05	142.99	142.95
7.6	OBAPRV03	PHYS ASS T OFF VSTS- PRIVATE INS AMT 03	Sum of OBPV03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	369	369	600090437.24	599975718.74	133.13	133.11

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
7.7	OBAVA03	PHYS ASS T OFF VSTS- VA AMT 03	Sum of OBVA03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	16	16	22584001.19	22589783.46	123.55	123.58
7.8	OBATRI03	PHYS ASS T OFF VSTS- TRICARE AMT 03	Sum of OBTR03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	16	16	9657411.94	9624177.64	59.00	58.80
7.9	OBAOFD03	PHYS ASS T OFF VSTS - OTHER FED AMT 03	Sum of OBOF03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	3	3	17015226.23	17009142.02	336.82	336.70
7.10	OBASTL03	PHYS ASS T OFF VSTS - OTH ST/LOCL AMT 03	Sum of OBSL03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	7	7	2305206.13	2305243.96	56.78	56.78

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
7.11	OBAWCP03	PHYS ASS T OFF VSTS- WORKERS COMP AMT 03	Sum of OBWC03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	7	7	20173242.35	20190267.63	280.29	280.53
7.12	OBAOPR03	PHYS ASS T OFF VSTS - OTH PRIVATE AMT 03	Sum of OBOR03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	25	25	18419725.90	18437261.54	79.25	79.32
7.13	OBAOPU03	PHYS ASS T OFF VSTS - OTH PUBLIC AMT 03	Sum of OBOU03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	0	0			0.00	0.00
7.14	OBAOSR03	P A OFF VSTS - OTH UNCLASS SRCE AMT 03	Sum of OBOT03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	15	15	10194233.81	10194590.87	108.01	108.02

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
8.0	OBTHER03	# OFF-BASED PHYSICL/OCC THRPY VSTS, 03	Count of MVIS records with SEETLKPV = (1, - 7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	717	717	91490413.05	91490413.05	11.43	11.43
8.1	OBTTCH03	OFFICE-BASED PT/OC VISIT CHARGES 03	Sum of OBTC03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	716	716	13974709648.96	13974697124.62	1749.29	1749.29
8.2	OBTEXP03	TOT OFF-BASED PT EXP 03	Sum of OBXP03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	686	686	8762109187.94	8762042201.47	1140.05	1140.04
8.3	OBTSLF03	PT/OT OFF VISITS- SELF/FAMILY AMT 03	Sum of OBSF03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	330	330	1020998214.96	1020964571.13	256.45	256.44

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
8.4	OBTMCR03	PT/OT OFF VISITS- MEDICARE AMT 03	Sum of OBMR03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	156	156	1291736636.27	1291734285.69	706.27	706.26
8.5	OBTMCD03	PT/OT OFF VISITS- MEDICAID AMT 03	Sum of OBMD03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	76	76	285364731.52	285358446.54	588.68	588.66
8.6	OBTPRV03	PT/OT OFF VISITS- PRIVATE INS AMT 03	Sum of OBPV03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	400	400	4069095030.33	4069027472.95	829.90	829.88
8.7	OBTVA03	PT/OT OFF VISITS-VA AMT 03	Sum of OBVA03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	18	18	114092868.31	114052308.22	522.22	522.03

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
8.8	OBTTRI03	PT/OT OFF VISITS- TRICARE AMT 03	Sum of OBTR03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	12	12	110036710.13	110008308.38	547.19	547.05
8.9	OBTOFD03	PT/OT OFF VISITS - OTHER FED AMT 03	Sum of OBOF03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	3	3	17026032.69	17021192.90	568.06	567.90
8.10	OBTSTL03	PT/OT OFF VISITS-OTH ST/LOCL AMT 03	Sum of OBSL03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	5	5	16923824.70	16924819.38	379.60	379.62
8.11	OBTWCP03	PT/OT OFF VISITS- WORKERS COMP AMT 03	Sum of OBWC03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	77	77	1344542645.00	1344560281.87	1600.92	1600.94

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
8.12	OBTOPR03	PT/OT OFF VISITS - OTH PRIVATE AMT 03	Sum of OBOR03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	32	32	157658130.22	157655413.82	457.36	457.35
8.13	OBTOPU03	PT/OT OFF VISITS - OTH PUBLIC AMT 03	Sum of OBOU03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	1	1	286200.72	285385.48	165.00	164.53
8.14	OBTOSR03	PT/OT OF VSTS-OTH UNCLASS SRCE AMT 03	Sum of OBOT03X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	34	34	334454458.28	334449715.10	878.20	878.18
9.0	OPTOTV03	# OUTPATIENT DEPT PROVIDER VISITS 03	Count of OPAT records with SEETLKPV = (1, -7, -8 or -9)	4902	4902	158099821.18	158099821.18	3.16	3.16
9.1	OPFTCH03	OPD PROVIDER VISIT CHARGES - FAC 03	Sum of OPFTC03X from OPAT records with SEETLKPV = (1, - 7, -8 or -9)	4892	4892	149641533742.67	149640141605.30	2995.79	2995.77

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
9.2	OPFEXP03	TOTAL OUTPATIENT FACILITY EXP 03	Sum of OPFXP03X from OPAT records with SEETLKPV = (1, - 7, -8 or -9)	4761	4761	69758702805.09	69758502055.86	1430.26	1430.26
9.3	OPFSLF03	ALL OPD VISITS- SELF/FAMILY AMT-FAC 03	Sum of OPFSF03X from OPAT records with SEETLKPV = (1, - 7, -8 or -9)	1852	1853	4087446483.91	4087427083.11	201.11	201.00
9.4	OPFMCR03	ALL OPD VISITS- MEDICARE AMT-FAC 03	Sum of OPFMR03X from OPAT records with SEETLKPV = (1, - 7, -8 or -9)	1325	1325	16844540641.89	16844684920.49	1230.34	1230.35
9.5	OPFMCD03	ALL OPD VISITS- MEDICAID AMT-FAC 03	Sum of OPFMD03X from OPAT records with SEETLKPV = (1, - 7, -8 or -9)	834	834	4680082134.86	4680072773.33	920.19	920.19
9.6	OPFPRV03	ALL OPD VISITS-PRIV INS AMT-FAC 03	Sum of OPFPV03X from OPAT records with SEETLKPV = (1, - 7, -8 or -9)	2724	2724	37015734108.44	37015707099.71	1165.00	1165.00
9.7	OPFVA03	ALL OPD VISITS-VA AMT-FAC 03	Sum of OPFVA03X from OPAT records with SEETLKPV = (1, - 7, -8 or -9)	144	144	1364807294.25	1364797666.19	850.66	850.65
9.8	OPFTRI03	ALL OPD VISITS- TRICARE AMT-FAC 03	Sum of OPFTR03X from OPAT records with SEETLKPV = (1, - 7, -8 or -9)	65	65	509349618.44	509381102.01	696.40	696.44

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(1)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
9.9	OPFOFD03	ALL OPD VISITS-OTHER FED AMT-FAC 03	Sum of OPFOF03X from OPAT records with SEETLKPV = (1, - 7, -8 or -9)	29	29	165206840.82	165215633.63	535.81	535.84
9.10	OPFSTL03	ALL OPD VISITS-OTH ST/LOCAL AMT-FAC 03	Sum of OPFSL03X from OPAT records with SEETLKPV = (1, - 7, -8 or -9)	32	32	116589773.02	116607884.87	519.71	519.79
9.11	OPFWCP03	ALL OPD VISITS- WORKERS COMP AMT- FAC 03	Sum of OPFWC03X from OPAT records with SEETLKPV = (1, - 7, -8 or -9)	148	148	1975116686.00	1975164832.43	1463.09	1463.12
9.12	OPFOPR03	ALL OPD VISITS - OTH PRIVATE AMT-FAC 03	Sum of OPFOR03X from OPAT records with SEETLKPV=(1,- 7,-8 or -9)	241	241	2131593261.16	2131497443.91	861.04	861.01
9.13	OPFOPU03	ALL OPD VISITS - OTH PUBLIC AMT-FAC 03	Sum of OPFOU03X from OPAT records with SEETLKPV=(1,- 7,-8 or -9)	29	29	68959907.52	68958800.50	426.20	426.19
9.14	OPFOSR03	ALL OPD VSTS-OTH UNCLASS SRCE AMT- FAC 03	Sum of OPFOT03X from OPAT records with SEETLKPV=(1,- 7,-8 or -9)	99	99	798992271.36	798986815.68	908.87	908.86
9.15	OPDEXP03	TOTAL OUTPATIENT PROVIDER EXP 03	Sum of OPDXP03X from OPAT records with SEETLKPV=(1,- 7,-8 or -9)	3011	3011	18237941259.45	18237571079.20	578.19	578.18

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
9.16	OPDTCH03	OPD PROVIDER VISIT CHARGES - DR 03	Sum of OPDTC03X from OPAT records with SEETLKPV=(1,- 7,-8 or -9)	3114	3114	43901689681.26	43901200569.70	1354.04	1354.02
9.17	OPDSLF03	ALL OPD VISITS- SELF/FAMILY AMT-DR 03	Sum of OPDSF03X from OPAT records with SEETLKPV=(1,- 7,-8 or -9)	909	909	1388114162.71	1388122824.32	136.05	136.05
9.18	OPDMCR03	ALL OPD VISITS- MEDICARE AMT -DR 03	Sum of OPDMR03X from OPAT records with SEETLKPV=(1,- 7,-8 or -9)	973	973	3324608667.00	3324441115.71	323.47	323.45
9.19	OPDMCD03	ALL OPD VISITS- MEDICAID AMT -DR 03	Sum of OPDMD03X from OPAT records with SEETLKPV=(1,- 7,-8 or -9)	446	448	721710697.26	721641182.72	257.94	257.04
9.20	OPDPRV03	ALL OPD VISITS-PRIV INS AMT-DR 03	Sum of OPDPV03X from OPAT records with SEETLKPV=(1,- 7,-8 or -9)	1906	1906	11152662951.38	11152288826.34	494.21	494.19
9.21	OPDVA03	ALL OPD VISITS-VA AMT-DR 03	Sum of OPDVA03X from OPAT records with SEETLKPV=(1,- 7,-8 or -9)	11	11	48309676.71	48301235.95	302.90	302.85
9.22	OPDTRI03	ALL OPD VISITS- TRICARE AMT-DR 03	Sum of OPDTR03X from OPAT records with SEETLKPV=(1,- 7,-8 or -9)	56	56	48941337.36	48923513.81	75.57	75.54

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
9.23	OPDOFD03	ALL OPD VISITS-OTHER FED AMT-DR 03	Sum of OPDOF03X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	1	1	1697420.19	1700092.73	235.00	235.37
9.24	OPDSTL03	ALL OPD VISITS-OTH ST/LOCAL AMT-DR 03	Sum of OPDSL03X from OPAT records with SEETLKPV=(1,- 7,-8 or -9)	13	13	59851755.38	59858818.80	830.12	830.21
9.25	OPDWCP03	ALL OPD VISITS- WORKERS COMP AMT- DR 03	Sum of OPDWC03X from OPAT records with SEETLKPV=(1,- 7,-8 or -9)	63	63	553611834.39	553603142.90	870.05	870.04
9.26	OPDOPR03	ALL OPD VISITS - OTH PRIVATE AMT-DR 03	Sum of OPDOR03X from OPAT records with SEETLKPV=(1,- 7,-8 or -9)	272	272	873806938.90	873743764.88	341.41	341.38
9.27	OPDOPU03	ALL OPD VISITS-OTH PUBLIC AMT-DR 03	Sum of OPDOU03X from OPAT records with SEETLKPV=(1,- 7,-8 or -9)	24	24	18287866.28	18293173.82	91.94	91.96
9.28	OPDOSR03	ALL OPD VSTS-OTH UNCLASS SRCE AMT- DR 03	Sum of OPDOT03X from OPAT records with SEETLKPV=(1,- 7,-8 or -9)	12	12	46645580.24	46653387.23	536.08	536.17
10.0	OPDRV03	# OUTPATIENT DEPT - DR VISITS 03	Count of OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	2613	2613	54916270.53	54916270.53	2.13	2.13

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
10.1	OPVTCH03	OPD PHYSICIAN VISIT CHARGES - FAC 03	Sum of OPFTC03X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	2600	2600	92585594458.22	92585036386.12	3610.00	3609.98
10.2	OPVEXP03	TOTAL OUTPATIENT PHYSICIAN - FAC EXP 03	Sum of OPFXP03X from OPAT records with SEETLKPV=(1,- 7,-8 or -9) and SEEDOC = 1	2532	2532	42514330075.31	42514371687.61	1697.49	1697.49
10.3	OPVSLF03	OPD DR VISITS- SELF/FAMILY AMT-FAC 03	Sum of OPFSF03X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	966	966	2071096310.87	2071030159.81	200.87	200.87
10.4	OPVMCR03	OPD DR VISITS- MEDICARE AMT-FAC 03	Sum of OPFMR03X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	706	706	10124606555.86	10124735348.14	1416.25	1416.26
10.5	OPVMCD03	OPD DR VISITS- MEDICAID AMT-FAC 03	Sum of OPFMD03X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	505	505	3228627654.12	3228622251.88	1110.99	1110.99
10.6	OPVPRV03	OPD DR VISITS-PRIV INS AMT-FAC 03	Sum of OPFPV03X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC =1	1351	1351	22330928322.66	22330794170.00	1419.88	1419.87

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
10.7	OPVVA03	OPD DR VISITS-VA AMT-FAC 03	Sum of OPFVA03X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	104	104	888513132.10	888502593.53	789.13	789.12
10.8	OPVTRI03	OPD DR VISITS- TRICARE AMT-FAC 03	Sum of OPFTR03X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	34	34	432407097.57	432431263.19	1074.30	1074.36
10.9	OPVOFD03	OPD DR VISITS-OTHER FED AMT-FAC 03	Sum of OPFOF03X from OPAT records with SEETLKPV=(1,- 7,-8 or -9) and SEEDOC = 1	14	14	70057230.89	70056684.85	586.33	586.32
10.10	OPVSTL03	OPD DR VISITS-OTH ST/LOCAL AMT-FAC 03	Sum of OPFSL03X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	15	15	74950918.34	74954579.05	863.35	863.39
10.11	OPVWCP03	OPD DR VISITS- WORKERS COMP AMT- FAC 03	Sum of OPFWC03X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	82	82	1251937054.21	1251951876.47	1674.44	1674.46
10.12	OPVOPR03	OPD DR VISITS - OTH PRIVATE AMT-FAC 03	Sum of OPFOR03X from OPAT records with SEETLKPV=(1,- 7,-8 or -9) and SEEDOC =1	124	124	1592571378.40	1592499135.56	1297.34	1297.28

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
10.13	OPVOPU03	OPD DR VISITS-OTH PUBLIC AMT-FAC 03	Sum of OPFOU03X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	13	13	44204233.45	44206020.08	844.50	844.53
10.14	OPVOSR03	OPD DR VSTS-OTH UNCLASS SRCE AMT- FAC 03	Sum of OPFOT03X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	49	49	404586898.56	404587605.05	1015.56	1015.56
10.15	OPSEXP03	TOTAL OUTPATIENT PHYSICIAN - DR EXP 03	Sum of OPDXP03X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	1675	1675	13565351402.06	13565087062.10	785.81	785.80
10.16	OPSTCH03	OPD PHYSICIAN VISIT CHARGES - DR 03	Sum of OPDTC03X from OPAT records with SEETLKPV=(1,- 7,-8 or -9) and SEEDOC =1	1719	1719	32066831886.76	32066589032.07	1819.39	1819.37
10.17	OPSSLF03	OPD DR VISITS- SELF/FAMILY AMT-DR 03	Sum of OPDSF03X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC =1	500	500	1066118689.51	1066082800.68	194.06	194.06
10.18	OPSMCR03	OPD DR VISITS- MEDICARE AMT-DR 03	Sum of OPDMR03X from OPAT records with SEETLKPV=(1,- 7,-8 or -9) and SEEDOC = 1	552	552	2304419429.36	2304394102.75	402.40	402.40

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
10.19	OPSMCD03	OPD DR VISITS- MEDICAID AMT-DR 03	Sum of OPDMD03X from OPAT records with SEETLKPV=(1,- 7,-8 or -9) and SEEDOC = 1	300	301	583064061.46	583054047.93	299.02	297.15
10.20	OPSPRV03	OPD DR VISITS-PRIV INS AMT-DR 03	Sum of OPDPV03X from OPAT records with SEETLKPV=(1,- 7,-8 or -9) and SEEDOC = 1	1005	1005	8343714812.14	8343500934.82	699.57	699.55
10.21	OPSVA03	OPD DR VISITS-VA AMT-DR 03	Sum of OPDVA03X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC =1	7	7	27573756.19	27566926.07	265.56	265.49
10.22	OPSTRI03	OPD DR VISITS- TRICARE AMT-DR 03	Sum of OPDTR03X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	20	20	34856296.28	34861686.92	162.64	162.66
10.23	OPSOFD03	OPD DR VISITS-OTHER FED AMT-DR 03	Sum of OPDOF03X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	1	1	1697420.19	1700092.73	235.00	235.37
10.24	OPSSTL03	OPD DR VISITS-OTH ST/LOCAL AMT-DR 03	Sum of OPDSL03X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	11	11	59079516.13	59084396.36	924.96	925.04

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
10.25	OPSWCP03	OPD DR VISITS- WORKERS COMP AMT- DR 03	Sum of OPDWC03X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	44	44	456030440.79	456016692.75	1018.41	1018.38
10.26	OPSOPR03	OPD DR VISITS - OTH PRIVATE AMT-DR 03	Sum of OPDOR03X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	156	156	644967690.58	644931171.97	459.57	459.54
10.27	OPSOPU03	OPD DR VISITS-OTH PUBLIC AMT-DR 03	Sum of OPDOU03X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	10	10	10878496.29	10886668.51	143.30	143.41
10.28	OPSOSR03	OPD DR VSTS-OTH UNCLASS SRCE AMT- DR 03	Sum of OPDOT03X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	10	10	33002857.39	33007540.60	490.81	490.88
11.0	OPOTHV03	# OUTPATIENT DEPT NON-DR VISITS 03	Count of OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	3095	3095	101163130.32	101163130.32	3.07	3.07

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
11.1	ОРОТСН03	OPD NON-PHYS VISIT CHARGES - FAC 03	Sum of OPFTC03X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	3090	3090	55478093078.86	55477068717.14	1684.16	1684.13
11.2	OPOEXP03	TOTAL OUTPATIENT NON-DR - FAC EXP 03	Sum of OPFXP03X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	3003	3003	26526181657.15	26526111715.08	825.36	825.36
11.3	OPOSLF03	OPD NON-DR VISITS- SELF/FAM AMT-FAC 03	Sum of OPFSF03X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	1022	1023	1962077937.24	1962004701.14	167.87	167.70
11.4	OPOMCR03	OPD NON-DR VISITS- MEDICARE AMT-FAC 03	Sum of OPFMR03X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	886	886	6502957297.61	6503017769.71	686.70	686.70

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
11.5	OPOMCD03	OPD NON-DR VISITS- MEDICAID AMT-FAC 03	Sum of OPFMD03X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	421	421	1412463313.96	1412457525.90	515.27	515.27
11.6	OPOPRV03	OPD NON-DR VISITS- PRIV INS AMT-FAC 03	Sum of OPFPV03X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	1800	1800	14343928025.28	14344040754.20	670.37	670.37
11.7	OPOVA03	OPD NON-DR VISITS-VA AMT-FAC 03	Sum of OPFVA03X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	68	68	446645702.05	446596814.27	585.42	585.36
11.8	OPOTRI03	OPD NON-DR VISITS- TRICARE AMT-FAC 03	Sum of OPFTR03X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	40	40	76956751.25	76949838.81	184.41	184.40

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
11.9	OPOOFD03	OPD NON-DR VISITS- OTHER FED AMT-FAC 03	Sum of OPFOF03X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	16	16	95149609.93	95158948.78	468.83	468.87
11.10	OPOSTL03	OPD NON-DR VISITS- OTH ST/LOC AMT-FAC 03	Sum of OPFSL03X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	19	19	41397309.85	41413438.39	275.79	275.89
11.11	OPOWCP03	OPD NON-DR VISITS- WRKRS COMP AMT- FAC 03	Sum of OPFWC03X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	79	79	723164212.20	723212955.97	990.56	990.63
11.12	OPOOPR03	OPD NON-DR VISITS- OTH PRIVATE AMT-FAC 03	Sum of OPFOR03X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	152	152	538873035.78	538861940.32	335.45	335.45

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
11.13	OPOOPU03	OPD NON-DR VISITS- OTH PUBLIC AMT-FAC 03	Sum of OPFOU03X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	18	18	24755674.07	24752780.41	212.18	212.16
11.14	OPOOSR03	OPD NON-DR VSTS-OT UNCLAS SRC AMT-FAC 03	Sum of OPFOT03X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	60	60	357673390.77	357644247.18	624.22	624.17
11.15	OPPEXP03	TOTAL OUTPATIENT NON-DR - DR EXP 03	Sum of OPDXP03X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	1685	1685	4559946251.18	4559828527.37	248.65	248.65
11.16	OPPTCH03	OPD NON-PHYS VISIT CHARGES - DR 03	Sum of OPDTC03X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	1757	1757	11468606336.46	11468376098.32	604.10	604.09

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
11.17	OPPSLF03	OPD NON-DR VISITS- SELF/FAM AMT-DR 03	Sum of OPDSF03X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	426	426	303605373.34	303586502.07	62.44	62.43
11.18	OPPMCR03	OPD NON-DR VISITS- MEDICARE AMT-DR 03	Sum of OPDMR03X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	566	566	988686018.83	988592090.90	161.12	161.10
11.19	OPPMCD03	OPD NON-DR VISITS- MEDICAID AMT-DR 03	Sum of OPDMD03X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	174	177	132246119.66	132189611.17	125.42	124.01
11.20	OPPPRV03	OPD NON-DR VISITS- PRIV INS AMT-DR 03	Sum of OPDPV03X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	1124	1124	2759933225.37	2759699515.27	204.85	204.83

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
11.21	OPPVA03	OPD NON-DR VISITS-VA AMT-DR 03	Sum of OPDVA03X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	4	4	18281283.31	18278235.28	266.67	266.62
11.22	OPPTRI03	OPD NON-DR VISITS- TRICARE AMT-DR 03	Sum of OPDTR03X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	37	37	13240534.53	13214417.34	30.32	30.26
11.23	OPPOFD03	OPD NON-DR VISITS- OTHER FED AMT-DR 03	Sum of OPDOF03X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	0	0			0.00	0.00
11.24	OPPSTL03	OPD NON-DR VISITS- OTH ST/LOC AMT-DR 03	Sum of OPDSL03X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	2	2	185151.14	187871.09	19.90	20.20

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(1)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
11.25	OPPWCP03	OPD NON-DR VISITS- WRKRS COMP AMT-DR 03	Sum of OPDWC03X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	21	21	95976198.74	95984387.38	450.23	450.27
11.26	OPPOPR03	OPD NON-DR VISITS- OTH PRIVATE AMT-DR 03	Sum of OPDOR03X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	140	140	227221253.14	227195487.55	162.06	162.04
11.27	OPPOPU03	OPD NON-DR VISITS- OTH PUBLIC AMT-DR 03	Sum of OPDOU03X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	13	13	7256249.52	7254562.70	60.44	60.42
11.28	OPPOSR03	OPD NON-DR VSTS-OT UNCLAS SRC AMT-DR 03	Sum of OPDOT03X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	2	2	13642722.84	13645846.63	690.03	690.19

#### TABLE H77IT2 COMPARISON OF MEPS 2003 HEALTH CARE F

### COMPARISON OF MEPS 2003 HEALTH CARE EXPENDITURE ESTIMATES FROM THE FY 03 PERSON-LEVEL FILE (HC-079) AND THE FY 03 EVENT FILES (HC-077A THROUGH HC-077H) WEIGHT = PERWT03F

(C) (I) (A) (B) (D) (E) (F) (G) (H) **VARIABLE VARIABLE LABEL ON TECHNICAL** UN-UN-WEIGHTED **WEIGHTED SUM WEIGHTED SUM** WEIGHTED NAME ON PERSON LEVEL FILE **SPECIFICATION** WEIGHTED WEIGHTED **OF VARIABLE** OF VARIABLE **MEAN OF MEAN OF** # PERS PERSON-FOR # PERS FROM PERSON-FROM EVENT-**VARIABLE VARIABLE LEVEL FILE CONSTRUCTION OF** WITH **LEVEL FILE FOR** FROM FROM WITH **LEVEL FILE FOR** PERSON-LEVEL **VARIABLE VARIABLE** PERS WITH **PERS WITH** PERSON-**EVENT-**VARIABLE > 0 **LEVEL FILE LEVEL FILE VARIABLE FROM** > 0 & > 0 & WITH VARIABLE > 0 **EVENT-LEVEL FILE** WEIGHT > **FOR PERS FOR PERS** WEIGHT > 0 FROM 0 FROM WITH WITH PERSON-**EVENT-**VARIABLE > **VARIABLE LEVEL FILE** LEVEL > 0 FILE 12.0 AMCHIR03 # CHIROPRACTR VSTS Count of MVIS records (OFF+OUTPAT), 03 with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8)-9) and or MEDPTYPE=1] plus OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1] 1086 1086 114366916.55 114366916.55 8.92 8.92 12.1 AMCTCH03 CHIRO AMBULATORY Sum of OBTC03X **VISIT CHARGES 03** from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8)or -9) and MEDPTYPE = 1] plus sum of OPTC03X from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1] 1084 1084 6517904013.95 6517932820.22 508.85 508.85

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
12.2	AMCEXP03	TOTL AMBULTRY (OB+OP) CHIRO EXP 03	Sum of OBXP03X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of OPXP03X from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	1041	1041	5534151691.34	5534167149.96	447.57	447.58
12.3	AMCSLF03	CHIRO AMB VISITS - SELF/FAMILY AMT 03	Sum of OBSF03X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFSF03X + OPDSF03X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	831	831	2387212450.54	2387209157.23	233.56	233,56

WEIGHT = PERWT03F

(C) (I) (A) (B) (D) (E) (F) (G) (H) **VARIABLE TECHNICAL** UN-UN-WEIGHTED **VARIABLE LABEL ON WEIGHTED SUM WEIGHTED SUM** WEIGHTED NAME ON PERSON LEVEL FILE **SPECIFICATION** WEIGHTED **WEIGHTED** OF VARIABLE OF VARIABLE **MEAN OF MEAN OF** PERSON-FOR # PERS # PERS FROM PERSON-FROM EVENT-VARIABLE VARIABLE **LEVEL FILE** WITH **LEVEL FILE FOR CONSTRUCTION OF** WITH **LEVEL FILE FOR** FROM FROM PERSON-LEVEL **VARIABLE VARIABLE PERS WITH PERS WITH** PERSON-**EVENT-LEVEL FILE VARIABLE FROM** > 0 & > 0 & WITH VARIABLE > 0 VARIABLE > 0 LEVEL FILE **EVENT-LEVEL FILE FOR PERS FOR PERS** WEIGHT > 0 WEIGHT > FROM 0 FROM WITH WITH PERSON-**EVENT-**VARIABLE > **VARIABLE LEVEL FILE** LEVEL > 0 FILE 12.4 AMCMCR03 CHIRO AMB VISITS -Sum of OBMR03X MEDICARE AMT 03 from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8)or -9) and MEDPTYPE = 1] plus sum of (OPFMR03X OPDMR03X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1] 114 114 359665492.04 359649950.04 269.13 269.12 AMCMCD03 CHIRO AMB VISITS -Sum of OBMD03X 12.5 MEDICAID AMT 03 from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8)or -9) and MEDPTYPE = 1] plus sum of (OPFMD03X OPDMD03X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and 42 42

Page 60 MEPS HC-077I

133726843.46

133722264.51

405.31

405.30

MEDPTYPE=1]

(C) (I) (A) (B) (D) (E) (F) (G) (H) **VARIABLE VARIABLE LABEL ON TECHNICAL** UN-UN-WEIGHTED **WEIGHTED SUM WEIGHTED SUM** WEIGHTED NAME ON PERSON LEVEL FILE **SPECIFICATION** WEIGHTED WEIGHTED OF VARIABLE OF VARIABLE **MEAN OF MEAN OF** # PERS PERSON-FOR # PERS FROM PERSON-FROM EVENT-**VARIABLE VARIABLE LEVEL FILE** WITH **LEVEL FILE FOR CONSTRUCTION OF** WITH **LEVEL FILE FOR** FROM FROM PERSON-LEVEL **VARIABLE VARIABLE PERS WITH PERS WITH** PERSON-**EVENT-LEVEL FILE VARIABLE FROM** > 0 & > 0 & WITH VARIABLE > 0 VARIABLE > 0 LEVEL FILE **EVENT-LEVEL FILE FOR PERS FOR PERS** WEIGHT > 0 WEIGHT > FROM WITH 0 FROM WITH PERSON-**EVENT-**VARIABLE > **VARIABLE LEVEL FILE** LEVEL > 0 FILE 12.6 AMCPRV03 CHIRO AMB VISITS -Sum of OBPV03X PRIVATE INS AMT 03 from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8)or -9) and MEDPTYPE = 1] plus sum of (OPFPV03X OPDPV03X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1] 518 518 2180425994.32 2180382726.43 342.80 342.79 AMCVA03 CHIRO AMB VISITS -VA Sum of OBVA03X 12.7 AMT 03 from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8)or -9) and MEDPTYPE = 1] plus sum of (OPFVA03X OPDVA03X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and 15 MEDPTYPE=1] 15 30235111.21 30203725.67 174.95 174.77

TABLE H77IT2 Page 61 MEPS HC-077I

### FROM THE FY 03 PERSON-LEVEL FILE (HC-079) AND THE FY 03 EVENT FILES (HC-077A THROUGH HC-077H) WEIGHT = PERWT03F

(C) (I) (A) (B) (D) (E) (F) (G) (H) **VARIABLE VARIABLE LABEL ON TECHNICAL** UN-UN-WEIGHTED **WEIGHTED SUM WEIGHTED SUM** WEIGHTED NAME ON PERSON LEVEL FILE **SPECIFICATION** WEIGHTED **WEIGHTED OF VARIABLE** OF VARIABLE **MEAN OF MEAN OF** # PERS PERSON-FOR # PERS FROM PERSON-FROM EVENT-**VARIABLE** VARIABLE **LEVEL FILE** WITH **LEVEL FILE FOR CONSTRUCTION OF** WITH **LEVEL FILE FOR** FROM FROM PERSON-LEVEL **VARIABLE VARIABLE PERS WITH PERS WITH** PERSON-**EVENT-LEVEL FILE VARIABLE FROM** > 0 & > 0 & WITH VARIABLE > 0 VARIABLE > 0 LEVEL FILE **EVENT-LEVEL FILE FOR PERS FOR PERS** WEIGHT > 0 WEIGHT > FROM WITH 0 FROM WITH PERSON-**EVENT-**VARIABLE > **VARIABLE LEVEL FILE** LEVEL > 0 FILE 12.8 AMCTRI03 CHIRO AMB VISITS-Sum of OBTR03X TRICARE AMT 03 from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8)or -9) and MEDPTYPE = 1] plus sum of (OPFTR03X OPDTR03X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1] 1 582069.57 582069.57 50.00 50.00 AMCOFD03 CHIRO AMB VISITS -Sum of OBOF03X 12.9 OTHER FEDERAL AMT from MVIS records 03 with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8)or -9) and MEDPTYPE = 1] plus sum of (OPFOF03X OPDOF03X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1] 0 0 0.00 0.00

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
12.10	AMCSTL03	CHIRO AMB VISITS - OTH ST/LOCAL AMT 03	Sum of OBSL03X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFSL03X + OPDSL03X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	0	0			0.00	0.00
12.11	AMCWCP03	CHIRO AMB VISITS- WORKERS COMP AMT 03	Sum of OBWC03X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFWC03X + OPDWC03X) from OPAT records with and [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	35	35	212338712.18	212334296.14	698.48	698.46

(C) (I) (A) (B) (D) (E) (F) (G) (H) **VARIABLE TECHNICAL** UN-UN-WEIGHTED **VARIABLE LABEL ON WEIGHTED SUM WEIGHTED SUM** WEIGHTED NAME ON PERSON LEVEL FILE **SPECIFICATION** WEIGHTED WEIGHTED OF VARIABLE OF VARIABLE **MEAN OF MEAN OF** # PERS PERSON-FOR # PERS FROM PERSON-FROM EVENT-**VARIABLE** VARIABLE **LEVEL FILE** WITH **LEVEL FILE FOR CONSTRUCTION OF** WITH **LEVEL FILE FOR** FROM FROM PERSON-LEVEL **VARIABLE VARIABLE PERS WITH PERS WITH** PERSON-**EVENT-LEVEL FILE VARIABLE FROM** > 0 & > 0 & WITH VARIABLE > 0 VARIABLE > 0 LEVEL FILE **EVENT-LEVEL FILE FOR PERS FOR PERS** WEIGHT > 0 WEIGHT > FROM 0 FROM WITH WITH PERSON-**EVENT-**VARIABLE > **VARIABLE LEVEL FILE** LEVEL > 0 FILE 12.12 AMCOPR03 CHIRO AMB VISITS -Sum of OBOR03X OTH PRIVATE AMT 03 from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8)or -9) and MEDPTYPE = 1] plus sum of (OPFOR03X OPDOR03X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1] 30 30 88329499.60 88325267.92 263.94 263.93 AMCOPU03 CHIRO AMB VISITS -Sum of OBOU03X 12.13 OTH PUBLIC AMT 03 from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8)or -9) and MEDPTYPE = 1] plus sum of (OPFOU03X OPDOU03X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1] 1 4339239.77 4338932.02 423.00 422.97 1

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
12.14	AMCOSR03	CHIR AMB VSTS - OTH UNCLASS SRCE AMT 03	Sum of OBOT03X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFOT03X + OPDOT03X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	44	44	137430360.42	137418760.43	364.50	364.47
13.0	AMNURS03	# AMB NURSE/PRCTITIONR VSTS(OB+OP) 03	Count of MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] and OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	3145	3145	99171054.70	99171054.70	3.10	3.10

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
13.1	AMNTCH03	NRS/PRAC AMBULATORY VISIT CHARGES 03	Sum of OBTC03X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of OPTC03X from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=4]	3129	3129	24909134356.46	24908820431.60	784.80	784.79
13.2	AMNEXP03	TOTL AMBULTRY (OB+OP) NURSE/PRAC EXP 03	Sum of OBXP03X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of OPXPP03X from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=4]	2890	2890	12099987359.50	12099993522.05	406.49	406.49

### TABLE H77IT2 COMPARISON OF MEPS 2003 HEALTH CARE EXPENDITURE ESTIMATES MATHERY 03 PERSON LEVEL FILE (U.C. 070) AND THE FY 03 EVENT FILES (U.C. 077A THE

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
13.3	AMNSLF03	NRS/PRAC AMB VSTS - SELF/FAMILY AMT 03	Sum of OBSF03X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFSF03X + OPDSF03X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	1504	1504	1562650135.03	1562571768.02	92.37	92.36
13.4	AMNMCR03	NRS/PRAC AMB VSTS - MEDICARE AMT 03	Sum of OBMR03X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFMR03X + OPDMR03X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	631	631	3841207652.23	3841208779.75	575.51	575.51

### FROM THE FY 03 PERSON-LEVEL FILE (HC-079) AND THE FY 03 EVENT FILES (HC-077A THROUGH HC-077H) WEIGHT = PERWT03F

(C) (I) (A) (B) (D) (E) (F) (G) (H) **VARIABLE TECHNICAL** UN-UN-WEIGHTED **VARIABLE LABEL ON WEIGHTED SUM WEIGHTED SUM** WEIGHTED NAME ON PERSON LEVEL FILE **SPECIFICATION** WEIGHTED WEIGHTED OF VARIABLE OF VARIABLE **MEAN OF MEAN OF** # PERS PERSON-FOR # PERS FROM PERSON-FROM EVENT-VARIABLE VARIABLE **LEVEL FILE** WITH **LEVEL FILE FOR CONSTRUCTION OF** WITH **LEVEL FILE FOR** FROM FROM PERSON-LEVEL **VARIABLE VARIABLE PERS WITH PERS WITH** PERSON-**EVENT-LEVEL FILE VARIABLE FROM** > 0 & > 0 & WITH VARIABLE > 0 VARIABLE > 0 LEVEL FILE **EVENT-LEVEL FILE FOR PERS FOR PERS** WEIGHT > 0 WEIGHT > FROM 0 FROM WITH WITH PERSON-**EVENT-**VARIABLE > **VARIABLE LEVEL FILE** LEVEL > 0 **FILE** 13.5 AMNMCD03 NRS/PRAC AMB VSTS -Sum of OBMD03X MEDICAID AMT 03 from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8)or -9) and MEDPTYPE = 4] plus sum of (OPFMD03X OPDMD03X) from **OPAT** records [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 41494 495 863203698.34 863240694.40 285.38 284.35 AMNPRV03 NRS/PRAC AMB VSTS -Sum of OBPV03X 13.6 PRIV INS AMT 03 from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8)or -9) and MEDPTYPE = 4] plus sum of (OPFPV03X OPDPV03X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 411409 1413 4873251481.55 4873270057.65 286.63 286.05

### FROM THE FY 03 PERSON-LEVEL FILE (HC-079) AND THE FY 03 EVENT FILES (HC-077A THROUGH HC-077H) WEIGHT = PERWT03F

(C) (I) (A) (B) (D) (E) (F) (G) (H) **VARIABLE VARIABLE LABEL ON TECHNICAL** UN-UN-WEIGHTED **WEIGHTED SUM WEIGHTED SUM** WEIGHTED NAME ON PERSON LEVEL FILE **SPECIFICATION** WEIGHTED WEIGHTED OF VARIABLE OF VARIABLE **MEAN OF MEAN OF** # PERS PERSON-FOR # PERS FROM PERSON-FROM EVENT-**VARIABLE VARIABLE LEVEL FILE** WITH **LEVEL FILE FOR CONSTRUCTION OF** WITH **LEVEL FILE FOR** FROM FROM PERSON-LEVEL **VARIABLE VARIABLE PERS WITH PERS WITH** PERSON-**EVENT-LEVEL FILE VARIABLE FROM** > 0 & > 0 & WITH VARIABLE > 0 VARIABLE > 0 LEVEL FILE **EVENT-LEVEL FILE FOR PERS FOR PERS** WEIGHT > 0 WEIGHT > FROM WITH 0 FROM WITH PERSON-**EVENT-**VARIABLE > **VARIABLE LEVEL FILE** LEVEL > 0 FILE 13.7 AMNVA03 NRS/PRAC AMB VSTS-Sum of OBVA03X VA AMT 03 from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8)or -9) and MEDPTYPE = 4] plus sum of (OPFVA03X OPDVA03X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 41 80 81 379278291.10 379242451.05 462.54 455.62 AMNTRI03 NRS/PRAC AMB VSTS-Sum of OBTR03X 13.8 TRICARE AMT 03 from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8)or -9) and MEDPTYPE = 4] plus sum of (OPFTR03X OPDTR03X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and 42 42 MEDPTYPE = 4180659119.89 80628381.96 203.51 203.43

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
13.9	AMNOFD03	NRS/PRAC AMB VSTS- OTHER FEDERAL AMT 03	Sum of OBOF03X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFOF03X + OPDOF03X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	17	17	69975623.20	69955942.89	449.60	449.48
13.10	AMNSTL03	NRS/PRAC AMB VSTS- OTH ST/LOCAL AMT 03	Sum of OBSL03X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFSL03X + OPDSL03X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	28	28	29712062.21	29715092.26	175.91	175.93

### TABLE H77IT2 COMPARISON OF MEPS 2003 HEALTH CARE EXPENDITURE ESTIMATES METHERY 03 PERSONAL EVEL FILE (HC-0770) AND THE EY 03 EVENT FILES (HC-0774 THE

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
13.11	AMNWCP03	NRS/PRAC AMB VSTS- WORKERS COMP AMT 03	Sum of OBWC03X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFWC03X + OPDWC03X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	19	19	85670782.24	85662338.11	453.90	453.86
13.12	AMNOPR03	NRS/PRAC AMB VSTS - OTH PRIVATE AMT 03	Sum of OBOR03X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFOR03X + OPDOR03X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	95	95	77259257.93	77228479.42	82.42	82.39

### TABLE H77IT2 COMPARISON OF MEPS 2003 HEALTH CARE EXPENDITURE ESTIMATES METHER EV 03 DEBSON LEVEL FILE (HC 072) AND THE EV 03 EVENT FILES (HC 077A TH

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
13.13	AMNOPU03	NRS/PRAC AMB VSTS - OTH PUBLIC AMT 03	Sum of OBOU03X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFOU03X + OPDOU03X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	17	17	7241271.74	7244087.62	85.41	85.45
13.14	AMNOSR03	NRS/PR AMB VSTS - OTH UNCLAS SRCE AMT 03	Sum of OBOT03X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFOT03X + OPDOT03X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	152	152	230021058.04	230025448.92	192.42	192.42

## FROM THE FY 03 PERSON-LEVEL FILE (HC-079) AND THE FY 03 EVENT FILES (HC-077A THROUGH HC-077H) WEIGHT = PERWT03F

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
14.0	AMOPTO03	# AMB OPTOMETRIST VSTS (OB+OP) 03	Count of MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus count of OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	1650	1650	21313705.91	21313705.91	1.20	1.20
14.1	AMETCH03	OPTOMETRIST AMBULATORY VISIT CHARGES 03	Sum of OBTC03X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of OPTC03X from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	1647	1647	2364899534.83	2364867717.06	133.37	133.37

### TABLE H77IT2

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
14.2	AMEEXP03	TOTL AMBULTRY (OB+OP) OPTOMETRIST EXP 03	Sum of OBXP03X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of OPXP03X from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	1614	1614	2095183600.20	2095080591.86	120.34	120.34
14.3	AMESLF03	OPTMTRIST AMB VSTS -SELF/FAMILY AMT 03	Sum of OBSF03X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFSF03X + OPDSF03X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	1152	1152	1062726735.94	1062635157.24	81.56	81.55

## FROM THE FY 03 PERSON-LEVEL FILE (HC-079) AND THE FY 03 EVENT FILES (HC-077A THROUGH HC-077H) WEIGHT = PERWT03F

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
14.4	AMEMCR03	OPTMTRIST AMB VSTS -MEDICARE AMT 03	Sum of OBMR03X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFMR03X + OPDMR03X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	101	101	86332891.23	86293565.35	83.16	83.12
14.5	AMEMCD03	OPTMTRIST AMB VSTS -MEDICAID AMT 03	Sum of OBMD03X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFMD03X + OPDMD03X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	195	195	96023551.87	95971783.03	83.72	83.67

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
14.6	AMEPRV03	OPTMTRIST AMB VSTS -PRIVATE INS AMT 03	Sum of OBPV03X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFPV03X + OPDPV03X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	661	661	719152486.31	718977790.29	87.86	87.84
14.7	AMEVA03	OPTMTRIST AMB VSTS- VA AMT 03	Sum of OBVA03X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFVA03X + OPDVA03X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	35	35	55639263.54	55572267.55	164.62	164.42

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
14.8	AMETRI03	OPTMTRIST AMB VSTS- TRICARE AMT 03	Sum of OBTR03X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFTR03X) + OPDTR03X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	7	7	4690281.55	4686449.87	59.55	59.50
14.9	AMEOFD03	OPTMTRIST AMB VSTS- OTHER FED AMT 03	Sum of OBOF03X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFOF03X) + OPDOF03X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	9	9	27200981.58	27178983.42	370.14	369.84

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
14.10	AMESTL03	OPTMTRIST AMB VSTS- OTH ST/LOCAL AMT 03	Sum of OBSL03X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFSL03X + OPDSL03X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	6	6	9329379.42	9327629.01	132.42	132.40
14.11	AMEWCP03	OPTMTRIST AMB VSTS- WORKERS COMP AMT 03	Sum of OBWC03X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFWC03X) + OPDWC03X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	1	1	129028.29	127738.01	20.00	19.80

WEIGHT = PERWT03F

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
14.12	AMEOPR03	OPTMTRIST AMB VSTS - OTH PRIVATE AMT 03	Sum of OBOR03X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFOR03X + OPDOR03X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	21	21	11696304.63	11691845.69	51.66	51.64
14.13	AMEOPU03	OPTMTRIST AMB VSTS - OTH PUBLIC AMT 03	Sum of OBOU03X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFOU03X + OPDOU03X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	4	4	2358089.27	2359901.99	168.64	168.76

### TABLE H77IT2 COMPARISON OF MEPS 2003 HEALTH CARE EXPENDITURE ESTIMATES MITHERY 03 PERSON LEVEL FILE (U.C. 070) AND THE FY 03 EVENT FILES (U.C. 077A THE

FROM THE FY 03 PERSON-LEVEL FILE (HC-079) AND THE FY 03 EVENT FILES (HC-077A THROUGH HC-077H)

WEIGHT = PERWT03F

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(1)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
14.14	AMEOSR03	OPTOM AMB VSTS - OTH UNCLAS SRCE AMT 03	Sum of OBOT03X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFOT03X + OPDOT03X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	22	22	20265343.19	20257480.41	97.47	97.43
15.0	AMASST03	# PHYSICIAN ASS T VSTS (OFF+OUPAT), 1039	Count of MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] and OPAT records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	661	661	13237498.75	13237498.75	1.86	1.86

### TABLE H77IT2

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
15.1	AMATCH03	PHYS ASS T AMBULATORY VISIT CHARGES 03	Sum of OBTC03X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of OPTC03X from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=7]	659	659	2567414381.18	2567335176.37	362.81	362.80
15.2	AMAEXP03	TOTL AMBULTRY (OB+OP) PHYS ASS T EXP 03	Sum of OBXP03X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of OPXP03X from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=7]	641	642	1394525094.74	1394461337.98	202.68	202.43

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
15.3	AMASLF03	PHYS ASS T AMB VSTS- SELF/FAMILY AMT 03	Sum of OBSF03X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFSF03X + OPDSF03X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	410	411	264119311.28	264079233.86	55.93	55.82
15.4	AMAMCR03	PHYS ASS T AMB VSTS- MEDICARE AMT 03	Sum of OBMR03X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFMR03X + OPDMR03X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	102	104	215897376.32	215919877.00	202.57	198.74

### FROM THE FY 03 PERSON-LEVEL FILE (HC-079) AND THE FY 03 EVENT FILES (HC-077A THROUGH HC-077H) WEIGHT = PERWT03F

(C) (I) (A) (B) (D) (E) (F) (G) (H) **VARIABLE TECHNICAL** UN-UN-WEIGHTED **VARIABLE LABEL ON WEIGHTED SUM WEIGHTED SUM** WEIGHTED NAME ON PERSON LEVEL FILE **SPECIFICATION** WEIGHTED WEIGHTED OF VARIABLE OF VARIABLE **MEAN OF MEAN OF** # PERS PERSON-FOR # PERS FROM PERSON-FROM EVENT-VARIABLE VARIABLE **LEVEL FILE** WITH **LEVEL FILE FOR CONSTRUCTION OF** WITH **LEVEL FILE FOR** FROM FROM PERSON-LEVEL **VARIABLE VARIABLE PERS WITH PERS WITH** PERSON-**EVENT-LEVEL FILE VARIABLE FROM** > 0 & > 0 & WITH VARIABLE > 0 VARIABLE > 0 LEVEL FILE **EVENT-LEVEL FILE FOR PERS FOR PERS** WEIGHT > 0 WEIGHT > FROM 0 FROM WITH WITH PERSON-**EVENT-**VARIABLE > **VARIABLE LEVEL FILE** LEVEL > 0 FILE 15.5 AMAMCD03 PHYS ASS TAMB VSTS-Sum of OBMD03X MEDICAID AMT 03 from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8)or -9) and MEDPTYPE = 7] plus sum of (OPFMD03X OPDMD03X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7186 86 102531068.89 102511745.90 199.73 199.69 AMAPRV03 Sum of OBPV03X 15.6 PHYS ASS TAMB VSTS-PRIVATE INS AMT 03 from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8)or -9) and MEDPTYPE = 7] plus sum of (OPFPV03X OPDPV03X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 71381 381 651372646.68 651233514.58 140.24 140.21

FROM THE FY 03 PERSON-LEVEL FILE (HC-079) AND THE FY 03 EVENT FILES (HC-077A THROUGH HC-077H)

WEIGHT = PERWT03F

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
15.7	AMAVA03	PHYS ASS T AMB VSTS- VA AMT 03	Sum of OBVA03X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFVA03X + OPDVA03X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	18	18	70989163.60	70997856.46	345.62	345.66
15.8	AMATRI03	PHYS ASS T AMB VSTS- TRICARE AMT 03	Sum of OBTR03X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFTR03X + OPDTR03X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	16	16	9657411.94	9624177.64	59.00	58.80

WEIGHT = PERWT03F

(C) (I) (A) (B) (D) (E) (F) (G) (H) **VARIABLE VARIABLE LABEL ON TECHNICAL** UN-UN-WEIGHTED **WEIGHTED SUM WEIGHTED SUM** WEIGHTED NAME ON PERSON LEVEL FILE **SPECIFICATION** WEIGHTED WEIGHTED **OF VARIABLE OF VARIABLE MEAN OF MEAN OF** # PERS PERSON-FOR # PERS FROM PERSON-FROM EVENT-**VARIABLE VARIABLE LEVEL FILE** WITH **LEVEL FILE FOR CONSTRUCTION OF** WITH **LEVEL FILE FOR** FROM FROM PERSON-LEVEL **VARIABLE VARIABLE** PERS WITH **PERS WITH** PERSON-**EVENT-LEVEL FILE LEVEL FILE VARIABLE FROM** > 0 & > 0 & WITH VARIABLE > 0 VARIABLE > 0 **EVENT-LEVEL FILE FOR PERS FOR PERS** WEIGHT > 0 WEIGHT > FROM 0 FROM WITH WITH PERSON-**EVENT-**VARIABLE > **VARIABLE LEVEL FILE** LEVEL > 0 FILE 15.9 AMAOFD03 PHYS ASS T AMB VSTS Sum of OBOF03X -OTHER FED AMT 03 from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8)or -9) and MEDPTYPE = 7] plus sum of (OPFOF03X OPDOF03X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 71 3 3 17015226.23 17009142.02 336.82 336.70 AMASTL03 Sum of OBSL03X from 15.10 PHYS ASS T AMB VSTS-OTH ST/LOCL AMT 03 MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7 plus sum of (OPFSL03X + OPDSL03X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and

Page 85 MEPS HC-077I

7

7

2305206.13

2305243.96

56.78

56.78

MEDPTYPE = 7]

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
15.11	AMAWCP03	PHYS ASS T AMB VSTS- WRKERS COMP AMT 03	Sum of OBWC03X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFWC03X + OPDWC03X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	Ø	9	21047960.52	21060354.30	249.23	249.38
15.12	AMAOPR03	PHYS ASS T AMB VSTS - OTH PRIVATE AMT 03	Sum of OBOR03X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFOR03X + OPDOR03X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	29	29	29509343.37	29525601.39	103.30	103.36

### TABLE H77IT2

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
15.13	AMAOPU03	PHYS ASS T AMB VSTS - OTH PUBLIC AMT 03	Sum of OBOU03X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFOU03X + OPDOU03X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	0	0			0.00	0.00
15.14	AMAOSR03	P A AMB VSTS- OTH UNCLASS SRCE AMT 03	Sum of OBOT03X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFOT03X + OPDOT03X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	15	15	10194233.81	10194590.87	108.01	108.02

### FROM THE FY 03 PERSON-LEVEL FILE (HC-079) AND THE FY 03 EVENT FILES (HC-077A THROUGH HC-077H) WEIGHT = PERWT03F

(C) (I) (A) (B) (D) (E) (F) (G) (H) **VARIABLE VARIABLE LABEL ON TECHNICAL** UN-UN-WEIGHTED **WEIGHTED SUM WEIGHTED SUM** WEIGHTED NAME ON PERSON LEVEL FILE **SPECIFICATION** WEIGHTED WEIGHTED **OF VARIABLE** OF VARIABLE **MEAN OF MEAN OF** # PERS PERSON-FOR # PERS FROM PERSON-FROM EVENT-**VARIABLE VARIABLE LEVEL FILE CONSTRUCTION OF** WITH **LEVEL FILE FOR** FROM FROM WITH **LEVEL FILE FOR** PERSON-LEVEL **VARIABLE VARIABLE PERS WITH PERS WITH** PERSON-**EVENT-**VARIABLE > 0 **LEVEL FILE LEVEL FILE VARIABLE FROM** > 0 & > 0 & WITH VARIABLE > 0 **EVENT-LEVEL FILE** WEIGHT > 0 WEIGHT > **FOR PERS FOR PERS** FROM 0 FROM WITH WITH PERSON-**EVENT-**VARIABLE > **VARIABLE LEVEL FILE** LEVEL > 0 FILE 16.0 AMTHER03 # AMB PT/OT THRPY Count of MVIS records VISITS (OB+OP) 03 with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8)or -9) and MEDPTYPE = (8 or 9)] plus count of OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and 875 113253994.00 MEDPTYPE = (8 or 9)875 113253994.00 11.74 11.74 16.1 AMTTCH03 PT/OC AMBULATORY Sum of OBTC03X **VISIT CHARGES 03** from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8)or -9) and MEDPTYPE = (8 or 9)] plus sum of OPTC03X from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=(8 or 9)] 874 874 19907426952.89 19907325917.55 2064.76 2064.75

### FROM THE FY 03 PERSON-LEVEL FILE (HC-079) AND THE FY 03 EVENT FILES (HC-077A THROUGH HC-077H) WEIGHT = PERWT03F

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
16.2	AMTEXP03	TOTL AMBULTRY (OB+OP) PT/OT EXP 03	Sum of OBXP03X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of OPXP03X from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=(8 or 9)]	843	843	11856352644.45	11856272770.24	1269.03	1269.02
16.3	AMTSLF03	PT/OT AMB VISITS- SELF/FAMILY AMT 03	Sum of OBSF03X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFSF03X + OPDSF03X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	411	411	1375391196.10	1375368788.39	282.77	282.77

FROM THE FY 03 PERSON-LEVEL FILE (HC-079) AND THE FY 03 EVENT FILES (HC-077A THROUGH HC-077H)

WEIGHT = PERWT03F

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
16.4	AMTMCR03	PT/OT AMB VISITS- MEDICARE AMT 03	Sum of OBMR03X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFMR03X + OPDMR03X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	204	204	1961629115.06	1961621791.56	832.75	832.74
16.5	AMTMCD03	PT/OT AMB VISITS- MEDICAID AMT 03	Sum of OBMD03X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFMD03X + OPDMD03X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	99	99	387216227.89	387201067.50	597.79	597.76

### FROM THE FY 03 PERSON-LEVEL FILE (HC-079) AND THE FY 03 EVENT FILES (HC-077A THROUGH HC-077H) WEIGHT = PERWT03F

(C) (I) (A) (B) (D) (E) (F) (G) (H) **VARIABLE VARIABLE LABEL ON TECHNICAL** UN-UN-WEIGHTED **WEIGHTED SUM WEIGHTED SUM** WEIGHTED NAME ON PERSON LEVEL FILE **SPECIFICATION** WEIGHTED WEIGHTED OF VARIABLE OF VARIABLE **MEAN OF MEAN OF** PERSON-FOR # PERS # PERS FROM PERSON-FROM EVENT-VARIABLE VARIABLE **LEVEL FILE** WITH **LEVEL FILE FOR CONSTRUCTION OF** WITH **LEVEL FILE FOR** FROM FROM PERSON-LEVEL **VARIABLE VARIABLE PERS WITH PERS WITH** PERSON-**EVENT-LEVEL FILE VARIABLE FROM** > 0 & > 0 & WITH VARIABLE > 0 VARIABLE > 0 LEVEL FILE **EVENT-LEVEL FILE FOR PERS FOR PERS** WEIGHT > 0 WEIGHT > FROM 0 FROM WITH WITH PERSON-**EVENT-**VARIABLE > **VARIABLE LEVEL FILE** LEVEL > 0 **FILE** 16.6 AMTPRV03 PT/OT AMB VISITS-Sum of OBPV03X PRIVATE INS AMT 03 from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8)or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFPV03X OPDPV03X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)499 499 5662616980.02 5662557720.94 938.55 938.54 AMTVA03 PT/OT AMB VISITS-VA Sum of OBVA03X 16.7 AMT 03 from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8)or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFVA03X OPDVA03X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and 22 22 MEDPTYPE = (8 or 9)122021611.58 121980379.81 478.46 478.30

FROM THE FY 03 PERSON-LEVEL FILE (HC-079) AND THE FY 03 EVENT FILES (HC-077A THROUGH HC-077H)

WEIGHT = PERWT03F

(C) (I) (A) (B) (D) (E) (F) (G) (H) **VARIABLE TECHNICAL** UN-UN-WEIGHTED **VARIABLE LABEL ON WEIGHTED SUM WEIGHTED SUM** WEIGHTED NAME ON PERSON LEVEL FILE **SPECIFICATION** WEIGHTED **WEIGHTED** OF VARIABLE OF VARIABLE **MEAN OF MEAN OF** PERSON-FOR # PERS # PERS FROM PERSON-FROM EVENT-VARIABLE VARIABLE **LEVEL FILE** WITH **LEVEL FILE FOR CONSTRUCTION OF** WITH **LEVEL FILE FOR** FROM FROM PERSON-LEVEL **VARIABLE VARIABLE PERS WITH PERS WITH** PERSON-**EVENT-VARIABLE FROM** > 0 & > 0 & WITH VARIABLE > 0 VARIABLE > 0 **LEVEL FILE LEVEL FILE EVENT-LEVEL FILE FOR PERS FOR PERS** WEIGHT > 0 WEIGHT > FROM 0 FROM WITH WITH PERSON-**EVENT-**VARIABLE > **VARIABLE LEVEL FILE** LEVEL > 0 FILE 16.8 AMTTRI03 PT/OT AMB VISITS-Sum of OBTR03X TRICARE AMT 03 from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8)or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFTR03X OPDTR03X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)12 12 110036710.13 110008308.38 547.19 547.05 AMTOFD03 PT/OT AMB VISITS -Sum of OBOF03X 16.9 OTHER FED AMT 03 from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8)or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFOF03X OPDOF03X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)3 3 17026032.69 17021192.90 568.06 567.90

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
16.10	AMTSTL03	PT/OT AMB VISITS-OTH ST/LOCL AMT 03	Sum of OBSL03X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFSL03X) + OPDSL03X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	7	7	31770659.24	31771030.38	493.52	493.52
16.11	AMTWCP03	PT/OT AMB VISITS- WORKERS COMP AMT 03	Sum of OBWC03X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFWC03X + OPDWC03X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	91	91	1544434602.62	1544448478.81	1606.89	1606.91

(C) (I) (A) (B) (D) (E) (F) (G) (H) **VARIABLE TECHNICAL** UN-UN-WEIGHTED **VARIABLE LABEL ON WEIGHTED SUM WEIGHTED SUM** WEIGHTED NAME ON PERSON LEVEL FILE **SPECIFICATION** WEIGHTED WEIGHTED **OF VARIABLE** OF VARIABLE **MEAN OF MEAN OF** PERSON-FOR # PERS # PERS FROM PERSON-FROM EVENT-**VARIABLE** VARIABLE **LEVEL FILE** WITH **LEVEL FILE FOR CONSTRUCTION OF** WITH **LEVEL FILE FOR** FROM FROM PERSON-LEVEL **VARIABLE VARIABLE PERS WITH PERS WITH** PERSON-**EVENT-LEVEL FILE VARIABLE FROM** > 0 & > 0 & WITH VARIABLE > 0 VARIABLE > 0 LEVEL FILE **EVENT-LEVEL FILE FOR PERS FOR PERS** WEIGHT > 0 WEIGHT > FROM 0 FROM WITH WITH PERSON-**EVENT-**VARIABLE > **VARIABLE LEVEL FILE** LEVEL > 0 FILE 16.12 AMTOPR03 PT/OT AMB VISITS -Sum of OBOR03X OTH PRIVATE AMT 03 from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8)or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFOR03X OPDOR03X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)56 56 259011131.78 258993679.26 422.24 422.21 AMTOPU03 PT/OT AMB VISITS-OTH Sum of OBOU03X 16.13 PUBLIC AMT 03 from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8)or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFOU03X OPDOU03X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and 2 2 MEDPTYPE = (8 or 9)2131886.35 2130480.49 129.21 129.12

### FROM THE FY 03 PERSON-LEVEL FILE (HC-079) AND THE FY 03 EVENT FILES (HC-077A THROUGH HC-077H) WEIGHT = PERWT03F

# (I) (A) (B) (C) (D) (E) (F) (G) (H) **VARIABLE** UN-WEIGHTED VARIABLE LABEL ON **TECHNICAL** UN-**WEIGHTED SUM WEIGHTED SUM** WEIGHTED NAME ON PERSON LEVEL FILE **SPECIFICATION** WEIGHTED WEIGHTED OF VARIABLE OF VARIABLE **MEAN OF MEAN OF** PERSON-**FOR** # PERS # PERS FROM PERSON-FROM EVENT-VARIABLE VARIABLE **LEVEL FILE FOR LEVEL FILE** WITH **CONSTRUCTION OF** WITH **LEVEL FILE FOR** FROM FROM PERSON-LEVEL **VARIABLE VARIABLE PERS WITH PERS WITH** PERSON-**EVENT-VARIABLE FROM** > 0 & > 0 & WITH VARIABLE > 0 VARIABLE > 0 **LEVEL FILE LEVEL FILE EVENT-LEVEL FILE** FOR PERS **FOR PERS** WEIGHT > 0 WEIGHT > **FROM** 0 FROM WITH WITH PERSON-**EVENT-**VARIABLE > VARIABLE **LEVEL FILE** LEVEL > 0 **FILE** 16.14 AMTOSR03 PT/OT AMB VSTS-OTH Sum of OBOT03X **UNCLAS SRCE AMT 03** from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8)or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFOT03X OPDOT03X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)137 37 383187652.68 383169851.82 925.96 925.91 AMTOTC03 17.0 # CALLS W/OFFICE & Count of MVIS records **OUPAT DEPTS, 03** with SEETLKPV = 2plus count of OPAT records with SEETLKPV = 2 933 933 16975612.06 16975612.06 1.62 1.62 AMDRC03 # CALLS W/OFF & Count of MVIS records 18.0 OUTPAT PHYSICIANS, with SEETLKPV = 203 and SEEDOC = 1 plus count of OPAT records with SEETLKPV = 2and SEEDOC = 1 550 550 8368822.13 8368822.13 1.36 1.36 19.0 FRTOT03 # EMERGENCY ROOM Count of EROM 4786 4786 55797911.02 VISITS, 03 records 55797911.02 1.36 1.36 ER FACILITY VISIT ERFTCH03 Sum of ERFTC03X 19.1 CHARGES 03 from EROM records 4493 4493 54467716519.07 54466803464.32 1425.68 1425.65 19.2 ERFEXP03 TOTAL ER FACILITY Sum of ERFXP03X EXP 03 from EROM records 4108 4108 23693881510.90 23693140401.37 670.30 670.28

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
19.3	ERFSLF03	ER-SELF/FAMILY AMT - FAC 03	Sum of ERFSF03X from EROM records	1484	1484	2967755127.45	2967574518.77	195.03	195.02
19.4	ERFMCR03	ER-MEDICARE AMT - FAC 03	Sum of ERFMR03X from EROM records	716	716	3612123111.10	3611975868.17	550.05	550.02
19.5	ERFMCD03	ER-MEDICAID AMT - FAC 03	Sum of ERFMD03X from EROM records	1265	1265	2260396680.50	2260303154.88	316.68	316.67
19.6	ERFPRV03	ER-PRIVATE INS AMT - FAC 03	Sum of ERFPV03X from EROM records	1719	1720	11990425789.10	11990378389.68	646.89	646.56
19.7	ERFVA03	ER-VA AMT - FAC 03	Sum of ERFVA03X from EROM records	79	79	406554788.94	406590050.65	561.28	561.33
19.8	ERFTRI03	ER-TRICARE AMT - FAC 03	Sum of ERFTR03X from EROM records	42	42	165540000.51	165515648.18	394.63	394.57
19.9	ERFOFD03	ER-OTHER FEDERAL AMT - FAC 03	Sum of ERFOF03X from EROM records	16	16	65011628.49	65024216.78	516.92	517.02
19.10	ERFSTL03	ER-OTH ST/LOCAL AMT - FAC 03	Sum of ERFSL03X from EROM records	20	20	72242693.07	72237086.90	618.61	618.57
19.11	ERFWCP03	ER-WORKERS COMP AMT - FAC 03	Sum of ERFWC03X from EROM records	143	143	625689439.02	625606456.54	491.14	491.08
19.12	ERFOPR03	ER-OTHER PRIVATE AMT - FAC 03	Sum of ERFOR03X from EROM records	199	199	921036418.35	921055490.02	576.06	576.07
19.13	ERFOPU03	ER-OTHER PUBLIC AMT - FAC 03	Sum of ERFOU03X from EROM records	52	52	118725762.50	118717701.08	496.90	496.86
19.14	ERFOSR03	ER-OTH UNCLASS SRCE AMT - FAC 03	Sum of ERFOT03X from EROM records	110	110	488212223.43	488161819.73	549.91	549.86
19.15	ERDEXP03	TOTAL EMERGENCY ROOM DR EXP 03	Sum of ERDXP03X from EROM records	3186	3186	5592347679.69	5591601427.05	197.70	197.67
19.16	ERDTCH03	ER DOCTOR VISIT CHARGES 03	Sum of ERDTC03X from EROM records	3480	3480	12637120578.12	12636550125.26	412.59	412.57

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
19.17	ERDSLF03	ER-SELF/FAMILY AMT - DR 03	Sum of ERDSF03X from EROM records	698	698	613674008.09	613542789.83	93.66	93.64
19.18	ERDMCR03	ER-MEDICARE AMT - DR 03	Sum of ERDMR03X from EROM records	673	673	923710246.98	923615302.69	142.69	142.68
19.19	ERDMCD03	ER-MEDICAID AMT - DR 03	Sum of ERDMD03X from EROM records	901	901	472273059.38	472273191.44	89.60	89.60
19.20	ERDPRV03	ER-PRIVATE INS AMT - DR 03	Sum of ERDPV03X from EROM records	1460	1460	3080929091.02	3080573494.45	190.78	190.76
19.21	ERDVA03	ER-VA AMT - DR 03	Sum of ERDVA03X from EROM records	15	17	9302812.26	9313761.57	61.35	57.41
19.22	ERDTRI03	ER-TRICARE AMT - DR 03	Sum of ERDTR03X from EROM records	39	39	27546668.59	27532767.21	67.63	67.60
19.23	ERDOFD03	ER-OTHER FED AMT - DR 03	Sum of ERDOF03X from EROM records	1	1	5970.49	6716.80	2.00	2.25
19.24	ERDSTL03	ER-OTH ST/LOCAL AMT - DR 03	Sum of ERDSL03X from EROM records	15	15	6434628.45	6432202.90	64.93	64.91
19.25	ERDWCP03	ER-WORKERS COMP AMT - DR 03	Sum of ERDWC03X from EROM records	78	78	134850041.85	134811850.41	185.00	184.95
19.26	ERDOPR03	ER - OTHER PRIVATE AMT - DR 03	Sum of ERDOR03X from EROM records	227	227	222688445.15	222647059.50	120.29	120.27
19.27	ERDOPU03	ER - OTHER PUBLIC AMT - DR 03	Sum of ERDOU03X from EROM records	58	58	20554181.26	20530048.15	61.18	61.11
19.28	ERDOSR03	ER-OTH UNCLASS SRCE AMT - DR 03	Sum of ERDOT03X from EROM records	40	40	80318752.29	80322242.10	227.93	227.94
20.0	IPZERO03	# ZERO-NIGHT HOSPITAL STAYS 03	Count of STAZ records with NUMNIGHX = 0	82	82	817229.33	817229.33	1.12	1.12

#### TABLE H77IT2

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
20.1	ZIFTCH03	ZERO-NITE IP STAY CHARGES - FAC 03	Sum of IPFTC03X from STAZ records with NUMNIGHX = 0	82	82	5444576988.44	5444537896.69	7471.24	7471.19
20.2	ZIFEXP03	TOTAL ZERO-NITE STAYS FAC EXP 03	Sum of IPFXP03X from STAZ records with NUMNIGHX=0	77	77	2536122122.25	2536124172.87	3554.09	3554.10
20.3	ZIFSLF03	ZERO-NITE IP STAZ - SELF/FAM AMT-FAC 03	Sum of IPFSF03X from STAZ records with NUMNIGHX = 0	17	17	69377561.22	69373454.16	521.24	521.21
20.4	ZIFMCR03	ZERO-NITE IP STAZ- MEDICARE AMT-FAC 03	Sum of IPFMR03X from STAZ records with NUMNIGHX = 0	18	18	505082145.69	505072877.48	2670.73	2670.68
20.5	ZIFMCD03	ZERO-NITE IP STAZ- MEDICAID AMT-FAC 03	Sum of IPFMD03X from STAZ records with NUMNIGHX = 0	12	12	89828668.30	89830775.75	1352.40	1352.43
20.6	ZIFPRV03	ZERO-NITE IP STAZ- PRIV INS AMT-FAC 03	Sum of IPFPV03X from STAZ records with NUMNIGHX = 0	45	45	1340694224.56	1340682638.26	2750.11	2750.09
20.7	ZIFVA03	ZERO-NITE IP STAZ-VA AMT-FAC 03	Sum of IPFVA03X from STAZ records with NUMNIGHX = 0	3	3	115906649.23	115904660.06	4161.29	4161.21
20.8	ZIFTRI03	ZERO-NITE IP STAZ- TRICARE AMT-FAC 03	Sum of IPFTR03X from STAZ records with NUMNIGHX = 0	1	1	59450619.13	59451247.97	4727.00	4727.05
20.9	ZIFOFD03	ZERO-NITE IP STAZ- OTHER FED AMT-FAC 03	Sum of IPFOF03X from STAZ records with NUMNIGHX = 0	0	0			0.00	0.00
20.10	ZIFSTL03	ZERO-NITE IP STAZ- OTH ST/LOC AMT-FAC 03	Sum of IPFSL03X from STAZ records with NUMNIGHX = 0	1	1	59996583.78	60002478.10	4784.00	4784.47

#### TABLE H77IT2

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
20.11	ZIFWCP03	ZERO-NITE IP STAZ- WRKERS COMP AMT- FAC 03	Sum of IPFWC03X from STAZ records with NUMNIGHX = 0	0	0			0.00	0.00
20.12	ZIFOPR03	ZERO-NITE IP STAZ- OTH PRIVATE AMT-FAC 03	Sum of IPFOR03X from STAZ records with NUMNIGHX = 0	4	4	159736113.76	159725217.73	5118.24	5117.89
20.13	ZIFOPU03	ZERO-NITE IP STAZ- OTH PUBLIC AMT-FAC 03	Sum of IPFOU03X from STAZ records with NUMNIGHX = 0	1	1	13988769.26	13988724.71	3140.00	3139.99
20.14	ZIFOSR03	ZERO-NITE IP STAZ- UNCLAS SRCE AMT- FAC 03	Sum of IPFOT03X from STAZ records with NUMNIGHX = 0	2	2	122089862.93	122092098.65	14058.33	14058.59
20.15	ZIDEXP03	TOTAL ZERO-NITE STAZ DR 03	Sum of IPDXP03X from STAZ records with NUMNIGHX = 0	65	65	601946795.74	601943442.51	953.72	953.72
20.16	ZIDTCH03	ZERO-NITE IP STAY CHARGES - DR 03	Sum of IPDTC03X from STAZ records with NUMNIGHX=0	68	68	1677938273.42	1677922622.87	2616.74	2616.71
20.17	ZIDSLF03	ZERO-NITE IP STAZ- SELF/FAM AMT-DR 03	Sum of IPDSF03X from STAZ records with NUMNIGHX = 0	11	11	20348103.34	20335944.39	215.10	214.97
20.18	ZIDMCR03	ZERO-NITE IP STAZ- MEDICARE AMT-DR 03	Sum of IPDMR03X from STAZ records with NUMNIGHX = 0	18	18	103287501.94	103298725.28	547.71	547.77
20.19	ZIDMCD03	ZERO-NITE IP STAZ- MEDICAID AMT-DR 03	Sum of IPDMD03X from STAZ records with NUMNIGHX = 0	9	9	92555936.48	92566506.68	1534.19	1534.36
20.20	ZIDPRV03	ZERO-NITE IP STAZ- PRIV INS AMT-DR 03	Sum of IPDPV03X from STAZ records with NUMNIGHX = 0	44	44	336044748.55	336030120.60	716.16	716.13

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
20.21	ZIDVA03	ZERO-NITE IP STAZ-VA AMT-DR 03	Sum of IPDVA03X from STAZ records with NUMNIGHX = 0	0	0			0.00	0.00
20.22	ZIDTRI03	ZERO-NITE IP STAZ- TRICARE AMT-DR 03	Sum of IPDTR03X from STAZ records with NUMNIGHX = 0	1	1	855223.63	859499.75	68.00	68.34
20.23	ZIDOFD03	ZERO-NITE IP STAZ- OTHER FED AMT-DR 03	Sum of IPDOF03X from STAZ records with NUMNIGHX = 0	0	0			0.00	0.00
20.24	ZIDSTL03	ZERO-NITE IP STAZ- OTH ST/LOC AMT-DR 03	Sum of IPDSL03X from STAZ records with NUMNIGHX = 0	1	1	10848044.52	10845536.30	865.00	864.80
20.25	ZIDWCP03	ZERO-NITE IP STAZ- WRKERS COMP AMT- DR 03	Sum of IPDWC03X from STAZ records with NUMNIGHX = 0	0	0			0.00	0.00
20.26	ZIDOPR03	ZERO-NITE IP STAZ- OTH PRIVATE AMT-DR 03	Sum of IPDOR03X from STAZ records with NUMNIGHX = 0	4	4	5330677.58	5337927.62	131.68	131.86
20.27	ZIDOPU03	ZERO-NITE IP STAZ- OTH PUBLIC AMT-DR 03	Sum of IPDOU03X from STAZ records with NUMNIGHX = 0	4	4	32111369.27	32109927.27	1103.67	1103.62
20.28	ZIDOSR03	ZERO-NITE IP STAZ- UNCLAS SRCE AMT-DR 03	Sum of IPDOT03X from STAZ records with NUMNIGHX = 0	1	1	561930.47	559254.61	105.00	104.50
21.0	IPDIS03	# HOSPITAL DISCHARGES, 03	Count of STAZ records	2472	2472	29271550.14	29271550.14	1.34	1.34
21.1	IPFTCH03	IP HOSP STAY CHARGES - FAC 03	Sum of IPFTC03X from STAZ records	2472	2472	592767978448.81	592767456594.44	27096.74	27096.71

### FROM THE FY 03 PERSON-LEVEL FILE (HC-079) AND THE FY 03 EVENT FILES (HC-077A THROUGH HC-077H) WEIGHT = PERWT03F

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
21.2	IPFEXP03	TOT HOSP IP FACILITY EXP-INC 0 NITES 03	Sum of IPFXP03X from STAZ records	2388	2388	266479150741.50	266479025105.93	12572.27	12572.26
21.3	IPFSLF03	IP HOSP STAZ- SELF/FAMILY AMT-FAC 03	Sum of IPFSF03X from STAZ records	644	644	4938349071.60	4938264259.78	746.36	746.35
21.4	IPFMCR03	IP HOSP STAZ- MEDICARE AMT-FAC 03	Sum of IPFMR03X from STAZ records	802	802	94480555020.20	94480622558.97	12530.90	12530.91
21.5	IPFMCD03	IP HOSP STAZ- MEDICAID AMT-FAC 03	Sum of IPFMD03X from STAZ records	705	705	20284700184.29	20284651641.25	5008.60	5008.59
21.6	IPFPRV03	IP HOSP STAZ-PRIV INS AMT-FAC 03	Sum of IPFPV03X from STAZ records	1101	1101	114100887173.71	114100813204.98	9429.20	9429.19
21.7	IPFVA03	IP HOSP STAZ-VA AMT- FAC 03	Sum of IPFVA03X from STAZ records	49	49	8892204997.65	8892212350.75	22302.50	22302.52
21.8	IPFTRI03	IP HOSP STAZ- TROCARE AMT-FAC 03	Sum of IPFTR03X from STAZ records	29	29	1054935437.93	1054955017.76	3389.88	3389.94
21.9	IPFOFD03	IP HOSP STAZ-OTHER FED AMT-FAC 03	Sum of IPFOF03X from STAZ records	2	2	66137419.12	66137787.92	7717.72	7717.76
21.10	IPFSTL03	IP HOSP STAZ-OTH ST/LOCAL AMT-FAC 03	Sum of IPFSL03X from STAZ records	8	8	289461807.69	289474033.43	4547.46	4547.65
21.11	IPFWCP03	IP HOSP STAZ- WORKERS COMP AMT- FAC 03	Sum of IPFWC03X from STAZ records	15	15	15515077972.29	15515087451.55	84375.58	84375.63
21.12	IPFOPR03	IP HOSP STAZ - OTH PRIVATE AMT-FAC 03	Sum of IPFOR03X from STAZ records	158	158	5007044234.94	5007014348.03	3311.91	3311.89
21.13	IPFOPU03	IP HOSP STAZ - OTH PUBLIC AMT-FAC 03	Sum of IPFOU03X from STAZ records	54	54	947848433.98	947839726.02	3426.60	3426.57
21.14	IPFOSR03	IP HOSP STAZ-OT UNCLASS SRCE AMT- FAC 03	Sum of IPFOT03X from STAZ records	27	27	901939066.86	901952725.49	3136.68	3136.73

TABLE H77IT2 Page 101 MEPS HC-077I

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
21.15	IPDEXP03	TOTL HOSP STAZ DR EXP 03	Sum of IPDXP03X from STAZ records	2175	2175	38582759956.86	38582570859.77	1976.25	1976.24
21.16	IPDTCH03	IP HOSP STAY CHARGES - DR 03	Sum of IPDTC03X from STAZ records	2226	2226	93012467205.16	93012115702.08	4663.71	4663.69
21.17	IPDSLF03	IP HOSP STAZ- SELF/FAMILY AMT-DR 03	Sum of IPDSF03X from STAZ records	531	531	1421564710.90	1421464937.99	264.71	264.69
21.18	IPDMCR03	IP HOSP STAZ- MEDICARE AMT- DR 03	Sum of IPDMR03X from STAZ records	814	814	10279208385.83	10279223203.74	1317.31	1317.31
21.19	IPDMCD03	IP HOSP STAZ- MEDICAID AMT-DR 03	Sum of IPDMD03X from STAZ records	677	678	3500629420.95	3500582352.35	844.49	843.72
21.20	IPDPRV03	IP HOSP STAZ-PRIV INS AMT- DR 03	Sum of IPDPV03X from STAZ records	1083	1083	20862682660.82	20862533681.27	1741.36	1741.35
21.21	IPDVA03	IP HOSP STAZ-VA AMT- DR 03	Sum of IPDVA03X from STAZ records	28	28	249785066.23	249798787.34	871.75	871.80
21.22	IPDTRI03	IP HOSP STAZ-TRICARE AMT-DR 03	Sum of IPDTR03X from STAZ records	34	34	229179350.54	229180103.03	563.08	563.08
21.23	IPDOFD03	IP HOSP STAZ-OTHER FED AMT-DR 03	Sum of IPDOF03X from STAZ records	3	3	5948421.11	5936714.76	227.06	226.62
21.24	IPDSTL03	IP HOSP STAZ-OTH ST/LOCAL AMT-DR 03	Sum of IPDSL03X from STAZ records	17	17	35451434.21	35442276.29	374.77	374.67
21.25	IPDWCP03	IP HOSP STAZ- WORKERS COMP AMT- DR 03	Sum of IPDWC03X from STAZ records	15	15	953522075.82	953515219.26	5455.71	5455.67
21.26	IPDOPR03	IP HOSP STAZ - OTH PRIVATE AMT-DR 03	Sum of IPDOR03X from STAZ records	220	220	822034442.86	821962254.02	429.76	429.72
21.27	IPDOPU03	IP HOSP STAZ - OTH PUBLIC AMT-DR 03	Sum of IPDOU03X from STAZ records	72	72	210103696.07	210074036.91	536.01	535.93

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
21.28	IPDOSR03	IP HOSP STAZ-OT UNCLASS SORCE AMT- DR 03	Sum of IPDOT03X from STAZ records	5	5	12862789.57	12857292.80	218.61	218.51
21.29	IPNGTD03	# NIGHTS IN HOSP FOR DISCHARGES, 03	Sum of NUMNIGHX from STAZ records. NOTE: If person has at least one STAZ record with NUMNIGHX = -9, then NUMNIGHX not counted from ANY STAZ records for that person.	2422	2422	161784716.02	161784716.02	7.52	7.52
22.0	DVTOT03	# DENTAL CARE VISITS 03	Count of DVIS records	12284	12284	313792689.11	313792689.11	2.45	2.45
22.1	DVTTCH03	TOTAL DENTAL CARE VISIT CHARGES 03	Sum of DVTC03X from DVIS records	12196	12196	76412036903.60	76412149340.75	601.49	601.50
22.2	DVTEXP03	TOTAL DENTAL CARE EXP 03	Sum of DVXP03X from DVIS records	11884	11884	66973793643.24	66973597106.36	539.68	539.68
22.3	DVTSLF03	ALL DENTAL CARE - SELF/FAMILY AMT 03	Sum of DVSF03X from DVIS records	7732	7732	32249572194.75	32249424567.17	368.64	368.64
22.4	DVTMCR03	ALL DENTAL CARE - MEDICARE AMT 03	Sum of DVMR03X from DVIS records	80	80	188325363.49	188301761.58	234.27	234.24
22.5	DVTMCD03	ALL DENTAL CARE - MEDICAID AMT 03	Sum of DVMD03X from DVIS records	2014	2014	2570005708.72	2569778765.93	238.95	238.93
22.6	DVTPRV03	ALL DENTAL CARE - PRIVATE INS AMT 03	Sum of DVPV03X from DVIS records	6272	6272	28779497668.51	28779252418.49	384.60	384.59
22.7	DVTVA03	ALL DENTAL CARE-VA AMT 03	Sum of DVVA03X from DVIS records	95	95	268446527.49	268362121.91	280.49	280.41

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
22.8	DVTTRI03	ALL DENTAL CARE- TRICARE AMT 03	Sum of DVTR03X from DVIS records	69	69	118589514.73	118553662.94	165.74	165.69
22.9	DVTOFD03	ALL DENTAL CARE - OTHER FEDRL AMT 03	Sum of DVOF03X from DVIS records	28	28	90748291.64	90713418.04	307.51	307.39
22.10	DVTSTL03	ALL DENTAL CARE-OTH ST/LOCAL AMT 03	Sum of DVSL03X from DVIS records	82	82	263369136.89	263347937.47	433.39	433.35
22.11	DVTWCP03	ALL DENTAL CARE- WORKERS COMP AMT 03	Sum of DVWC03X from DVIS records	6	6	13519768.56	13519200.20	487.25	487.23
22.12	DVTOPR03	ALL DENTAL CARE - OTH PRIVATE AMT 03	Sum of DVOR03X from DVIS records	198	198	657611070.18	657592259.03	322.07	322.06
22.13	DVTOPU03	ALL DENTAL CARE - OTH PUBLIC AMT 03	Sum of DVOU03X from DVIS records	24	24	25424226.83	25432234.91	175.30	175.36
22.14	DVTOSR03	ALL DENT CARE-OT UNCLASS SRCE AMT 03	Sum of DVOT03X from DVIS records	405	405	1749397632.47	1749318758.70	388.04	388.03
23.0	DVGEN03	# GENERAL DENTIST VISITS 03	Count of DVIS records with GENDENT = 1 and ORTHODNT NE 1	11454	11454	243443248.44	243443248.44	2.04	2.04
23.1	DVGTCH03	GENERAL DENTAL CARE VISIT CHARGES 03	Sum of DVTC03X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	11410	11410	53998943992.88	53998998505.86	453.25	453.25
23.2	DVGEXP03	TOTAL GENERAL DENTIST EXP 03	Sum of DVXP03X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	11114	11114	48556300891.35	48556170387.51	417.43	417.43

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(1)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
23.3	DVGSLF03	GNRL DENTAL VISITS - SELF/FAM AMT 03	Sum of DVSF03X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	7033	7033	22378298684.21	22378165750.98	280.60	280.60
23.4	DVGMCR03	GNRL DENTAL VISITS - MEDICARE AMT 03	Sum of DVMR03X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	71	71	174401530.58	174391372.79	241.01	240.99
23.5	DVGMCD03	GNRL DENTAL VISITS - MEDICAID AMT 03	Sum of DVMD03X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	1884	1884	2105686862.57	2105532289.67	211.04	211.03
23.6	DVGPRV03	GNRL DENTAL VISITS - PRIVATE INS AMT 03	Sum of DVPV03X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	5854	5854	21295945064.57	21295728306.94	304.26	304.26
23.7	DVGVA03	GNRL DENTAL VISITS - VA AMT 03	Sum of DVVA03X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	88	88	256498314.22	256413908.64	297.16	297.07
23.8	DVGTRI03	GNRL DENTAL VISITS- TRICARE AMT 03	Sum of DVTR03X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	67	67	113350762.14	113314910.35	165.29	165.23
23.9	DVGOFD03	GNRL DENTAL VISITS- OTHER FED AMT 03	Sum of DVOF03X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	25	25	88286281.13	88251407.53	325.67	325.55

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
23.10	DVGSTL03	GNRL DENTAL VISITS - OTH ST/LOCAL AMT 03	Sum of DVSL03X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	75	75	226347276.50	226329030.65	396.38	396.34
23.11	DVGWCP03	GNRL DENTAL VISITS - WORKERS COMP AMT 03	Sum of DVWC03X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	5	5	6611539.48	6610971.12	285.70	285.68
23.12	DVGOPR03	GNRL DENTAL VISITS - OTH PRIVATE AMT 03	Sum of DVOR03X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	184	184	480497414.90	480478603.76	253.81	253.80
23.13	DVGOPU03	GNRL DENTAL VISITS - OTH PUBLIC AMT 03	Sum of DVOR03X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	22	22	24810304.41	24822215.73	186.76	186.85
23.14	DVGOSR03	GNRL DENT VSTS - OT UNCLASS SRCE AMT 03	Sum of DVOT03X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	369	369	1406208961.73	1406131619.36	341.31	341.30
24.0	DVORTH03	# ORTHODONTIST VISITS 03	Count of DVIS records with ORTHODNT = 1	892	892	37446151.49	37446151.49	3.85	3.85
24.1	DVOTCH03	ORTHODONTIST VISIT CHARGES 03	Sum of DVTC03X from DVIS records with ORTHODNT = 1	691	691	13420836092.39	13420863636.78	1842.76	1842.76
24.2	DVOEXP03	TOTAL ORTHODONTIST EXP 03	Sum of DVXP03X from DVIS records with ORTHODNT = 1	613	613	10386337151.43	10386312701.67	1645.60	1645.60

#### TABLE H77IT2

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
24.3	DVOSLF03	ORTHODONTIST VISITS -SELF/FAMILY AMT 03	Sum of DVSF03X from DVIS records with ORTHODNT = 1	462	462	5578369021.85	5578366229.17	1108.38	1108.38
24.4	DVOMCR03	ORTHODONTIST VISITS -MEDICARE AMT 03	Sum of DVMR03X from DVIS records with ORTHODNT = 1	0	0			0.00	0.00
24.5	DVOMCD03	ORTHODONTIST VISITS -MEDICAID AMT 03	Sum of DVMD03X from DVIS records with ORTHODNT = 1	76	76	256826214.82	256812775.42	591.45	591.42
24.6	DVOPRV03	ORTHODONTIST VISITS -PRIVATE INS AMT 03	Sum of DVPV03X from DVIS records with ORTHODNT = 1	297	297	4380692027.68	4380667774.82	1313.78	1313.78
24.7	DVOVA03	ORTHODONTIST VISITS-VA AMT 03	Sum of DVVA03X from DVIS records with ORTHODNT = 1	1	1	989647.12	989647.12	51.00	51.00
24.8	DVOTRI03	ORTHODONTIST VISITS-TRICARE AMT 03	Sum of DVTR03X from DVIS records with ORTHODNT = 1	0	0			0.00	0.00
24.9	DVOOFD03	ORTHODONTIST VISITS-OTHR FED AMT 03	Sum of DVOF03X from DVIS records with ORTHODNT = 1	1	1	1028005.46	1028005.46	175.00	175.00
24.10	DVOSTL03	ORTHODONTIST VISITS-OTHR ST/LOCAL AMT 03	Sum of DVSL03X from DVIS records with ORTHODNT = 1	1	1	19207182.48	19204228.90	2146.00	2145.67
24.11	DVOWCP03	ORTHODONTIST VISITS-WORKERS COMP AMT 03	Sum of DVWC03X from DVIS records with ORTHODNT = 1	1	1	6908229.09	6908229.09	1500.00	1500.00
24.12	DVOOPR03	ORTHODONTIST VISITS-OTHR PRIVATE AMT 03	Sum of DVOR03X from DVIS records with ORTHODNT = 1	10	10	84936176.37	84936176.37	977.28	977.28

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
24.13	DVOOPU03	ORTHODONTIST VISITS-OTHR PUBLIC AMT 03	Sum of DVOU03X from DVIS records with ORTHODNT = 1	1	1	244793.53	243804.46	99.00	98.60
24.14	DVOOSR03	ORTHODONT VSTS - OT UNCLASS SRCE AMT 03	Sum of DVOT03X from DVIS records with ORTHODNT = 1	9	9	57155830.86	57155830.86	427.99	427.99
25.1	HHTOTD03	# HOME HEALTH PROVIDER DAYS, 03	Sum of HHDAYS from HVIS records. NOTE: If person has at least one HVIS record with HHDAYS = -9, then HHDAYS not counted from ANY HVIS records for that person.	751	751	470085513.30	470085513.30	71.01	71.01
26.1	HHAGD03	# AGENCY HOME HEALTH PROVIDER DAYS, 03	Sum of HHDAYS from HVIS records with MPCELIG = 1. NOTE: If person has at least one HVIS record with (MPCELIG = 1 AND HHDAYS = -9) then HHDAYS not counted from ANY HVIS records for that person.	590	590	294187390.43	294187390.43	57.60	57.60
26.2	HHATCH03	HOME HEALTH AGENCY VISIT CHARGES 03	Sum of HHTC03X from HVIS records with MPCELIG = 1.	620	620	29117726313.89	29117623125.39	5444.34	5444.32

#### TABLE H77IT2

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
26.3	HHAEXP03	TOTAL HOME HEALTH AGENCY EXP 03	Sum of HHXP03X from HVIS records with MPCELIG = 1.	611	611	26613304595.08	26613192886.29	5063.32	5063.30
26.4	HHASLF03	HOME HLTH AGENCY - SELF/FAMILY AMT 03	Sum of HHSF03X from HVIS records with MPCELIG = 1.	97	97	4549974916.74	4549961995.50	4243.78	4243.77
26.5	HHAMCR03	HOME HLTH AGENCY - MEDICARE AMT 03	Sum of HHMR03X from HVIS records with MPCELIG = 1.	276	276	9731391961.12	9731455882.34	3752.40	3752.43
26.6	HHAMCD03	HOME HLTH AGENCY - MEDICAID AMT 03	Sum of HHMD03X from HVIS records with MPCELIG = 1.	241	241	9092278041.61	9092241901.74	6633.26	6633.23
26.7	HHAPRV03	HOME HLTH AGENCY - PRIVATE INS AMT 03	Sum of HHPV03X from HVIS records with MPCELIG = 1.	79	79	1240352216.21	1240362230.48	1240.34	1240.35
26.8	HHAVA03	HOME HLTH AGENCY- VA AMT 03	Sum of HHVA03X from HVIS records with MPCELIG = 1.	7	7	63713511.84	63715178.02	1036.62	1036.65
26.9	HHATRI03	HOME HLTH AGENCY- TRICARE AMT 03	Sum of HHTR03X from HVIS records with MPCELIG = 1.	0	0			0.00	0.00
26.10	HHAOFD03	HOME HLTH AGENCY- OTHER FED AMT 03	Sum of HHOF03X from HVIS records with MPCELIG = 1.	9	9	40468324.13	40478966.82	456.71	456.83
26.11	HHASTL03	HOME HLTH AGENCY- OTHR ST/LOCAL AMT 03	Sum of HHSL03X from HVIS records with MPCELIG = 1.	141	141	1638446763.66	1638412105.69	1472.35	1472.32
26.12	HHAWCP03	HOME HLTH AGENCY- WORKERS COMP AMT 03	Sum of HHWC03X from HVIS records with MPCELIG = 1.	1	1	23210254.93	23210254.93	1550.00	1550.00

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
26.13	HHAOPR03	HOME HLTH AGENCY - OTH PRIVATE AMT 03	Sum of HHOR03X from HVIS records with MPCELIG = 1.	11	11	170568795.00	170550348.62	1162.97	1162.84
26.14	HHAOPU03	HOME HLTH AGENCY - OTH PUBLIC AMT 03	Sum of HHOU03X from HVIS records with MPCELIG = 1.	2	2	12427191.07	12423623.22	862.59	862.34
26.15	HHAOSR03	H HLTH AGENCY - OT UNCLASS SRCE AMT 03	Sum of HHOT03X from HVIS records with MPCELIG = 1.	11	11	50390472.02	50380398.92	774.13	773.97
27.1	HHINDD03	# NON-AGENCY HOME HEALTH PROVIDR DAYS 03	Sum of HHDAYS from HVIS records with MPCELIG = 2. NOTE: If person has at least one HVIS record with (MPCELIG = 2 AND HHDAYS = -9), then HHDAYS not counted from ANY HVIS records for that person.	79	79	55903110.69	55903110.69	65.38	65.38
27.2	HHNTCH03	HOME HEALTH NON- AGENCY VISIT CHARGES 03	Sum of HHTC03X from HVIS records with MPCELIG = 2	86	86	1877114800.07	1877114800.07	2023.72	2023.72
27.3	HHNEXP03	TOTAL HOME HEALTH NON-AGNCY EXP 03	Sum of HHXP03X from HVIS records with MPCELIG = 2	84	84	1803314932.40	1803314388.25	1953.75	1953.75
27.4	HHNSLF03	HOME HLTH NON- AGNCY-SELF/FAM AMT 03	Sum of HHSF03X from HVIS records with MPCELIG = 2	60	60	1364179757.37	1364179757.37	1793.54	1793.54

#### TABLE H77IT2

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
27.5	HHNMCR03	HOME HLTH NON- AGNCY -MEDICARE AMT 03	Sum of HHMR03X from HVIS records with MPCELIG = 2	2	2	22739169.75	22739169.75	1202.54	1202.54
27.6	HHNMCD03	HOME HLTH NON- AGNCY -MEDICAID AMT 03	Sum of HHMD03X from HVIS records with MPCELIG = 2	17	17	116040893.20	116040349.05	1140.21	1140.20
27.7	HHNPRV03	HOME HLTH NON- AGNCY -PRIV INS AMT 03	Sum of HHPV03X from HVIS records with MPCELIG = 2	5	5	59323887.64	59323887.64	1206.69	1206.69
27.8	HHNVA03	HOME HLTH NON- AGNCY-VA AMT 03	Sum of HHVA03X from HVIS records with MPCELIG = 2	3	3	8385567.97	8385567.97	236.79	236.79
27.9	HHNTRI03	HOME HLTH NON- AGNCY-TRICARE AMT 03	Sum of HHTR03X from HVIS records with MPCELIG = 2	0	0			0.00	0.00
27.10	HHNOFD03	HOME HLTH NON- AGNCY-OTHR FED AMT 03	Sum of HHOF03X from HVIS records with MPCELIG = 2	0	0			0.00	0.00
27.11	HHNSTL03	HOME HLTH NON- AGNCY-OTHR ST/LOCL AMT 03	Sum of HHSL03X from HVIS records with MPCELIG = 2	4	4	230793747.31	230793747.31	8991.47	8991.47
27.12	HHNWCP03	HOME HLTH NON- AGNCY-WORKERS COMP AMT 03	Sum of HHWC03X from HVIS records with MPCELIG = 2	0	0			0.00	0.00
27.13	HHNOPR03	HOME HLTH NON- AGNCY-OTH PRIVATE AMT 03	Sum of HHOR03X from HVIS records with MPCELIG = 2	0	0			0.00	0.00
27.14	HHNOPU03	HOME HLTH NON- AGNCY-OTH PUBLIC AMT 03	Sum of HHOU03X from HVIS records with MPCELIG = 2	0	0			0.00	0.00

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
27.15	HHNOSR03	H HLTH NON-AGNCY-OT UNCLASS SRCE AMT 03	Sum of HHOT03X from HVIS records with MPCELIG = 2	1	1	1851909.17	1851909.17	266.00	266.00
28.1	HHINFD03	# INFORMAL HOME HEALTH PROV DAYS, 1039	Sum of HHDAYS from HVIS records with MPCELIG = 3. NOTE: If person has at least one HVIS record with (MPCELIG = 3 AND HHDAYS = -9), then HHDAYS not counted from ANY HVIS records for that person.	156	156	126519830.04	126519830.04	91.44	91.44
29.0	VISTCH03	GLASSES/CONTACT LENSES CHARGES 03	Sum of OMTC03X from OMED records with OMTYPEX = 1	4612	4612	10776080308.35	10776086017.14	228.82	228.82
29.1	VISEXP03	TOTAL GLASSES/CONTACT LENS EXPN 03	Sum of OMXP03X from OMED records with OMTYPEX = 1	4545	4545	10434520206.40	10434451407.55	224.49	224.49
29.2	VISSLF03	GLASSES/CNTCT LENSES -SELF/FAM AMT 03	Sum of OMSF03X from OMED records with OMTYPEX = 1	3780	3780	7586959671.84	7586924097.13	186.42	186.42
29.3	VISMCR03	GLASSES/CNTCT LENSES-MEDICARE AMT 03	Sum of OMMR03X from OMED records with OMTYPEX = 1	68	68	82306201.14	82289058.86	118.91	118.88
29.4	VISMCD03	GLASSES/CNTCT LENSES-MEDICAID AMT 03	Sum of OMMD03X from OMED records with OMTYPEX = 1	550	551	487547309.16	487501694.53	160.89	160.70

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
29.5	VISPRV03	GLASSES/CNTCT LENSES-PRIV INS AMT 03	Sum of OMPV03X from OMED records with OMTYPEX = 1	1002	1002	2068022587.89	2067955782.47	174.88	174.88
29.6	VISVA03	GLASSES/CNTCT LENSES-VA AMT 03	Sum of OMVA03X from OMED records with OMTYPEX = 1	40	40	47256450.56	47240028.83	134.00	133.96
29.7	VISTRI03	GLASSES/LENSES- TRICARE AMT 03	Sum of OMTR03X from OMED records with OMTYPEX = 1	6	6	13365213.71	13353357.32	202.18	202.00
29.8	VISOFD03	GLASSES/CNTCT LENSES-OTHR FED AMT 03	Sum of OMOF03X from OMED records with OMTYPEX = 1	6	6	21920691.39	21918472.74	629.80	629.74
29.9	VISSTL03	GLASSES/CNTCT LENSES-OTH ST/LOCL AMT 03	Sum of OMSL03X from OMED records with OMTYPEX = 1	20	20	22873380.64	22866747.68	172.10	172.05
29.10	VISWCP03	GLASSES/CNTCT LENSES-WORKERS COMP AMT 03	Sum of OMWC03X from OMED records with OMTYPEX = 1	3	3	1559877.21	1552919.29	74.41	74.08
29.11	VISOPR03	GLASSES/CNTCT LENSES-OTH PRIVATE AMT 03	Sum of OMOR03X from OMED records with OMTYPEX = 1	36	36	42237931.09	42234382.53	158.95	158.93
29.12	VISOPU03	GLASSES/CNTCT LENSES-OTH PUBLIC AMT 03	Sum of OMOU03X from OMED records with OMTYPEX = 1	14	14	8892326.43	8871570.23	117.16	116.89
29.13	VISOSR03	GLASES/CNTCT LENSE- OT UNCLAS SRCE AMT 03	Sum of OMOT03X from OMED records with OMTYPEX = 1	33	33	51743781.43	51743295.94	185.37	185.37

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
30.0	OTHTCH03	OTHER EQUP/SUPPLIES CHARGES 03	Sum of OMTC03X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	1618	1618	10944702650.00	10944672506.43	676.84	676.84
30.1	OTHEXP03	TOT OTH EQUIP/SPLY (EXCL DIAB) EXP 03	Sum of OMXP03X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	1480	1480	9027427459.01	9027383547.60	611.91	611.91
30.2	OTHSLF03	OTHER EQUP/SUPPLIES - SELF/FAM AMT 03	Sum of OMSF03X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	853	853	3680854238.96	3680832587.05	396.67	396.67
30.3	OTHMCR03	OTHER EQUP/SUPPLIES- MEDICARE AMT 03	Sum of OMMR03X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	194	194	922441939.69	922402941.69	442.76	442.74
30.4	OTHMCD03	OTHER EQUP/SUPPLIES- MEDICAID AMT 03	Sum of OMMD03X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	312	312	1240054330.85	1239994562.14	617.84	617.81
30.5	OTHPRV03	OTHER EQUP/SUPPLIES-PRIV INS AMT 03	Sum of OMPV03X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	374	374	1391824731.48	1391743217.45	329.95	329.93

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
30.6	OTHVA03	OTHER EQUP/SUPPLY- VA AMT 03	Sum of OMVA03X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	78	78	678298248.11	678282187.35	825.39	825.37
30.7	OTHTRI03	OTHER EQUP/SUPPLY- TRICARE AMT 03	Sum of OMTR03X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	25	25	586761653.19	586784468.68	1955.47	1955.55
30.8	OTHOFD03	OTHER EQUP/SUPPLIES-OTHR FEDRL AMT 03	Sum of OMOF03X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	3	3	1495897.86	1497905.44	65.14	65.23
30.9	OTHSTL03	OTHER EQUP/SUPPLY- OTHR ST/LOCAL AMT 03	Sum of OMSL03X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	6	6	55644616.94	55644616.94	768.65	768.65
30.10	OTHWCP03	OTHER EQUP/SUPPLY - WORKERS COMP AMT 03	Sum of OMWC03X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	14	14	23324053.75	23324053.75	139.06	139.06
30.11	OTHOPR03	OTHER EQUP/SUPPLY- OTH PRIVATE AMT 03	Sum of OMOR03X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	19	19	121970118.76	121959832.72	715.48	715.42

#	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
	VARIABLE NAME ON PERSON- LEVEL FILE	VARIABLE LABEL ON PERSON LEVEL FILE	TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
30.12	OTHOPU03	OTHER EQUP/SUPPLY - OTH PUBLIC AMT 03	Sum of OMOU03X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	5	5	53827124.56	53818501.00	1241.01	1240.81
30.13	OTHOSR03	OTH EQUP/SUPLY -OT UNCLASS SRCE AMT 03	Sum of OMOT03X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	20	20	271098673.40	271098673.40	1133.54	1133.54
31.0	RXTOT03	# PRESC MEDS INCL REFILLS 03	Count of PMED records	19848	19848	2801512034.55	2801512034.55	14.98	14.98
31.1	RXEXP03	TOTAL RX-EXP 03	Sum of RXXP03X from PMED records	19847	19848	177652929751.99	177651812536.73	949.91	949.86
31.2	RXSLF03	TOTAL RX-SELF/FAMILY AMT 03	Sum of RXSF03X from PMED records	18672	18676	79774261663.81	79772619287.31	441.61	441.54
31.3	RXMCR03	TOTAL RXMEDICARE AMT 03	Sum of RXMR03X from PMED records	785	786	5821304423.38	5821154100.24	743.63	742.98
31.4	RXMCD03	TOTAL RX-MEDICAID AMT 03	Sum of RXMD03X from PMED records	4347	4350	22071627734.75	22071556977.77	913.86	913.60
31.5	RXPRV03	TOTAL RX-PRIVATE INS AMT 03	Sum of RXPV03X from PMED records	9334	9377	60372369031.97	60372558176.78	565.68	563.04
31.6	RXVA03	TOTAL RX-VA AMT 03	Sum of RXVA03X from PMED records	672	673	5859239365.77	5859261851.21	803.50	801.51
31.7	RXTRI03	TOTAL RX-TRICARE AMT 03	Sum of RXTR03X from PMED records	268	268	1975252394.39	1975271709.21	697.21	697.22
31.8	RXOFD03	TOTAL RX-OTHER FED AMT 03	Sum of RXOF03X from PMED records	36	36	176938982.46	176935876.46	610.41	610.40

#### TABLE H77IT2 COMPARISON OF MEPS 2003 HEALTH CARE EX

#	(A)  VARIABLE  NAME ON  PERSON-  LEVEL FILE	(B)  VARIABLE LABEL ON PERSON LEVEL FILE	(C)  TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL	(D) UN- WEIGHTED # PERS WITH VARIABLE	(E) UN- WEIGHTED # PERS WITH VARIABLE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-
			VARIABLE FROM EVENT-LEVEL FILE	> 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	> 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	VARIABLE > 0	VARIABLE > 0	LEVEL FILE FOR PERS WITH VARIABLE > 0	LEVEL FILE FOR PERS WITH VARIABLE > 0
31.9	RXSTL03	TOTAL RX-OTHER ST/LOCAL AMT 03	Sum of RXSL03X from PMED records	46	46	457364356.67	457370010.83	1455.97	1455.99
31.10	RXWCP03	TOTAL RX-WORKERS COMP AMT 03	Sum of RXWC03X from PMED records	17	17	162743661.73	162749980.29	844.34	844.37
31.11	RXOPR03	TOTAL RX - OTH PRIVATE AMT 03	Sum of RXOR03X from PMED records	117	118	854288943.19	854274127.43	800.91	793.80
31.12	RXOPU03	TOTAL RX - OTH PUBLIC AMT 03	Sum of RXOU03X from PMED records	18	18	102198595.04	102194798.09	945.25	945.21
31.13	RXOSR03	TOT RX-OTH UNCLASS SRCE AMT 03	Sum of RXOT03X from PMED records	23	23	25879814.16	25865641.10	209.32	209.21

#### TABLE H77IT2

#### **COMPARISON OF MEPS 2003 HEALTH CARE EXPENDITURE ESTIMATES** FROM THE FY 03 PERSON-LEVEL FILE (HC-079) AND THE FY 03 EVENT FILES (HC-077A THROUGH HC-077H) WEIGHT = PERWT03F

#### ABBREVIATIONS USED IN TABLE:

PMED = PRESCRIBED MEDICINES FILE, HC-077A

**DVIS = DENTAL VISITS FILE, HC-077B** 

OMED = OTHER MEDICAL EXPENSES FILE, HC-077C

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-077D

**EROM = EMERGENCY ROOM VISITS FILE, HC-077E** 

**OPAT = OUTPATIENT VISITS FILE, HC-077F** 

MVIS = MEDICAL PROVIDER VISITS FILE, HC-077G

**HVIS = HOME HEALTH VISITS FILE, HC-077H** 

NOTE: EXPENDITURE VARIABLES ON THE EVENT-LEVEL FILES INCLUDE 2 DECIMAL PLACES. THE EXPENDITURE VARIABLES ON THE PERSON-LEVEL FILE REFLECT ROUNDING TO A WHOLE NUMBER AFTER SUMMING FROM THE EVENT-LEVEL TO THE PERSON-LEVEL. THIS RESULTS IN SLIGHT DIFFERENCES IN THE UNWEIGHTED COUNT OF PERSONS WITH A POSITIVE VALUE FOR SOME VARIABLES, AND IN THE WEIGHTED SUM AND WEIGHTED MEAN FOR MOST VARIABLES.