.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
0.1	TOTTCH07	TOTAL HEALTH CARE CHARGES 07, EXCL. RX	Sum of (DVTC07X from DVIS records) + (OMTC07X from OMED records) + (OPFTC07X + OPDTC07X from OPAT records) + (ERFTC07X + ERDTC07X from EROM records) + (IPFTC07X + IPDTC07X from STAZ records) + (HPTC07X + HATC07X from HVIS records) + (OBTC07X from MVIS records)	23594	23594	1984073099082.30	1984067526728.60	7895.5318	7895.51
0.2	TOTEXP07X	TOTAL HEALTH CARE EXP 07	Sum of (DVXP07X from DVIS records) + (OMXP07X from OMED records) + (OPFXP07X + OPDXP07X from OPAT records) + (ERFXP07X + ERDXP07X from EROM records) + (IPFXP07X + IPDXP07X from STAZ records) + (HPXP07X + HAXP07X from HVIS records) + (OBXP07X from MVIS records) + (RXXP07X from PMED records)	24029	24029	1126056065494.50	1126051594590.90	4404.2183	4404.201

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
0.3	TOTSLF07	TOTAL AMT PAID BY SELF/FAMILY 07	Sum of (DVSF07X from DVIS records) + (OMSF07X from OMED records) + (OPFSF07X + OPDSF07X from OPAT records) + (ERFSF07X + ERDSF07X from EROM records) + (IPFSF07X + IPDSF07X from STAZ records) + (HPSF07X + HASF07X from HVIS records) + (OBSF07X from MVIS records) + (RXSF07X from PMED records)	20753	20760	182733067353.23	182730089228.97	792.0989	791.9726
0.4	TOTMCR07	TOTAL AMT PAID BY MEDICARE 07	Sum of (DVMR07X from DVIS records) + (OMMR07X from OMED records) + (OPFMR07X + OPDMR07X from OPAT records) + (ERFMR07X + ERDMR07X from EROM records) + (IPFMR07X + IPDMR07X from STAZ records) + (HPMR07X + HAMR07X from HVIS records) + (OBMR07X from MVIS records) + (RXMR07X from PMED records)	4147	4147	279409545002.66	279409343855.98	6332.894	6332.889

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
0.5	TOTMCD07	TOTAL AMT PAID BY MEDICAID 07	Sum of (DVMD07X from DVIS records) + (OMMD07X from OMED records) + (OPFMD07X + OPDMD07X from OPAT records) + (ERFMD07X + ERDMD07X from EROM records) + (IPFMD07X + IPDMD07X from STAZ records) + (HPMD07X + HAMD07X from HVIS records) + (OBMD07X from MVIS records) + (RXMD07X from PMED records)	5811	5812	98046067115.55	98044972437.34	2403.6024	2402.936
0.6	TOTPRV07	TOTAL AMT PAID BY PRIVATE INS 07	Sum of (DVPV07X from DVIS records) + (OMPV07X from OMED records) + (OPFPV07X + OPDPV07X from OPAT records) + (ERFPV07X + ERDPV07X from EROM records) + (IPFPV07X + IPDPV07X from STAZ records) + (HPPV07X + HAPV07X from HVIS records) + (OBPV07X from MVIS records) + (RXPV07X from PMED records)	13661	13662	468023765904.17	468021322274.12	2773.305	2773.201

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
0.7	TOTVA07	TOTL AMT PAID BY VA 07	Sum of (DVVA07X from DVIS records) + (OMVA07X from OMED records) + (OPFVA07X + OPDVA07X from OPAT records) + (ERFVA07X + ERDVA07X from EROM records) + (IPFVA07X + IPDVA07X from STAZ records) + (HPVA07X + HAVA07X from HVIS records) + (OBVA07X from MVIS records) + (RXVA07X from PMED records)	971	973	22981921685.68	22981576043.64	2070.8564	2066.813
0.8	TOTTRI07	TOTL AMT PAID BY TRICARE	Sum of (DVTR07X from DVIS records) + (OMTR07X from OMED records) + (OPFTR07X + OPDTR07X from OPAT records) + (ERFTR07X + ERDTR07X from EROM records) + (IPFTR07X + IPDTR07X from STAZ records) + (HPTR07X + HATR07X from HVIS records) + (OBTR07X from MVIS records) + (RXTR07X from PMED records)	489	489	9087680363.89	9087585009.70	1669.046	1669.028

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
0.9	TOTOFD07	TOTL AMT PAID BY OTHER FEDERAL 07	Sum of (DVOF07X from DVIS records) + (OMOF07X from OMED records) + (OPFOF07X + OPDOF07X from OPAT records) + (ERFOF07X + ERDOF07X from EROM records) + (IPFOF07X + IPDOF07X from STAZ records) + (HPOF07X + HAOF07X from HVIS records) + (OBOF07X from MVIS records) + (RXOF07X from PMED records)	210	210	1733829579.91	1733841315.85	861.7801	861.7859
0.10	TOTSTL07	TOTL AMT PAID BY OTH ST/LOCAL 07	Sum of (DVSL07X from DVIS records) + (OMSL07X from OMED records) + (OPFSL07X + OPDSL07X from OPAT records) + (ERFSL07X + ERDSL07X from EROM records) + (IPFSL07X + IPDSL07X from STAZ records) + (HPSL07X + HASL07X from HVIS records) + (OBSL07X from MVIS records) + (RXSL07X from PMED records)	872	872	9796506965.42	9796395163.73	1403.2985	1403.283

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
0.11	TOTWCP07	TOTL AMT PAID BY WORKERS COMP 07	Sum of (DVWC07X from DVIS records) + (OMWC07X from OMED records) + (OPFWC07X + OPDWC07X from OPAT records) + (ERFWC07X + ERDWC07X from EROM records) + (IPFWC07X + IPDWC07X from STAZ records) + (HPWC07X + HAWC07X from HVIS records) + (OBWC07X from MVIS records) + (RXWC07X from PMED records)	415	415	10619378476.99	10619327721.10	2328.2957	2328.285
0.12	TOTOPR07	TOTL AMT PAID BY OTHER PRIVATE 07	Sum of (DVOR07X from DVIS records) + (OMOR07X from OMED records) + (OPFOR07X + OPDOR07X from OPAT records) + (ERFOR07X + ERDOR07X from EROM records) + (IPFOR07X + IPDOR07X from STAZ records) + (HPOR07X + HAOR07X from HVIS records) + (OBOR07X from MVIS records) + (RXOR07X from PMED records)	1858	1863	24811002523.72	24810880374.05	1313.9559	1311.452

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
0.13	TOTOPU07	TOTL AMT PAID BY OTHER PUBLIC 07	Sum of (DVOU07X from DVIS records) + (OMOU07X from OMED records) + (OPFOU07X + OPDOU07X from OPAT records) + (ERFOU07X + ERDOU07X from EROM records) + (IPFOU07X + IPDOU07X from STAZ records) + (HPOU07X + HAOU07X from HVIS records) + (OBOU07X from MVIS records) + (RXOU07X from PMED records)	435	439	6146775189.57	6146711770.05	1859.7672	1844.075
0.14	TOTOSR07	TOTL AMT PAID OTHR UNCLASS SOURCES 07	Sum of (DVOT07X from DVIS records) + (OMOT07X from OMED records) + (OPFOT07X + OPDOT07X from OPAT records) + (ERFOT07X + ERDOT07X from EROM records) + (IPFOT07X + IPDOT07X from STAZ records) + (HPOT07X + HAOT07X from HVIS records) + (OBOT07X from MVIS records) + (RXOT07X from PMED records)	1048	1048	12669757027.38	12669549396.35	1307.8623	1307.841

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
1.0	OBTOTV07	# OFFICE-BASED PROVIDER VISITS 07	Count of MVIS records with SEETLKPV = (1, -7, -8 or -9)	20270	20270	1500505165.10	1500505165.10	6.9089	6.9089
1.1	OBVTCH07	OFFICE-BASED PROVIDER VISIT CHARGES 07	Sum of OBTC07X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	20259	20259	529681078722.83	529678210642.70	2440.1752	2440.162
1.2	OBVEXP07	TOTAL OFFICE-BASED EXP 07	Sum of OBXP07X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	19911	19912	264174249428.38	264172769586.74	1234.9425	1234.823
1.3	OBVSLF07	ALL OFFICE VISITS - SELF/FAMILY AMT 07	Sum of OBSF07X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	14186	14187	39496391543.49	39496020973.80	238.0377	238.0317
1.4	OBVMCR07	ALL OFFICE VISITS - MEDICARE AMT 07	Sum of OBMR07X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	3627	3628	47981316989.11	47981133383.84	1239.0892	1238.706
1.5	OBVMCD07	ALL OFFICE VISITS - MEDICAID AMT 07	Sum of OBMD07X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	4377	4378	15765402163.72	15765070881.94	518.5318	518.3357
1.6	OBVPRV07	ALL OFFICE VISITS - PRIVATE INS AMT 07	Sum of OBPV07X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	11278	11280	131839769507.44	131838329995.11	942.7496	942.5693
1.7	OBVVA07	ALL OFFICE VISITS-VA AMT 07	Sum of OBVA07X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	557	563	7140532206.85	7140374995.01	1148.2407	1134.971

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
1.8	OBVTRI07	ALL OFFICE VISITS-TRICARE AMT 07	Sum of OBTR07X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	359	359	2991782873.84	2991819328.29	730.915	730.9239
1.9	OBVOFD07	ALL OFFICE VISITS-OTHER FEDERAL AMT 07	Sum of OBOF07X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	133	133	926846652.82	926866785.62	707.3076	707.323
1.10	OBVSTL07	ALL OFFICE VISITS-OTH ST/LOCAL AMT 07	Sum of OBSL07X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	477	477	3020652277.59	3020617530.74	804.5983	804.5891
1.11	OBVWCP07	ALL OFFICE VISITS - WORKERS COMP AMT 07	Sum of OBWC07X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	308	308	4183103016.35	4183120803.44	1281.9691	1281.975
1.12	OBVOPR07	ALL OFFICE VISITS - OTH PRIVATE AMT 07	Sum of OBOR07X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	1246	1248	6374657828.06	6374668653.50	481.9645	481.2975
1.13	OBVOPU07	ALL OFFICE VISITS - OTH PUBLIC AMT 07	Sum of OBOU07X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	253	253	735169282.04	735139047.07	395.7629	395.7466
1.14	OBVOSR07	ALL OFF VSTS - OTH UNCLASS SRCE AMT 07	Sum of OBOT07X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	761	761	3719713492.98	3719607208.38	547.2848	547.2692
2.0	OBDRV07	# OFFICE-BASED PHYSICIAN VISITS, 07	Count of MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	18882	18882	957226211.97	957226211.97	4.7605	4.7605

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
2.1	OBDTCH07	OFFICE-BASED PHYSICIAN VISIT CHARGES 07	Sum of OBTC07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	18866	18866	372941522373.34	372939119447.35	1856.4218	1856.41
2.2	OBDEXP07	TOTAL OFF-BASED DR EXP 07	Sum of OBXP07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	18556	18556	179089537542.27	179088076770.40	903.7715	903.7641
2.3	OBDSLF07	DR OFFICE VISITS - SELF/FAMILY AMT 07	Sum of OBSF07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	12850	12850	23730167401.18	23729973360.23	158.5565	158.5552
2.4	OBDMCR07	DR OFFICE VISITS - MEDICARE AMT 07	Sum of OBMR07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	3534	3535	35498167545.45	35497783954.48	942.8924	942.5861
2.5	OBDMCD07	DR OFFICE VISITS - MEDICAID AMT 07	Sum of OBMD07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	4056	4056	10549522358.43	10549282497.54	379.7148	379.7061
2.6	OBDPRV07	DR OFFICE VISITS - PRIVATE INS AMT 07	Sum of OBPV07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	10515	10516	88800597275.33	88799631572.22	683.6638	683.6262
2.7	OBDVA07	DR OFFICE VISITS -VA AMT 07	Sum of OBVA07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	456	463	5527775581.34	5527767740.88	1113.2502	1095.633

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
2.8	OBDTRI07	DR OFFICE VISITS-TRICARE AMT 07	Sum of OBTR07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	327	327	2340384801.99	2340324428.29	623.7121	623.696
2.9	OBDOFD07	DR OFFICE VISITS - OTHER FEDERAL AMT 07	Sum of OBOF07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	124	124	641857126.85	641865894.36	522.5135	522.5206
2.10	OBDSTL07	DR OFFICE VISITS -OTH ST/LOCAL AMT 07	Sum of OBSL07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	370	370	2366664667.36	2366681335.74	847.4521	847.458
2.11	OBDWCP07	DR OFFICE VISITS - WORKERS COMP AMT 07	Sum of OBWC07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	269	269	2509545903.07	2509633629.16	883.8898	883.9207
2.12	OBDOPR07	DR OFFICE VISITS - OTH PRIVATE AMT 07	Sum of OBOR07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	1137	1138	4509201813.60	4509276747.38	375.7141	375.5456
2.13	OBDOPU07	DR OFFICE VISITS - OTH PUBLIC AMT 07	Sum of OBOU07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	225	225	568057981.38	568051918.18	352.7105	352.7068
2.14	OBDOSR07	DR OFF VSTS - OTH UNCLASS SRCE AMT 07	Sum of OBOT07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	583	583	2047913542.49	2047803691.93	420.3079	420.2853

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
3.0	OBOTHV07	# OFFICE-BASED NON-PHYSICAN VISITS 07	Count of MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	8308	8308	531118126.29	531118126.29	5.4234	5.4234
3.1	OBOTCH07	OFFICE-BASED NON-DR VISIT CHARGES 07	Sum of OBTC07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	8291	8291	154178322351.69	154177601159.77	1577.3159	1577.309
3.2	OBOEXP07	TOTAL OFF-BASED NON-DR EXP 07	Sum of OBXP07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	8041	8042	83915499788.54	83915199006.41	882.2178	882.0338
3.3	OBOSLF07	NON-DR OFF VISTS - SELF/FAMILY AMT 07	Sum of OBSF07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	5024	5026	15429769524.23	15429453072.56	243.6176	243.458

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
3.4	OBOMCR07	NON-DR OFF VISTS - MEDICARE AMT 07	Sum of OBMR07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	1471	1473	12266805605.97	12266478200.40	720.2849	719.4068
3.5	OBOMCD07	NON-DR OFF VISTS - MEDICAID AMT 07	Sum of OBMD07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	1066	1068	5004537232.15	5004370562.57	612.0757	610.8961
3.6	OBOPRV07	NON-DR OFF VISTS - PRIVATE INS AMT 07	Sum of OBPV07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	4543	4545	42716042424.86	42715589901.10	722.8961	722.5721
3.7	OBOVA07	NON-DR OFF VISTS -VA AMT 07	Sum of OBVA07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	232	234	1606193303.71	1606143356.46	604.0064	597.1677

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
3.8	OBOTRI07	NON-DR OFF VISTS-TRICARE AMT 07	Sum of OBTR07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	145	145	635903816.62	635835976.71	366.3321	366.293
3.9	OBOOFD07	NON-DR OFF VISTS - OTHER FEDERAL AMT 07	Sum of OBOF07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	32	32	283579448.45	283582119.05	881.4832	881.4915
3.10	OBOSTL07	NON-DR OFF VISTS - OTH ST/LOCAL AMT 07	Sum of OBSL07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	139	139	642310100.26	642265051.97	489.3886	489.3542
3.11	OBOWCP07	NON-DR OFF VISTS - WORKERS COMP AMT 07	Sum of OBWC07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	105	105	1648975762.16	1648948395.87	1379.5395	1379.517

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
3.12	OBOOPR07	NON-DR OFF VISTS - OTH PRIVATE AMT 07	Sum of OBOR07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	366	367	1846021153.97	1845959313.00	402.0843	400.9558
3.13	OBOOPU07	NON-DR OFF VISTS - OTH PUBLIC AMT 07	Sum of OBOU07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	56	56	165588220.99	165563171.23	389.8449	389.7859
3.14	OBOOSR07	NON-DR OF VSTS - OTH UNCLASS SRCE AMT 07	Sum of OBOT07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	256	256	1670996123.15	1671009885.49	638.3362	638.3414
4.0	OBCHIR07	# OFFICE-BASED CHIROPRACTOR VISITS 07	Count of MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	1051	1051	114637360.32	114637360.32	8.6416	8.6416

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
4.1	OBCTCH07	OFFICE-BASED CHIRO VISIT CHARGES 07	Sum of OBTC07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	1049	1049	9716104915.51	9716095092.88	733.5245	733.5238
4.2	OBCEXP07	TOTAL OFF-BASED CHIRO EXP 07	Sum of OBXP07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	1006	1006	8370640118.14	8370691954.61	656.6634	656.6675
4.3	OBCSLF07	CHIRO OFF VISITS - SELF/FAMILY AMT 07	Sum of OBSF07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	819	819	3959615211.16	3959618574.42	371.5145	371.5149
4.4	OBCMCR07	CHIRO OFF VISITS - MEDICARE AMT 07	Sum of OBMR07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	118	118	424972330.39	424934580.85	299.3634	299.3368
4.5	OBCMCD07	CHIRO OFF VISITS - MEDICAID AMT 07	Sum of OBMD07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	38	38	143373506.93	143370749.80	427.6668	427.6585

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
4.6	OBCPRV07	CHIRO OFF VISITS - PRIVATE INS AMT 07	Sum of OBPV07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	527	527	2745153199.09	2745138192.35	396.5036	396.5015
4.7	OBCVA07	CHIRO OFF VISITS -VA AMT 07	Sum of OBVA07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	14	14	6098229.54	6084765.17	36.948	36.8664
4.8	OBCTRI07	CHIRO OFF VISITS-TRICARE AMT 07	Sum of OBTR07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	1	1	2523238.74	2523238.74	263	263
4.9	OBCOFD07	CHIRO OFF VISITS - OTHER FEDERAL AMT 07	Sum of OBOF07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	0	0	.	.	0	0
4.10	OBCSTL07	CHIRO OFF VISITS -OTH ST/LOCAL AMT 07	Sum of OBSL07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	8	8	39883408.42	39876623.78	467.5892	467.5097

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
4.11	OBCWCP07	CHIRO OFF VISITS - WORKERS COMP AMT 07	Sum of OBWC07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	14	14	121704860.13	121700159.44	752.3922	752.3631
4.12	OBCOPR07	CHIRO OFF VISTS - OTHR PRIVATE AMT 07	Sum of OBOR07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	32	32	124941732.82	124966249.91	272.994	273.0475
4.13	OBCOPU07	CHIRO OFF VISTS - OTHR PUBLIC AMT 07	Sum of OBOU07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	1	1	1563438.82	1563438.82	160	160
4.14	OBCOSR07	CHIRO OF VSTS - OTHR UNCLASS SRCE AMT 07	Sum of OBOT07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	69	69	800923939.06	800915381.34	987.7486	987.7381
5.0	OBNURS07	# OFF-BASED NURSE/PRACTITIONER VISITS 07	Count of MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	2487	2487	75277395.18	75277395.18	2.5954	2.5954

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
5.1	OBNTCH07	OFFICE-BASED NURSE/PRAC VISIT CHARGES 07	Sum of OBTC07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	2479	2479	30135556729.34	30135277967.38	1042.8474	1042.838
5.2	OBNEXP07	TOTAL OFF-BASED NURSE/PRAC 07	Sum of OBXP07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	2347	2349	14613288320.82	14613148163.61	533.1752	532.4459
5.3	OBNSLF07	NURSE/PRAC OFF VISITS-SELF/FAMILY AMT 07	Sum of OBSF07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	1263	1264	1164343216.51	1164305005.36	73.5041	73.4363
5.4	OBNMCR07	NURSE/PRAC OFF VISITS -MEDICARE AMT 07	Sum of OBMR07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	457	458	3194360677.16	3194296412.85	588.8937	587.7504
5.5	OBNMCD07	NURSE/PRAC OFF VSTS -MEDICAID AMT 07	Sum of OBMD07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	342	344	1030408307.61	1030409205.56	415.4934	412.9106

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
5.6	OBNPRV07	NURSE/PRAC OFF VSTS -PRIVATE INS AMT 07	Sum of OBPV07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	1225	1227	8225671349.75	8225570620.16	514.6958	513.4918
5.7	OBNVA07	NURSE/PRAC OFF VSTS-VA AMT 07	Sum of OBVA07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	62	62	255842559.11	255827014.69	389.589	389.5654
5.8	OBNTRI07	NURSE/PRAC OFF VSTS-TRICARE AMT 07	Sum of OBTR07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	33	33	56854027.65	56828783.35	139.0373	138.9756
5.9	OBNOFD07	NURSE/PRAC OFF VSTS-OTHER FEDERAL AMT 07	Sum of OBOF07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	10	10	12499349.53	12486169.95	123.4792	123.349
5.10	OBNSTL07	NURSE/PRAC OFF VSTS -OTH ST/LOCAL AMT 07	Sum of OBSL07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	54	54	274846678.27	274827201.40	505.0877	505.0519

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
5.11	OBNWCP07	NURSE/PRAC OFF VSTS -WORKERS COMP AMT 07	Sum of OBWC07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	6	6	11794828.42	11792373.51	226.9249	226.8777
5.12	OBNOPR07	NURSE/PRAC OFF VSTS - OTH PRIVATE AMT 07	Sum of OBOR07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	86	86	201435852.82	201382114.07	186.792	186.7422
5.13	OBNOPU07	NURSE/PRAC OFF VSTS - OTH PUBLIC AMT 07	Sum of OBOU07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	20	20	103796383.88	103770436.30	590.3642	590.2167
5.14	OBNOSR07	NRS/PR OF VSTS - OTH UNCLASS SRCE AMT 07	Sum of OBOT07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	82	82	81625528.51	81652826.42	113.7669	113.805
6.0	OBOPTO07	# OFFICE-BASED OPTOMETRIST VISITS, 07	Count of MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	1653	1653	23699230.63	23699230.63	1.2001	1.2001

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
6.1	OBETCH07	OFFICE-BASED OPTOMTRIST VISIT CHARGES 07	Sum of OBTC07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	1652	1652	3515292312.03	3515260180.74	178.1637	178.162
6.2	OBEEXP07	TOTAL OFF-BASED OPOTMETRIST EXP 07	Sum of OBXP07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	1632	1632	3123224760.34	3123249884.41	160.3436	160.3449
6.3	OBESLF07	OPTOMETRIST OFF VSTS -SELF/FAMILY AMT 07	Sum of OBSF07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	1183	1183	1435836350.46	1435712329.71	97.9498	97.9414
6.4	OBEMCR07	OPTOMETRIST OFF VSTS -MEDICARE AMT 07	Sum of OBMR07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	83	83	114590409.39	114554980.84	123.1963	123.1582
6.5	OBEMCD07	OPTOMETRIST OFF VSTS -MEDICAID AMT 07	Sum of OBMD07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	210	210	181785685.00	181726644.94	113.9312	113.8942

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
6.6	OBEPRV07	OPTOMETRIST OFF VSTS -PRIVATE INS AMT 07	Sum of OBPV07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	750	750	1242443749.14	1242346998.31	125.9478	125.938
6.7	OBEVA07	OPTOMETRIST OFF VSTS -VA AMT 07	Sum of OBVA07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	19	20	24086404.51	24086260.30	116.4546	107.9664
6.8	OBETRI07	OPTOMETRIST OFF VSTS-TRICARE AMT 07	Sum of OBTR07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	23	23	22268146.43	22269407.88	88.0595	88.0645
6.9	OBEOFD07	OPTOMETRIST OFF VSTS-OTH FEDERAL AMT 07	Sum of OBOF07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	1	1	3812685.01	3809082.47	254	253.76
6.10	OBESTL07	OPTOMETRIST OFF VSTS -OTH ST/LOCL AMT 07	Sum of OBSL07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	24	24	28141186.75	28143014.13	127.2502	127.2585

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
6.11	OBEWCP07	OPTOMETRIST OFF VSTS-WORKERS COMP AMT 07	Sum of OBWC07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	2	2	970913.98	970913.98	37.1635	37.1635
6.12	OBEOPR07	OPTOMETRIST OFF VSTS -OTH PRIVATE AMT 07	Sum of OBOR07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	37	37	61847202.58	61838244.43	138.3993	138.3792
6.13	OBEOPU07	OPTOMETRIST OFF VSTS -OTH PUBLIC AMT 07	Sum of OBOU07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	1	1	363313.43	361566.73	52	51.75
6.14	OBEOSR07	OPTOM OF VSTS - OTH UNCLASS SRCE AMT 07	Sum of OBOT07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	11	11	7424067.74	7430440.69	88.7833	88.8595
7.0	OBASST07	# OFF-BASED PHYSICIAN ASS T VSTS, 07	Count of MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	735	735	17469406.49	17469406.49	1.9075	1.9075

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
7.1	OBATCH07	OFFICE-BASED PHYS ASST VISIT CHARGES 07	Sum of OBTC07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	733	733	4855702909.26	4855656886.71	532.0687	532.0637
7.2	OBAEXP07	TOTAL OFF-BASED PHYS ASS T EXP 07	Sum of OBXP07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	718	718	2665478554.31	2665478694.40	297.1283	297.1283
7.3	OBASLF07	PHYS ASS T OFF VSTS-SELF/FAMILY AMT 07	Sum of OBSF07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	486	486	333975005.02	333971486.82	52.5055	52.5049
7.4	OBAMCR07	PHYS ASS T OFF VSTS-MEDICARE AMT 07	Sum of OBMR07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	123	123	283170084.44	283162958.14	203.0632	203.0581
7.5	OBAMCD07	PHYS ASS T OFF VSTS-MEDICAID AMT 07	Sum of OBMD07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	72	72	251393480.43	251378597.47	435.0165	434.9907

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
7.6	OBAPRV07	PHYS ASS T OFF VSTS-PRIVATE INS AMT 07	Sum of OBPV07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	441	441	1527361515.71	1527355215.11	254.8692	254.8681
7.7	OBAVA07	PHYS ASS T OFF VSTS-VA AMT 07	Sum of OBVA07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	24	24	100902793.22	100897558.96	398.8286	398.8079
7.8	OBATRI07	PHYS ASS T OFF VSTS-TRICARE AMT 07	Sum of OBTR07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	15	15	19775194.52	19765083.89	93.1865	93.1388
7.9	OBAOFD07	PHYS ASS T OFF VSTS - OTHER FED AMT 07	Sum of OBOF07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	5	5	26500449.28	26502601.14	450.6071	450.6437
7.10	OBASTL07	PHYS ASS T OFF VSTS - OTH ST/LOCL AMT 07	Sum of OBSL07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	9	9	15794334.40	15790939.16	128.1053	128.0778

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
7.11	OBAWCP07	PHYS ASS T OFF VSTS-WORKERS COMP AMT 07	Sum of OBWC07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	18	18	48393002.36	48377525.82	218.6908	218.6209
7.12	OBAOPR07	PHYS ASS T OFF VSTS - OTH PRIVATE AMT 07	Sum of OBOR07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	26	26	38433163.67	38447237.50	113.54	113.5816
7.13	OBAOPU07	PHYS ASS T OFF VSTS - OTH PUBLIC AMT 07	Sum of OBOU07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	8	8	6178281.28	6178426.78	137.5729	137.5762
7.14	OBAOSR07	P A OFF VSTS - OTH UNCLASS SRCE AMT 07	Sum of OBOT07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	10	10	13656137.00	13651063.62	116.1759	116.1327
8.0	OBTHER07	# OFF-BASED PHYSICL/OCC THRPY VSTS, 07	Count of MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	687	687	82734686.91	82734686.91	9.9854	9.9854

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
8.1	OBTTCH07	OFFICE-BASED PT/OC VISIT CHARGES 07	Sum of OBTC07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	686	686	18717370061.11	18717301627.44	2260.0529	2260.045
8.2	OBTEXP07	TOT OFF-BASED PT EXP 07	Sum of OBXP07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	677	677	12262782975.99	12262835595.69	1495.3818	1495.388
8.3	OBTSLF07	PT/OT OFF VISITS-SELF/FAMILY AMT 07	Sum of OBSF07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	331	331	1104606453.99	1104615115.90	259.7003	259.7023
8.4	OBTMCR07	PT/OT OFF VISITS-MEDICARE AMT 07	Sum of OBMR07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	160	160	1516597093.14	1516487979.64	777.4103	777.3544
8.5	OBTMCD07	PT/OT OFF VISITS-MEDICAID AMT 07	Sum of OBMD07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	83	83	576056358.45	576058063.83	851.7507	851.7533

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
8.6	OBTPRV07	PT/OT OFF VISITS-PRIVATE INS AMT 07	Sum of OBPV07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	397	397	6936666654.61	6936656205.58	1363.4954	1363.493
8.7	OBTVA07	PT/OT OFF VISITS-VA AMT 07	Sum of OBVA07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	9	9	116321117.18	116319176.47	935.3496	935.334
8.8	OBTTRI07	PT/OT OFF VISITS-TRICARE AMT 07	Sum of OBTR07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	14	14	100854963.44	100844401.84	600.6239	600.561
8.9	OBTOFD07	PT/OT OFF VISITS - OTHER FED AMT 07	Sum of OBOF07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	0	0	.	.	0	0
8.10	OBTSTL07	PT/OT OFF VISITS-OTH ST/LOCL AMT 07	Sum of OBSL07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	5	5	34887310.48	34889692.41	711.9497	711.9983

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
8.11	OBTWCP07	PT/OT OFF VISITS-WORKERS COMP AMT 07	Sum of OBWC07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	57	57	1142822948.92	1142828663.77	1714.1515	1714.16
8.12	OBTOPR07	PT/OT OFF VISITS - OTH PRIVATE AMT 07	Sum of OBOR07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	34	34	460097252.51	460100888.99	943.1908	943.1983
8.13	OBTOPU07	PT/OT OFF VISITS - OTH PUBLIC AMT 07	Sum of OBOU07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	3	3	5514844.97	5519348.92	220.6612	220.8414
8.14	OBTOSR07	PT/OT OF VSTS-OTH UNCLASS SRCE AMT 07	Sum of OBOT07X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	19	19	268518622.54	268516058.35	1209.2826	1209.271
9.0	OPTOTV07	# OUTPATIENT DEPT PROVIDER VISITS 07	Count of OPAT records with SEETLKPV = (1, -7, -8 or -9)	4060	4060	126154108.78	126154108.78	2.7688	2.7688

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
9.1	OPFTCH07	OPD PROVIDER VISIT CHARGES - FAC 07	Sum of OPFTC07X from OPAT records with SEETLKPV = (1, -7, -8 or -9)	4051	4051	198663249575.09	198662066990.82	4374.5433	4374.517
9.2	OPFEXP07	TOTAL OUTPATIENT FACILITY EXP 07	Sum of OPFXP07X from OPAT records with SEETLKPV = (1, -7, -8 or -9)	3941	3941	78457558826.79	78456863805.93	1766.7405	1766.725
9.3	OPFSLF07	ALL OPD VISITS-SELF/FAMILY AMT-FAC 07	Sum of OPFSF07X from OPAT records with SEETLKPV = (1, -7, -8 or -9)	1669	1669	5682925859.01	5682872079.35	281.9206	281.9179
9.4	OPFMCR07	ALL OPD VISITS-MEDICARE AMT-FAC 07	Sum of OPFMR07X from OPAT records with SEETLKPV = (1, -7, -8 or -9)	1136	1136	15360789431.57	15360668851.28	1239.8556	1239.846
9.5	OPFMCD07	ALL OPD VISITS-MEDICAID AMT-FAC 07	Sum of OPFMD07X from OPAT records with SEETLKPV = (1, -7, -8 or -9)	650	650	3045249230.37	3045238275.66	645.8827	645.8804
9.6	OPFPRV07	ALL OPD VISITS-PRIV INS AMT-FAC 07	Sum of OPFPV07X from OPAT records with SEETLKPV = (1, -7, -8 or -9)	2235	2235	45614416600.86	45613928126.56	1608.441	1608.424
9.7	OPFVA07	ALL OPD VISITS-VA AMT-FAC 07	Sum of OPFVA07X from OPAT records with SEETLKPV = (1, -7, -8 or -9)	140	140	2439211433.34	2439122517.71	1581.9917	1581.934
9.8	OPFTRI07	ALL OPD VISITS-TRICARE AMT-FAC 07	Sum of OPFTR07X from OPAT records with SEETLKPV = (1, -7, -8 or -9)	69	69	193476732.18	193475376.05	234.8886	234.8869

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
9.9	OPFOFD07	ALL OPD VISITS-OTHER FED AMT-FAC 07	Sum of OPFOF07X from OPAT records with SEETLKPV = (1, -7, -8 or -9)	14	14	186354386.50	186356217.19	1414.9727	1414.987
9.10	OPFSTL07	ALL OPD VISITS-OTH ST/LOCAL AMT-FAC 07	Sum of OPFSL07X from OPAT records with SEETLKPV = (1, -7, -8 or -9)	40	40	503056443.52	503065399.00	1426.2868	1426.312
9.11	OPFWCP07	ALL OPD VISITS-WORKERS COMP AMT-FAC 07	Sum of OPFWC07X from OPAT records with SEETLKPV = (1, -7, -8 or -9)	63	63	2172597838.90	2172611633.20	3115.6949	3115.715
9.12	OPFOPR07	ALL OPD VISITS - OTH PRIVATE AMT-FAC 07	Sum of OPFOR07X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	220	220	2340327393.27	2340274706.03	919.9013	919.8806
9.13	OPFOPU07	ALL OPD VISITS - OTH PUBLIC AMT-FAC 07	Sum of OPFOU07X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	38	38	181781727.72	181780796.48	642.4237	642.4204
9.14	OPFOSR07	ALL OPD VSTS-OTH UNCLASS SRCE AMT-FAC 07	Sum of OPFOT07X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	80	80	737476306.11	737469827.41	1000.8163	1000.808
9.15	OPDEXP07	TOTAL OUTPATIENT PROVIDER EXP 07	Sum of OPDXP07X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	2497	2497	17146914417.33	17146316638.31	595.545	595.5243
9.16	OPDTCH07	OPD PROVIDER VISIT CHARGES - DR 07	Sum of OPDTC07X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	2585	2585	45352361460.34	45351928184.53	1532.3011	1532.287

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
9.17	OPDSLF07	ALL OPD VISITS-SELF/FAMILY AMT-DR 07	Sum of OPDSF07X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	782	782	1383943624.53	1383768242.71	141.1591	141.1412
9.18	OPDMCR07	ALL OPD VISITS-MEDICARE AMT -DR 07	Sum of OPDMR07X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	856	856	2941637114.23	2941496841.06	310.4975	310.4827
9.19	OPDMCD07	ALL OPD VISITS-MEDICAID AMT -DR 07	Sum of OPDMD07X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	352	352	505559994.13	505568217.24	191.7485	191.7517
9.20	OPDPRV07	ALL OPD VISITS-PRIV INS AMT-DR 07	Sum of OPDPV07X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	1507	1508	11164608126.94	11164336145.28	578.2027	577.6849
9.21	OPDVA07	ALL OPD VISITS-VA AMT-DR 07	Sum of OPDVA07X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	15	15	13710149.03	13690058.47	67.5244	67.4255
9.22	OPDTRI07	ALL OPD VISITS-TRICARE AMT-DR 07	Sum of OPDTR07X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	59	59	81883257.53	81877563.94	111.4283	111.4205
9.23	OPDOFD07	ALL OPD VISITS-OTHER FED AMT-DR 07	Sum of OPDOF07X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	3	3	3507246.76	3507467.00	227.154	227.1682
9.24	OPDSTL07	ALL OPD VISITS-OTH ST/LOCAL AMT-DR 07	Sum of OPDSL07X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	16	16	19788519.16	19804961.04	165.7222	165.8598

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
9.25	OPDWCP07	ALL OPD VISITS-WORKERS COMP AMT-DR 07	Sum of OPDWC07X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	37	37	319035062.59	319024000.50	797.3402	797.3125
9.26	OPDOPR07	ALL OPD VISITS - OTH PRIVATE AMT-DR 07	Sum of OPDOR07X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	235	235	623233236.93	623031774.55	239.7937	239.7161
9.27	OPDOPU07	ALL OPD VISITS-OTH PUBLIC AMT-DR 07	Sum of OPDOU07X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	30	32	25713825.34	25719524.43	99.4154	94.4192
9.28	OPDOSR07	ALL OPD VSTS-OTH UNCLASS SRCE AMT-DR 07	Sum of OPDOT07X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	10	10	64488005.30	64491842.11	807.7413	807.7893
10.0	OPDRV07	# OUTPATIENT DEPT - DR VISITS 07	Count of OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	2238	2238	46786922.61	46786922.61	1.9215	1.9215
10.1	OPVTCH07	OPD PHYSICIAN VISIT CHARGES - FAC 07	Sum of OPFTC07X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	2229	2229	123834080182.52	123833472318.92	5114.7271	5114.702
10.2	OPVEXP07	TOTAL OUTPATIENT PHYSICIAN - FAC EXP 07	Sum of OPFXP07X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	2162	2162	49804969105.97	49804639263.80	2104.4166	2104.403

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
10.3	OPVSLF07	OPD DR VISITS-SELF/FAMILY AMT-FAC 07	Sum of OPFSF07X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	984	984	3968433193.10	3968355629.63	342.8873	342.8806
10.4	OPVMCR07	OPD DR VISITS-MEDICARE AMT-FAC 07	Sum of OPFMR07X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	591	591	8740123821.79	8740119059.57	1377.2876	1377.287
10.5	OPVMCD07	OPD DR VISITS-MEDICAID AMT-FAC 07	Sum of OPFMD07X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	380	380	1668739987.33	1668755190.81	633.7213	633.727
10.6	OPVPRV07	OPD DR VISITS-PRIV INS AMT-FAC 07	Sum of OPFPV07X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC =1	1192	1192	29102798134.25	29102711391.65	1967.0005	1966.995
10.7	OPVVA07	OPD DR VISITS-VA AMT-FAC 07	Sum of OPFVA07X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	103	103	1476580767.32	1476549055.08	1356.6129	1356.584
10.8	OPVTRI07	OPD DR VISITS-TRICARE AMT-FAC 07	Sum of OPFTR07X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	38	38	132877807.83	132908657.41	298.6089	298.6783
10.9	OPVOFD07	OPD DR VISITS-OTHER FED AMT-FAC 07	Sum of OPFOF07X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	9	9	129639016.16	129638489.82	1410.1293	1410.124

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
10.10	OPVSTL07	OPD DR VISITS-OTH ST/LOCAL AMT-FAC 07	Sum of OPFSL07X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	24	24	228187624.76	228207075.93	1227.7117	1227.816
10.11	OPVWCP07	OPD DR VISITS-WORKERS COMP AMT-FAC 07	Sum of OPFWC07X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	43	43	2047482333.16	2047497478.02	4382.2825	4382.315
10.12	OPVOPR07	OPD DR VISITS - OTH PRIVATE AMT-FAC 07	Sum of OPFOR07X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC =1	120	120	1688971432.80	1688934240.97	1279.9933	1279.965
10.13	OPVOPU07	OPD DR VISITS-OTH PUBLIC AMT-FAC 07	Sum of OPFOU07X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	23	23	125845961.67	125851912.95	714.1585	714.1923
10.14	OPVOSR07	OPD DR VSTS-OTH UNCLASS SRCE AMT-FAC 07	Sum of OPFOT07X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	43	43	495098543.51	495111081.97	1339.6975	1339.731
10.15	OPSEXP07	TOTAL OUTPATIENT PHYSICIAN - DR EXP 07	Sum of OPDXP07X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	1361	1361	13759478712.92	13759090300.89	883.5085	883.4836
10.16	OPSTCH07	OPD PHYSICIAN VISIT CHARGES - DR 07	Sum of OPDTC07X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC =1	1408	1408	37079286700.57	37079178160.19	2314.6473	2314.641

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
10.17	OPSSLF07	OPD DR VISITS-SELF/FAMILY AMT-DR 07	Sum of OPDSF07X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC =1	477	477	1132397958.39	1132284696.01	193.4556	193.4362
10.18	OPSMCR07	OPD DR VISITS-MEDICARE AMT-DR 07	Sum of OPDMR07X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	450	450	2210875036.80	2210793170.98	443.5152	443.4988
10.19	OPSMCD07	OPD DR VISITS-MEDICAID AMT-DR 07	Sum of OPDMD07X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	203	203	383148047.49	383114610.03	248.5672	248.5455
10.20	OPSPRV07	OPD DR VISITS-PRIV INS AMT-DR 07	Sum of OPDPV07X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	835	836	9068674748.43	9068450966.32	846.6593	845.3094
10.21	OPSVA07	OPD DR VISITS-VA AMT-DR 07	Sum of OPDVA07X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC =1	10	10	8698031.79	8694830.21	61.9323	61.9095
10.22	OPSTRI07	OPD DR VISITS-TRICARE AMT-DR 07	Sum of OPDTR07X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	31	31	60083856.05	60104595.53	151.5451	151.5974
10.23	OPSOFD07	OPD DR VISITS-OTHER FED AMT-DR 07	Sum of OPDOF07X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	3	3	3507246.76	3507467.00	227.154	227.1682

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
10.24	OPSSTL07	OPD DR VISITS-OTH ST/LOCAL AMT-DR 07	Sum of OPDSL07X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	13	13	18014092.85	18012541.77	211.501	211.4828
10.25	OPSWCP07	OPD DR VISITS-WORKERS COMP AMT-DR 07	Sum of OPDWC07X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	25	25	284821062.15	284838665.23	1263.9373	1264.016
10.26	OPSOPR07	OPD DR VISITS - OTH PRIVATE AMT-DR 07	Sum of OPDOR07X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	110	110	508790987.75	508708560.17	447.4094	447.3369
10.27	OPSOPU07	OPD DR VISITS-OTH PUBLIC AMT-DR 07	Sum of OPDOU07X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	20	20	21480285.96	21489535.51	126.635	126.6895
10.28	OPSOSR07	OPD DR VSTS-OTH UNCLASS SRCE AMT-DR 07	Sum of OPDOT07X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	6	6	59089131.77	59090662.14	1450.1171	1450.155
11.0	OPOTHV07	# OUTPATIENT DEPT NON-DR VISITS 07	Count of OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	2429	2429	76678053.00	76678053.00	2.7007	2.7007

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
11.1	OPOTCH07	OPD NON-PHYS VISIT CHARGES - FAC 07	Sum of OPFTC07X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	2428	2428	73210091924.13	73209236374.53	2579.7992	2579.769
11.2	OPOEXP07	TOTAL OUTPATIENT NON-DR - FAC EXP 07	Sum of OPFXP07X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	2363	2363	27973589725.98	27973332511.82	1011.1554	1011.146
11.3	OPOSLF07	OPD NON-DR VISITS-SELF/FAM AMT-FAC 07	Sum of OPFSF07X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	863	864	1655178798.63	1655123042.37	152.4108	152.1525
11.4	OPOMCR07	OPD NON-DR VISITS-MEDICARE AMT-FAC 07	Sum of OPFMR07X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	754	754	6383904418.03	6383946792.71	763.2357	763.2407

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
11.5	OPOMCD07	OPD NON-DR VISITS-MEDICAID AMT-FAC 07	Sum of OPFMD07X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	323	323	1358573595.78	1358534114.51	552.8745	552.8584
11.6	OPOPRV07	OPD NON-DR VISITS-PRIV INS AMT-FAC 07	Sum of OPFPV07X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	1364	1364	16276655925.54	16276421842.59	918.4332	918.42
11.7	OPOVA07	OPD NON-DR VISITS-VA AMT-FAC 07	Sum of OPFVA07X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	60	60	933039379.45	932973128.59	1215.1621	1215.076
11.8	OPOTRI07	OPD NON-DR VISITS-TRICARE AMT-FAC 07	Sum of OPFTR07X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	35	35	53316501.85	53284115.75	125.0046	124.9287

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
11.9	OPOOFD07	OPD NON-DR VISITS-OTHER FED AMT-FAC 07	Sum of OPFOF07X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	5	5	56715370.34	56717727.37	1426.1694	1426.229
11.10	OPOSTL07	OPD NON-DR VISITS-OTH ST/LOC AMT-FAC 07	Sum of OPFSL07X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	19	19	274849772.33	274858323.07	1358.437	1358.479
11.11	OPOWCP07	OPD NON-DR VISITS-WRKRS COMP AMT-FAC 07	Sum of OPFWC07X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	26	26	125109189.08	125114155.19	448.1231	448.1409
11.12	OPOOPR07	OPD NON-DR VISITS-OTH PRIVATE AMT-FAC 07	Sum of OPFOR07X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	128	128	622086204.43	622026539.31	405.9656	405.9267

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
11.13	OPOOPU07	OPD NON-DR VISITS-OTH PUBLIC AMT-FAC 07	Sum of OPFOU07X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	20	20	55211343.27	55212441.32	351.0126	351.0196
11.14	OPOOSR07	OPD NON-DR VSTS-OT UNCLAS SRC AMT-FAC 07	Sum of OPFOT07X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	41	41	179119206.91	179120289.04	449.7485	449.7512
11.15	OPPEXP07	TOTAL OUTPATIENT NON-DR - DR EXP 07	Sum of OPDXP07X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	1395	1395	3247365096.39	3246883067.19	196.1895	196.1604
11.16	OPPTCH07	OPD NON-PHYS VISIT CHARGES - DR 07	Sum of OPDTC07X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	1447	1447	7964941422.69	7964604785.70	467.9937	467.9739

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
11.17	OPPSLF07	OPD NON-DR VISITS-SELF/FAM AMT-DR 07	Sum of OPDSF07X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	338	338	234063689.59	233976156.64	53.6278	53.6077
11.18	OPPMCR07	OPD NON-DR VISITS-MEDICARE AMT-DR 07	Sum of OPDMR07X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	513	513	709028239.57	708917999.75	124.4208	124.4015
11.19	OPPMCD07	OPD NON-DR VISITS-MEDICAID AMT-DR 07	Sum of OPDMD07X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	179	179	119549712.39	119545294.28	90.2042	90.2009
11.20	OPPPRV07	OPD NON-DR VISITS-PRIV INS AMT-DR 07	Sum of OPDPV07X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	827	827	2002517937.47	2002379349.34	184.8971	184.8843

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
11.21	OPPVA07	OPD NON-DR VISITS-VA AMT-DR 07	Sum of OPDVA07X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	4	4	4260768.06	4241723.04	76.0009	75.6612
11.22	OPPTRI07	OPD NON-DR VISITS-TRICARE AMT-DR 07	Sum of OPDTR07X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	29	29	21328827.44	21313763.97	60.6534	60.6106
11.23	OPPOFD07	OPD NON-DR VISITS-OTHER FED AMT-DR 07	Sum of OPDOF07X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	0	0	.	.	0	0
11.24	OPPSTL07	OPD NON-DR VISITS-OTH ST/LOC AMT-DR 07	Sum of OPDSL07X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	4	4	1774426.31	1792419.28	42.4801	42.9108

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
11.25	OPPWCP07	OPD NON-DR VISITS-WRKRS COMP AMT-DR 07	Sum of OPDWC07X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	14	14	34207683.78	34185335.27	182.9106	182.7911
11.26	OPPOPR07	OPD NON-DR VISITS-OTH PRIVATE AMT-DR 07	Sum of OPDOR07X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	128	128	110999416.35	110899856.75	74.3941	74.3274
11.27	OPPOPU07	OPD NON-DR VISITS-OTH PUBLIC AMT-DR 07	Sum of OPDOU07X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	12	14	4233539.38	4229988.91	37.7899	33.6313
11.28	OPPOSR07	OPD NON-DR VSTS-OT UNCLAS SRC AMT-DR 07	Sum of OPDOT07X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	4	4	5398873.53	5401179.97	138.1153	138.1743

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
12.0	AMCHIR07	# CHIROPRACTR VSTS (OFF+OUTPAT), 07	Count of MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1] plus OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	1055	1055	114732986.95	114732986.95	8.6222	8.6222
12.1	AMCTCH07	CHIRO AMBULATORY VISIT CHARGES 07	Sum of OBTC07X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of OPTC07X from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	1053	1053	9828293569.70	9828278315.13	739.7087	739.7075

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
12.2	AMCEXP07	TOTL AMBULTRY (OB+OP) CHIRO EXP 07	Sum of OBXP07X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of OPXP07X from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	1010	1010	8420510405.97	8420562572.72	658.4615	658.4656
12.3	AMCSLF07	CHIRO AMB VISITS - SELF/FAMILY AMT 07	Sum of OBSF07X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFSF07X + OPDSF07X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	819	819	3959615211.16	3959618574.42	371.5145	371.5149

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
12.4	AMCMCR07	CHIRO AMB VISITS - MEDICARE AMT 07	Sum of OBMR07X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFMR07X + OPDMR07X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	119	119	438575649.92	438546387.45	305.8555	305.8351
12.5	AMCMCD07	CHIRO AMB VISITS - MEDICAID AMT 07	Sum of OBMD07X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFMD07X + OPDMD07X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	39	39	143995427.28	143997032.88	417.9496	417.9542

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
12.6	AMCPRV07	CHIRO AMB VISITS - PRIVATE INS AMT 07	Sum of OBPV07X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFPV07X + OPDPV07X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	529	529	2763934773.32	2763916102.19	398.2213	398.2186
12.7	AMCVA07	CHIRO AMB VISITS -VA AMT 07	Sum of OBVA07X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFVA07X + OPDVA07X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	14	14	6098229.54	6084765.17	36.948	36.8664

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
12.8	AMCTRI07	CHIRO AMB VISITS-TRICARE AMT 07	Sum of OBTR07X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFTR07X + OPDTR07X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	1	1	2523238.74	2523238.74	263	263
12.9	AMCOFD07	CHIRO AMB VISITS - OTHER FEDERAL AMT 07	Sum of OBOF07X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFOF07X + OPDOF07X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	0	0	.	.	0	0

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
12.10	AMCSTL07	CHIRO AMB VISITS - OTH ST/LOCAL AMT 07	Sum of OBSL07X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFSL07X + OPDSL07X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	8	8	39883408.42	39876623.78	467.5892	467.5097
12.11	AMCWCP07	CHIRO AMB VISITS- WORKERS COMP AMT 07	Sum of OBWC07X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFWC07X + OPDWC07X) from OPAT records with and [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	15	15	125744633.30	125731794.70	747.9352	747.8588

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
12.12	AMCOPR07	CHIRO AMB VISITS - OTH PRIVATE AMT 07	Sum of OBOR07X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFOR07X + OPDOR07X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	33	33	137765433.36	137789233.24	291.8658	291.9162
12.13	AMCOPU07	CHIRO AMB VISITS - OTH PUBLIC AMT 07	Sum of OBOU07X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFOU07X + OPDOU07X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	1	1	1563438.82	1563438.82	160	160

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
12.14	AMCOSR07	CHIR AMB VSTS - OTH UNCLASS SRCE AMT 07	Sum of OBOT07X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFOT07X + OPDOT07X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	69	69	800923939.06	800915381.34	987.7486	987.7381
13.0	AMNURS07	# AMB NURSE/PRCTITIONR VSTS(OB+OP) 07	Count of MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] and OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	2663	2663	85973181.73	85973181.73	2.7717	2.7717

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
13.1	AMNTCH07	NRS/PRAC AMBULATORY VISIT CHARGES 07	Sum of OBTC07X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of OPTC07X from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=4]	2655	2655	41130853624.86	41130528942.40	1330.6224	1330.612
13.2	AMNEXP07	TOTL AMBULTRY (OB+OP) NURSE/PRAC EXP 07	Sum of OBXP07X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of OPXPP07X from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=4]	2517	2519	18462679159.87	18462509461.95	629.6544	628.8492

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
13.3	AMNSLF07	NRS/PRAC AMB VSTS - SELF/FAMILY AMT 07	Sum of OBSF07X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFSF07X + OPDSF07X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	1332	1334	1295825465.18	1295786711.26	77.795	77.6426
13.4	AMNMCR07	NRS/PRAC AMB VSTS - MEDICARE AMT 07	Sum of OBMR07X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFMR07X + OPDMR07X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	510	511	4574188707.21	4574108210.05	768.5218	767.1623

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
13.5	AMNMCD07	NRS/PRAC AMB VSTS - MEDICAID AMT 07	Sum of OBMD07X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFMD07X + OPDMD07X) from OPAT records [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	365	367	1386947519.85	1386951851.14	521.2584	518.2382
13.6	AMNPRV07	NRS/PRAC AMB VSTS - PRIV INS AMT 07	Sum of OBPV07X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFPV07X + OPDPV07X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	1319	1321	9694211689.27	9694040942.24	563.1983	561.9713

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
13.7	AMNVA07	NRS/PRAC AMB VSTS-VA AMT 07	Sum of OBVA07X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFVA07X + OPDVA07X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	74	74	528991490.74	528975543.33	667.3685	667.3483
13.8	AMNTRI07	NRS/PRAC AMB VSTS-TRICARE AMT 07	Sum of OBTR07X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFTR07X + OPDTR07X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	34	34	57524275.07	57497207.97	137.2986	137.234

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
13.9	AMNOFD07	NRS/PRAC AMB VSTS-OTHER FEDERAL AMT 07	Sum of OBOF07X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFOF07X + OPDOF07X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	10	10	12499349.53	12486169.95	123.4792	123.349
13.10	AMNSTL07	NRS/PRAC AMB VSTS-OTH ST/LOCAL AMT 07	Sum of OBSL07X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFSL07X + OPDSL07X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	56	56	275339145.35	275318984.32	498.5782	498.5417

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
13.11	AMNWCP07	NRS/PRAC AMB VSTS-WORKERS COMP AMT 07	Sum of OBWC07X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFWC07X + OPDWC07X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	10	10	67537910.84	67538470.64	815.0407	815.0474
13.12	AMNOPR07	NRS/PRAC AMB VSTS - OTH PRIVATE AMT 07	Sum of OBOR07X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFOR07X + OPDOR07X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	99	99	355949368.65	355884608.82	283.8176	283.766

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
13.13	AMNOPU07	NRS/PRAC AMB VSTS - OTH PUBLIC AMT 07	Sum of OBOU07X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFOU07X + OPDOU07X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	22	22	125415099.11	125385828.02	603.7416	603.6006
13.14	AMNOSR07	NRS/PR AMB VSTS - OTH UNCLAS SRCE AMT 07	Sum of OBOT07X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFOT07X + OPDOT07X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	85	85	88499199.38	88534934.21	117.9703	118.0179

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
14.0	AMOPTO07	# AMB OPTOMETRIST VSTS (OB+OP) 07	Count of MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus count of OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	1666	1666	23895645.34	23895645.34	1.2004	1.2004
14.1	AMETCH07	OPTOMETRIST AMBULATORY VISIT CHARGES 07	Sum of OBTC07X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of OPTC07X from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	1665	1665	3577567093.28	3577535015.76	179.8773	179.8757

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
14.2	AMEEXP07	TOTL AMBULTRY (OB+OP) OPTOMETRIST EXP 07	Sum of OBXP07X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of OPXP07X from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	1645	1645	3155256447.02	3155270464.02	160.6827	160.6834
14.3	AMESLF07	OPTMTRIST AMB VSTS -SELF/FAMILY AMT 07	Sum of OBSF07X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFSF07X + OPDSF07X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	1195	1195	1440145259.91	1440021239.17	97.2346	97.2262

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
14.4	AMEMCR07	OPTMTRIST AMB VSTS -MEDICARE AMT 07	Sum of OBMR07X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFMR07X + OPDMR07X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	85	85	116212065.02	116177124.90	122.7755	122.7386
14.5	AMEMCD07	OPTMTRIST AMB VSTS -MEDICAID AMT 07	Sum of OBMD07X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFMD07X + OPDMD07X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	211	211	182317136.60	182260194.37	113.9314	113.8959

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
14.6	AMEPRV07	OPTMTRIST AMB VSTS -PRIVATE INS AMT 07	Sum of OBPV07X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFPV07X + OPDPV07X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	760	760	1263710248.37	1263601433.45	126.5744	126.5635
14.7	AMEVA07	OPTMTRIST AMB VSTS- VA AMT 07	Sum of OBVA07X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFVA07X + OPDVA07X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	21	22	28389575.28	28387801.83	123.711	115.5185

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
14.8	AMETRI07	OPTMTRIST AMB VSTS-TRICARE AMT 07	Sum of OBTR07X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFTR07X + OPDTR07X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	23	23	22268146.43	22269407.88	88.0595	88.0645
14.9	AMEOFD07	OPTMTRIST AMB VSTS-OTHER FED AMT 07	Sum of OBOF07X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFOF07X + OPDOF07X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	1	1	3812685.01	3809082.47	254	253.76

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
14.10	AMESTL07	OPTMTRIST AMB VSTS-OTH ST/LOCAL AMT 07	Sum of OBSL07X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFSL07X + OPDSL07X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	24	24	28141186.75	28143014.13	127.2502	127.2585
14.11	AMEWCP07	OPTMTRIST AMB VSTS-WORKERS COMP AMT 07	Sum of OBWC07X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFWC07X + OPDWC07X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	2	2	970913.98	970913.98	37.1635	37.1635

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
14.12	AMEOPR07	OPTMTRIST AMB VSTS - OTH PRIVATE AMT 07	Sum of OBOR07X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFOR07X + OPDOR07X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	37	37	61847202.58	61838244.43	138.3993	138.3792
14.13	AMEOPU07	OPTMTRIST AMB VSTS - OTH PUBLIC AMT 07	Sum of OBOU07X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFOU07X + OPDOU07X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	1	1	363313.43	361566.73	52	51.75

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
14.14	AMEOSR07	OPTOM AMB VSTS - OTH UNCLAS SRCE AMT 07	Sum of OBOT07X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFOT07X + OPDOT07X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	11	11	7424067.74	7430440.69	88.7833	88.8595
15.0	AMASST07	# PHYSICIAN ASS T VSTS (OFF+OUPAT), 1079	Count of MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] and OPAT records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	757	757	17883249.52	17883249.52	1.9044	1.9044

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
15.1	AMATCH07	PHYS ASS T AMBULATORY VISIT CHARGES 07	Sum of OBTC07X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of OPTC07X from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=7]	755	755	5042751248.31	5042703613.37	538.8601	538.855
15.2	AMAEXP07	TOTL AMBULTRY (OB+OP) PHYS ASS T EXP 07	Sum of OBXP07X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of OPXP07X from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=7]	739	739	2772417420.14	2772398685.44	301.6234	301.6214

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
15.3	AMASLF07	PHYS ASS T AMB VSTS-SELF/FAMILY AMT 07	Sum of OBSF07X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFSF07X + OPDSF07X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	495	495	338757743.16	338756844.21	52.6313	52.6311
15.4	AMAMCR07	PHYS ASS T AMB VSTS-MEDICARE AMT 07	Sum of OBMR07X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFMR07X + OPDMR07X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	129	129	309297967.21	309309785.78	209.7664	209.7744

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
15.5	AMAMCD07	PHYS ASS T AMB VSTS-MEDICAID AMT 07	Sum of OBMD07X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFMD07X + OPDMD07X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	74	74	263704122.90	263694700.74	435.7821	435.7665
15.6	AMAPRV07	PHYS ASS T AMB VSTS-PRIVATE INS AMT 07	Sum of OBPV07X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFPV07X + OPDPV07X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	453	453	1539849764.79	1539844104.62	252.6292	252.6283

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
15.7	AMAVA07	PHYS ASS T AMB VSTS-VA AMT 07	Sum of OBVA07X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFVA07X + OPDVA07X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	28	28	145613361.78	145606661.10	489.4837	489.4612
15.8	AMATRI07	PHYS ASS T AMB VSTS-TRICARE AMT 07	Sum of OBTR07X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFTR07X + OPDTR07X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	16	16	23723754.18	23703827.93	101.1591	101.0741

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
15.9	AMAOFD07	PHYS ASS T AMB VSTS -OTHER FED AMT 07	Sum of OBOF07X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFOF07X + OPDOF07X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	5	5	26500449.28	26502601.14	450.6071	450.6437
15.10	AMASTL07	PHYS ASS T AMB VSTS- OTH ST/LOCL AMT 07	Sum of OBSL07X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFSL07X + OPDSL07X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	9	9	15794334.40	15790939.16	128.1053	128.0778

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
15.11	AMAWCP07	PHYS ASS T AMB VSTS-WRKERS COMP AMT 07	Sum of OBWC07X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFWC07X + OPDWC07X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	18	18	48393002.36	48377525.82	218.6908	218.6209
15.12	AMAOPR07	PHYS ASS T AMB VSTS - OTH PRIVATE AMT 07	Sum of OBOR07X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFOR07X + OPDOR07X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	27	27	40965049.57	40982204.56	115.6802	115.7286

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
15.13	AMAOPU07	PHYS ASS T AMB VSTS - OTH PUBLIC AMT 07	Sum of OBOU07X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFOU07X + OPDOU07X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	8	8	6178281.28	6178426.78	137.5729	137.5762
15.14	AMAOSR07	P A AMB VSTS- OTH UNCLASS SRCE AMT 07	Sum of OBOT07X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFOT07X + OPDOT07X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	10	10	13656137.00	13651063.62	116.1759	116.1327

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
16.0	AMTHER07	# AMB PT/OT THRPY VISITS (OB+OP) 07	Count of MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus count of OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	798	798	95027988.25	95027988.25	10.101	10.101
16.1	AMTTCH07	PT/OC AMBULATORY VISIT CHARGES 07	Sum of OBTC07X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of OPTC07X from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=(8 or 9)]	797	797	23231455802.64	23231346564.62	2470.3625	2470.351

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
16.2	AMTEXP07	TOTL AMBULTRY (OB+OP) PT/OT EXP 07	Sum of OBXP07X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of OPXP07X from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=(8 or 9)]	788	788	14127541805.57	14127591669.24	1515.3957	1515.401
16.3	AMTSLF07	PT/OT AMB VISITS-SELF/FAMILY AMT 07	Sum of OBSF07X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFSF07X + OPDSF07X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	383	383	1243307375.83	1243276250.61	257.3312	257.3248

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
16.4	AMTMCR07	PT/OT AMB VISITS-MEDICARE AMT 07	Sum of OBMR07X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFMR07X + OPDMR07X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	208	208	2070752373.96	2070693875.13	850.966	850.942
16.5	AMTMCD07	PT/OT AMB VISITS-MEDICAID AMT 07	Sum of OBMD07X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFMD07X + OPDMD07X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	105	105	667643597.24	667654221.20	826.2209	826.234

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
16.6	AMTPRV07	PT/OT AMB VISITS-PRIVATE INS AMT 07	Sum of OBPV07X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFPV07X + OPDPV07X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	458	458	7676791821.58	7676760497.67	1320.6849	1320.68
16.7	AMTVA07	PT/OT AMB VISITS-VA AMT 07	Sum of OBVA07X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFVA07X + OPDVA07X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	12	12	348475308.02	348452070.72	2151.6583	2151.515

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
16.8	AMTTRI07	PT/OT AMB VISITS-TRICARE AMT 07	Sum of OBTR07X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFTR07X + OPDTR07X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	16	16	104805432.06	104795620.21	535.7583	535.7081
16.9	AMTOFD07	PT/OT AMB VISITS - OTHER FED AMT 07	Sum of OBOF07X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFOF07X + OPDOF07X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	0	0	.	.	0	0

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
16.10	AMTSTL07	PT/OT AMB VISITS-OTH ST/LOCL AMT 07	Sum of OBSL07X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFSL07X + OPDSL07X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	6	6	35576673.70	35576298.17	596.8431	596.8368
16.11	AMTWCP07	PT/OT AMB VISITS-WORKERS COMP AMT 07	Sum of OBWC07X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFWC07X + OPDWC07X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	62	62	1175886775.53	1175893959.71	1666.7312	1666.741

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
16.12	AMTOPR07	PT/OT AMB VISITS - OTH PRIVATE AMT 07	Sum of OBOR07X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFOR07X + OPDOR07X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	42	42	492120251.01	492115742.52	843.1697	843.162
16.13	AMTOPU07	PT/OT AMB VISITS-OTH PUBLIC AMT 07	Sum of OBOU07X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFOU07X + OPDOU07X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	5	5	8622429.45	8622969.45	217.014	217.0276

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
16.14	AMTOSR07	PT/OT AMB VSTS-OTH UNCLAS SRCE AMT 07	Sum of OBOT07X from MVIS records with [SEETLKPV= (1 - 7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFOT07X + OPDOT07X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	24	24	303754904.21	303750163.84	1176.0345	1176.016
17.0	AMTOTC07	# CALLS W/OFFICE & OUPAT DEPTS, 07	Count of MVIS records with SEETLKPV = 2 plus count of OPAT records with SEETLKPV = 2	557	557	10290937.57	10290937.57	1.5239	1.5239
18.0	AMDRC07	# CALLS W/OFF & OUTPAT PHYSICIANS, 07	Count of MVIS records with SEETLKPV = 2 and SEEDOC = 1 plus count of OPAT records with SEETLKPV = 2 and SEEDOC = 1	288	288	4505407.69	4505407.69	1.2784	1.2784
19.0	ERTOT07	# EMERGENCY ROOM VISITS, 07	Count of EROM records	4013	4013	53940203.08	53940203.08	1.3779	1.3779
19.1	ERFTCH07	ER FACILITY VISIT CHARGES 07	Sum of ERFTC07X from EROM records	3721	3721	81374879248.84	81373980310.33	2276.431	2276.406
19.2	ERFEXP07	TOTAL ER FACILITY EXP 07	Sum of ERFXP07X from EROM records	3389	3389	30980026113.08	30979374873.52	945.6767	945.6568
19.3	ERFSLF07	ER-SELF/FAMILY AMT - FAC 07	Sum of ERFSF07X from EROM records	1351	1351	3632041894.46	3632152433.15	240.3364	240.3437

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
19.4	ERFMCR07	ER-MEDICARE AMT - FAC 07	Sum of ERFMR07X from EROM records	641	641	4338413320.19	4338247167.65	652.6437	652.6187
19.5	ERFMCD07	ER-MEDICAID AMT - FAC 07	Sum of ERFMD07X from EROM records	1077	1077	2961075994.72	2961114579.26	416.8565	416.862
19.6	ERFPRV07	ER-PRIVATE INS AMT - FAC 07	Sum of ERFPV07X from EROM records	1443	1443	15705709093.42	15705212100.65	926.68	926.6507
19.7	ERFVA07	ER-VA AMT - FAC 07	Sum of ERFVA07X from EROM records	48	48	570130683.04	570182806.69	1315.7679	1315.888
19.8	ERFTRI07	ER-TRICARE AMT - FAC 07	Sum of ERFTR07X from EROM records	48	48	527947262.04	527897991.55	948.6815	948.593
19.9	ERFOFD07	ER-OTHER FEDERAL AMT - FAC 07	Sum of ERFOF07X from EROM records	17	17	123366227.22	123385532.06	722.441	722.554
19.10	ERFSTL07	ER-OTH ST/LOCAL AMT - FAC 07	Sum of ERFSL07X from EROM records	22	22	82058049.57	82041990.80	582.1188	582.0048
19.11	ERFWCP07	ER-WORKERS COMP AMT - FAC 07	Sum of ERFWC07X from EROM records	84	84	876802257.27	876844037.07	948.5571	948.6023
19.12	ERFOPR07	ER-OTHER PRIVATE AMT - FAC 07	Sum of ERFOR07X from EROM records	149	149	941766863.01	941776888.03	592.3783	592.3847
19.13	ERFOPU07	ER-OTHER PUBLIC AMT - FAC 07	Sum of ERFOU07X from EROM records	45	45	288548809.45	288524282.82	855.9851	855.9123
19.14	ERFOSR07	ER-OTH UNCLASS SRCE AMT - FAC 07	Sum of ERFOT07X from EROM records	92	92	932021318.16	931995063.80	1114.4101	1114.379
19.15	ERDEXP07	TOTAL EMERGENCY ROOM DR EXP 07	Sum of ERDXP07X from EROM records	2814	2815	7134727215.62	7134256845.59	254.3125	254.1814
19.16	ERDTCH07	ER DOCTOR VISIT CHARGES 07	Sum of ERDTC07X from EROM records	3126	3126	18450439152.10	18450156536.87	598.9133	598.9042
19.17	ERDSLF07	ER-SELF/FAMILY AMT - DR 07	Sum of ERDSF07X from EROM records	710	710	925706473.94	925728925.77	116.3238	116.3266
19.18	ERDMCR07	ER-MEDICARE AMT - DR 07	Sum of ERDMR07X from EROM records	625	625	1226511946.50	1226613264.44	181.0059	181.0209
19.19	ERDMCD07	ER-MEDICAID AMT - DR 07	Sum of ERDMD07X from EROM records	851	852	627307788.85	627188217.38	108.5302	108.4357

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
19.20	ERDPRV07	ER-PRIVATE INS AMT - DR 07	Sum of ERDPV07X from EROM records	1199	1200	3718030371.62	3717769192.27	260.0158	259.7683
19.21	ERDVA07	ER-VA AMT - DR 07	Sum of ERDVA07X from EROM records	14	14	26996212.14	27005946.55	153.095	153.1502
19.22	ERDTRI07	ER-TRICARE AMT - DR 07	Sum of ERDTR07X from EROM records	53	53	57014328.94	57029699.60	94.8133	94.8388
19.23	ERDOFD07	ER-OTHER FED AMT - DR 07	Sum of ERDOF07X from EROM records	1	1	409774.79	406668.44	62	61.53
19.24	ERDSTL07	ER-OTH ST/LOCAL AMT - DR 07	Sum of ERDSL07X from EROM records	6	6	3297500.44	3290865.77	61.6672	61.5431
19.25	ERDWCP07	ER-WORKERS COMP AMT - DR 07	Sum of ERDWC07X from EROM records	67	67	143101658.75	143159910.98	190.8623	190.94
19.26	ERDOPR07	ER - OTHER PRIVATE AMT - DR 07	Sum of ERDOR07X from EROM records	187	187	237395786.84	237367200.61	119.6649	119.6505
19.27	ERDOPU07	ER - OTHER PUBLIC AMT - DR 07	Sum of ERDOU07X from EROM records	57	57	28937256.54	28939166.16	67.4321	67.4365
19.28	ERDOSR07	ER-OTH UNCLASS SRCE AMT - DR 07	Sum of ERDOT07X from EROM records	53	53	139776150.86	139757787.64	241.9997	241.9679
20.0	IPZERO07	# ZERO-NIGHT HOSPITAL STAYS 07	Count of STAZ records with NUMNIGHX = 0	73	73	874801.10	874801.10	1.1439	1.1439
20.1	ZIFTCH07	ZERO-NITE IP STAY CHARGES - FAC 07	Sum of IPFTC07X from STAZ records with NUMNIGHX = 0	73	73	8114467800.19	8114435443.79	10610.4446	10610.4
20.2	ZIFEXP07	TOTAL ZERO-NITE STAYS FAC EXP 07	Sum of IPFXP07X from STAZ records with NUMNIGHX=0	66	66	3280510094.46	3280517022.76	4807.2452	4807.255
20.3	ZIFSLF07	ZERO-NITE IP STAZ - SELF/FAM AMT-FAC 07	Sum of IPFSF07X from STAZ records with NUMNIGHX = 0	20	20	42260961.54	42262139.55	229.1705	229.1769
20.4	ZIFMCR07	ZERO-NITE IP STAZ- MEDICARE AMT-FAC 07	Sum of IPFMR07X from STAZ records with NUMNIGHX = 0	19	19	774261704.82	774273888.97	3467.168	3467.223

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
20.5	ZIFMCD07	ZERO-NITE IP STAZ-MEDICAID AMT-FAC 07	Sum of IPFMD07X from STAZ records with NUMNIGHX = 0	18	18	176445462.06	176430856.25	1182.9638	1182.866
20.6	ZIFPRV07	ZERO-NITE IP STAZ-PRIV INS AMT-FAC 07	Sum of IPFPV07X from STAZ records with NUMNIGHX = 0	27	27	1970952126.80	1970922330.16	6816.2562	6816.153
20.7	ZIFVA07	ZERO-NITE IP STAZ-VA AMT-FAC 07	Sum of IPFVA07X from STAZ records with NUMNIGHX = 0	2	2	3448666.60	3445384.82	199.0635	198.874
20.8	ZIFTRI07	ZERO-NITE IP STAZ-TRICARE AMT-FAC 07	Sum of IPFTR07X from STAZ records with NUMNIGHX = 0	2	2	47149445.85	47152436.91	1898.2552	1898.376
20.9	ZIFOFD07	ZERO-NITE IP STAZ-OTHER FED AMT-FAC 07	Sum of IPFOF07X from STAZ records with NUMNIGHX = 0	0	0	.	.	0	0
20.10	ZIFSTL07	ZERO-NITE IP STAZ-OTH ST/LOC AMT-FAC 07	Sum of IPFSL07X from STAZ records with NUMNIGHX = 0	0	0	.	.	0	0
20.11	ZIFWCP07	ZERO-NITE IP STAZ-WRKERS COMP AMT-FAC 07	Sum of IPFWC07X from STAZ records with NUMNIGHX = 0	0	0	.	.	0	0
20.12	ZIFOPR07	ZERO-NITE IP STAZ-OTH PRIVATE AMT-FAC 07	Sum of IPFOR07X from STAZ records with NUMNIGHX = 0	4	4	28482965.75	28481492.24	837.1149	837.0716
20.13	ZIFOPU07	ZERO-NITE IP STAZ-OTH PUBLIC AMT-FAC 07	Sum of IPFOU07X from STAZ records with NUMNIGHX = 0	3	3	12873179.32	12865196.59	545.7943	545.4559
20.14	ZIFOSR07	ZERO-NITE IP STAZ-UNCLAS SRCE AMT-FAC 07	Sum of IPFOT07X from STAZ records with NUMNIGHX = 0	1	1	224675629.16	224683297.27	8497	8497.29
20.15	ZIDEXP07	TOTAL ZERO-NITE STAZ DR 07	Sum of IPDXP07X from STAZ records with NUMNIGHX = 0	58	58	968687408.31	968680217.51	1604.1595	1604.148

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
20.16	ZIDTCH07	ZERO-NITE IP STAY CHARGES - DR 07	Sum of IPDTC07X from STAZ records with NUMNIGHX=0	59	59	2697741669.02	2697728721.89	4355.2787	4355.258
20.17	ZIDSLF07	ZERO-NITE IP STAZ-SELF/FAM AMT-DR 07	Sum of IPDSF07X from STAZ records with NUMNIGHX = 0	20	20	41745415.48	41732489.08	180.8047	180.7487
20.18	ZIDMCR07	ZERO-NITE IP STAZ-MEDICARE AMT-DR 07	Sum of IPDMR07X from STAZ records with NUMNIGHX = 0	16	16	139079799.72	139075266.90	867.832	867.8037
20.19	ZIDMCD07	ZERO-NITE IP STAZ-MEDICAID AMT-DR 07	Sum of IPDMD07X from STAZ records with NUMNIGHX = 0	14	14	127882457.66	127865396.18	1077.1166	1076.973
20.20	ZIDPRV07	ZERO-NITE IP STAZ-PRIV INS AMT-DR 07	Sum of IPDPV07X from STAZ records with NUMNIGHX = 0	26	26	566103031.02	566128333.34	2040.9669	2041.058
20.21	ZIDVA07	ZERO-NITE IP STAZ-VA AMT-DR 07	Sum of IPDVA07X from STAZ records with NUMNIGHX = 0	0	0	.	.	0	0
20.22	ZIDTRI07	ZERO-NITE IP STAZ-TRICARE AMT-DR 07	Sum of IPDTR07X from STAZ records with NUMNIGHX = 0	3	3	10087633.36	10097026.08	351.7746	352.1022
20.23	ZIDOFD07	ZERO-NITE IP STAZ-OTHER FED AMT-DR 07	Sum of IPDOF07X from STAZ records with NUMNIGHX = 0	0	0	.	.	0	0
20.24	ZIDSTL07	ZERO-NITE IP STAZ-OTH ST/LOC AMT-DR 07	Sum of IPDSL07X from STAZ records with NUMNIGHX = 0	0	0	.	.	0	0
20.25	ZIDWCP07	ZERO-NITE IP STAZ-WRKERS COMP AMT-DR 07	Sum of IPDWC07X from STAZ records with NUMNIGHX = 0	1	1	15468429.22	15468429.22	585	585
20.26	ZIDOPR07	ZERO-NITE IP STAZ-OTH PRIVATE AMT-DR 07	Sum of IPDOR07X from STAZ records with NUMNIGHX = 0	8	8	21602339.84	21605014.22	271.7277	271.7613

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
20.27	ZIDOPU07	ZERO-NITE IP STAZ-OTH PUBLIC AMT-DR 07	Sum of IPDOU07X from STAZ records with NUMNIGHX = 0	3	3	1397194.02	1398624.00	81.1044	81.1874
20.28	ZIDOSR07	ZERO-NITE IP STAZ-UNCLAS SRCE AMT-DR 07	Sum of IPDOT07X from STAZ records with NUMNIGHX = 0	2	2	45319485.62	45309638.50	1860.1534	1859.749
21.0	IPDIS07	# HOSPITAL DISCHARGES, 07	Count of STAZ records	2221	2221	30283472.35	30283472.35	1.3317	1.3317
21.1	IPFTCH07	IP HOSP STAY CHARGES - FAC 07	Sum of IPFTC07X from STAZ records	2221	2221	826504713163.56	826504243435.64	36345.312	36345.29
21.2	IPFEXP07	TOT HOSP IP FACILITY EXP-INC 0 NITES 07	Sum of IPFXP07X from STAZ records	2119	2119	306735616124.68	306735455396.90	14028.6732	14028.67
21.3	IPFSLF07	IP HOSP STAZ-SELF/FAMILY AMT-FAC 07	Sum of IPFSF07X from STAZ records	678	678	8378358299.68	8378402073.32	1019.3578	1019.363
21.4	IPFMCR07	IP HOSP STAZ-MEDICARE AMT-FAC 07	Sum of IPFMR07X from STAZ records	767	767	122234874761.36	122234880337.00	14887.1513	14887.15
21.5	IPFMCD07	IP HOSP STAZ-MEDICAID AMT-FAC 07	Sum of IPFMD07X from STAZ records	596	596	31788722384.62	31788698056.75	7274.579	7274.573
21.6	IPFPRV07	IP HOSP STAZ-PRIV INS AMT-FAC 07	Sum of IPFPV07X from STAZ records	902	902	115629716211.60	115629642300.59	10550.2437	10550.24
21.7	IPFVA07	IP HOSP STAZ-VA AMT-FAC 07	Sum of IPFVA07X from STAZ records	40	40	7581728325.83	7581751051.53	16124.3135	16124.36
21.8	IPFTRI07	IP HOSP STAZ-TROCARE AMT-FAC 07	Sum of IPFTR07X from STAZ records	35	35	957241106.62	957232056.04	2295.4699	2295.448
21.9	IPFOFD07	IP HOSP STAZ-OTHER FED AMT-FAC 07	Sum of IPFOF07X from STAZ records	3	3	203930764.52	203929680.92	13212.657	13212.59
21.10	IPFSTL07	IP HOSP STAZ-OTH ST/LOCAL AMT-FAC 07	Sum of IPFSL07X from STAZ records	8	8	1003570170.30	1003558604.02	10771.5226	10771.4
21.11	IPFWCP07	IP HOSP STAZ-WORKERS COMP AMT-FAC 07	Sum of IPFWC07X from STAZ records	14	14	2039428605.59	2039427045.94	17811.0133	17811

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
21.12	IPFOPR07	IP HOSP STAZ - OTH PRIVATE AMT-FAC 07	Sum of IPFOR07X from STAZ records	137	137	7372928532.37	7372897322.59	4835.9219	4835.902
21.13	IPFOPU07	IP HOSP STAZ - OTH PUBLIC AMT-FAC 07	Sum of IPFOU07X from STAZ records	61	61	3878691080.29	3878690562.07	7889.7632	7889.762
21.14	IPFOSR07	IP HOSP STAZ-OT UNCLASS SRCE AMT-FAC 07	Sum of IPFOT07X from STAZ records	23	23	5666370435.44	5666346306.11	24585.3506	24585.25
21.15	IPDEXP07	TOTL HOSP STAZ DR EXP 07	Sum of IPDXP07X from STAZ records	1999	1999	46259245984.59	46259008711.21	2226.6132	2226.602
21.16	IPDTCH07	IP HOSP STAY CHARGES - DR 07	Sum of IPDTC07X from STAZ records	2044	2044	119226989065.46	119226958106.97	5625.7093	5625.708
21.17	IPDSLF07	IP HOSP STAZ-SELF/FAMILY AMT-DR 07	Sum of IPDSF07X from STAZ records	582	583	2470231510.60	2470134169.19	370.6341	370.1508
21.18	IPDMCR07	IP HOSP STAZ-MEDICARE AMT- DR 07	Sum of IPDMR07X from STAZ records	796	796	13416102318.19	13416062107.45	1572.7339	1572.729
21.19	IPDMCD07	IP HOSP STAZ-MEDICAID AMT-DR 07	Sum of IPDMD07X from STAZ records	610	612	4053251084.86	4053140330.94	876.0214	874.059
21.20	IPDPRV07	IP HOSP STAZ-PRIV INS AMT- DR 07	Sum of IPDPV07X from STAZ records	898	899	23190934172.89	23190842505.22	2110.9312	2109.744
21.21	IPDVA07	IP HOSP STAZ-VA AMT-DR 07	Sum of IPDVA07X from STAZ records	30	30	81167447.15	81191228.28	243.5088	243.5801
21.22	IPDTRI07	IP HOSP STAZ-TRICARE AMT-DR 07	Sum of IPDTR07X from STAZ records	45	45	369764458.49	369782760.15	720.2654	720.301
21.23	IPDOFD07	IP HOSP STAZ-OTHER FED AMT-DR 07	Sum of IPDOF07X from STAZ records	1	1	1148034.36	1146631.21	90	89.89
21.24	IPDSTL07	IP HOSP STAZ-OTH ST/LOCAL AMT-DR 07	Sum of IPDSL07X from STAZ records	13	13	57260372.22	57257718.91	695.0899	695.0577
21.25	IPDWCP07	IP HOSP STAZ-WORKERS COMP AMT-DR 07	Sum of IPDWC07X from STAZ records	16	16	284803851.80	284801556.41	1770.0427	1770.028

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
21.26	IPDOPR07	IP HOSP STAZ - OTH PRIVATE AMT-DR 07	Sum of IPDOR07X from STAZ records	221	222	1575362267.07	1575363721.06	688.0259	686.7686
21.27	IPDOPU07	IP HOSP STAZ - OTH PUBLIC AMT-DR 07	Sum of IPDOU07X from STAZ records	81	83	495343391.37	495381191.96	752.035	736.0636
21.28	IPDOSR07	IP HOSP STAZ-OT UNCLASS SORCE AMT-DR 07	Sum of IPDOT07X from STAZ records	18	18	263921890.41	263904790.42	1063.7135	1063.645
21.29	IPNGTD07	# NIGHTS IN HOSP FOR DISCHARGES, 07	Sum of NUMNIGHX from STAZ records. NOTE: If person has at least one STAZ record with NUMNIGHX = -9, then NUMNIGHX not counted from ANY STAZ records for that person.	2171	2171	155315266.66	155315266.66	6.986	6.986
22.0	DVTOT07	# DENTAL CARE VISITS 07	Count of DVIS records	11392	11392	304624835.26	304624835.26	2.3195	2.3195
22.1	DVTTCH07	TOTAL DENTAL CARE VISIT CHARGES 07	Sum of DVTC07X from DVIS records	11315	11315	92598624379.03	92598570103.67	709.7119	709.7115
22.2	DVTEXP07	TOTAL DENTAL CARE EXP 07	Sum of DVXP07X from DVIS records	11071	11071	82043861459.45	82043704027.12	642.8607	642.8595
22.3	DVTSLF07	ALL DENTAL CARE - SELF/FAMILY AMT 07	Sum of DVSF07X from DVIS records	6978	6978	40281405029.13	40280888959.24	464.7772	464.7712
22.4	DVTMCR07	ALL DENTAL CARE - MEDICARE AMT 07	Sum of DVMR07X from DVIS records	123	123	655895889.32	655862328.99	468.6644	468.6404
22.5	DVTMCD07	ALL DENTAL CARE - MEDICAID AMT 07	Sum of DVMD07X from DVIS records	1900	1900	3487916745.35	3487630232.09	279.4981	279.4751
22.6	DVTPRV07	ALL DENTAL CARE - PRIVATE INS AMT 07	Sum of DVPV07X from DVIS records	6218	6218	34775241686.71	34774681432.69	434.6783	434.6713
22.7	DVTVA07	ALL DENTAL CARE-VA AMT 07	Sum of DVVA07X from DVIS records	75	75	397954837.13	397872639.96	508.4199	508.3149

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
22.8	DVTTRI07	ALL DENTAL CARE-TRICARE AMT 07	Sum of DVTR07X from DVIS records	80	80	356687222.77	356618717.49	393.5536	393.478
22.9	DVTOFD07	ALL DENTAL CARE - OTHER FEDRL AMT 07	Sum of DVOF07X from DVIS records	19	19	48422627.90	48412205.58	311.2714	311.2044
22.10	DVTSTL07	ALL DENTAL CARE-OTH ST/LOCAL AMT 07	Sum of DVSL07X from DVIS records	120	120	243028720.72	243011235.91	269.1815	269.1622
22.11	DVTWCP07	ALL DENTAL CARE-WORKERS COMP AMT 07	Sum of DVWC07X from DVIS records	4	4	3033102.52	3029938.84	83.9917	83.9041
22.12	DVTOPR07	ALL DENTAL CARE - OTH PRIVATE AMT 07	Sum of DVOR07X from DVIS records	240	240	1215344636.53	1215341937.90	401.0313	401.0304
22.13	DVTOPU07	ALL DENTAL CARE - OTH PUBLIC AMT 07	Sum of DVOU07X from DVIS records	30	30	21340928.96	21355663.05	101.6993	101.7696
22.14	DVTOSR07	ALL DENT CARE-OT UNCLASS SRCE AMT 07	Sum of DVOT07X from DVIS records	115	115	559003412.23	558998735.37	527.8177	527.8133
23.0	DVGEN07	# GENERAL DENTIST VISITS 07	Count of DVIS records with GENDENT = 1 and ORTHODNT NE 1	10618	10618	240251679.15	240251679.15	1.9534	1.9534
23.1	DVGTCH07	GENERAL DENTAL CARE VISIT CHARGES 07	Sum of DVTC07X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	10572	10572	66790818075.46	66790788075.78	545.0391	545.0389
23.2	DVGEXP07	TOTAL GENERAL DENTIST EXP 07	Sum of DVXP07X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	10354	10354	59896204765.26	59896058532.77	499.0729	499.0717
23.3	DVGSLF07	GNRL DENTAL VISITS - SELF/FAM AMT 07	Sum of DVSF07X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	6349	6349	28186884622.60	28186476737.18	355.3769	355.3718

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
23.4	DVGMCR07	GNRL DENTAL VISITS - MEDICARE AMT 07	Sum of DVMR07X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	112	112	583373685.28	583335477.75	466.6142	466.5837
23.5	DVGMCD07	GNRL DENTAL VISITS - MEDICAID AMT 07	Sum of DVMD07X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	1756	1756	2407822106.63	2407560920.21	207.7105	207.6879
23.6	DVGPRV07	GNRL DENTAL VISITS - PRIVATE INS AMT 07	Sum of DVPV07X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	5822	5822	26548642880.99	26548179085.74	353.6784	353.6722
23.7	DVGVA07	GNRL DENTAL VISITS - VA AMT 07	Sum of DVVA07X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	68	68	379040700.77	378967634.53	537.6611	537.5574
23.8	DVGTRI07	GNRL DENTAL VISITS- TRICARE AMT 07	Sum of DVTR07X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	68	68	271888469.46	271815376.27	362.6112	362.5137
23.9	DVGOFD07	GNRL DENTAL VISITS- OTHER FED AMT 07	Sum of DVOF07X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	19	19	45323488.34	45313066.03	291.3494	291.2824
23.10	DVGSTL07	GNRL DENTAL VISITS - OTH ST/LOCAL AMT 07	Sum of DVSL07X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	109	109	190747662.73	190730177.93	230.9633	230.9421
23.11	DVGWCP07	GNRL DENTAL VISITS - WORKERS COMP AMT 07	Sum of DVWC07X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	3	3	2339023.78	2335860.10	84.6015	84.4871

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
23.12	DVGOPR07	GNRL DENTAL VISITS - OTH PRIVATE AMT 07	Sum of DVOR07X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	225	225	834752213.76	834749515.12	292.352	292.351
23.13	DVGOPU07	GNRL DENTAL VISITS - OTH PUBLIC AMT 07	Sum of DVOR07X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	29	29	18557300.74	18570850.88	89.5569	89.6223
23.14	DVGOSR07	GNRL DENT VSTS - OT UNCLASS SRCE AMT 07	Sum of DVOT07X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	101	101	428028507.92	428023831.05	452.7655	452.7606
24.0	DVORTH07	# ORTHODONTIST VISITS 07	Count of DVIS records with ORTHODNT = 1	752	752	32406596.36	32406596.36	3.7186	3.7186
24.1	DVOTCH07	ORTHODONTIST VISIT CHARGES 07	Sum of DVTC07X from DVIS records with ORTHODNT = 1	608	608	14339593384.97	14339596501.07	2103.1024	2103.103
24.2	DVOEXP07	TOTAL ORTHODONTIST EXP 07	Sum of DVXP07X from DVIS records with ORTHODNT = 1	561	561	11998214888.48	11998206874.72	1959.3122	1959.311
24.3	DVOSLF07	ORTHODONTIST VISITS -SELF/FAMILY AMT 07	Sum of DVSF07X from DVIS records with ORTHODNT = 1	392	392	6716072688.24	6716038436.30	1477.5266	1477.519
24.4	DVOMCR07	ORTHODONTIST VISITS -MEDICARE AMT 07	Sum of DVMR07X from DVIS records with ORTHODNT = 1	0	0	.	.	0	0
24.5	DVOMCD07	ORTHODONTIST VISITS -MEDICAID AMT 07	Sum of DVMD07X from DVIS records with ORTHODNT = 1	95	95	806644170.53	806640586.32	1386.3329	1386.327
24.6	DVOPRV07	ORTHODONTIST VISITS -PRIVATE INS AMT 07	Sum of DVPV07X from DVIS records with ORTHODNT = 1	264	264	4090472618.58	4090429508.59	1263.4422	1263.429

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
24.7	DVOVA07	ORTHODONTIST VISITS-VA AMT 07	Sum of DVVA07X from DVIS records with ORTHODNT = 1	2	2	6231323.94	6231323.94	529.0911	529.0911
24.8	DVOTRI07	ORTHODONTIST VISITS-TRICARE AMT 07	Sum of DVTR07X from DVIS records with ORTHODNT = 1	4	4	57922895.68	57922895.68	1253.4901	1253.49
24.9	DVOOFD07	ORTHODONTIST VISITS-OTHR FED AMT 07	Sum of DVOF07X from DVIS records with ORTHODNT = 1	0	0	.	.	0	0
24.10	DVOSTL07	ORTHODONTIST VISITS-OTHR ST/LOCAL AMT 07	Sum of DVSL07X from DVIS records with ORTHODNT = 1	7	7	42691980.18	42691980.18	852.1349	852.1349
24.11	DVOWCP07	ORTHODONTIST VISITS-WORKERS COMP AMT 07	Sum of DVWC07X from DVIS records with ORTHODNT = 1	0	0	.	.	0	0
24.12	DVOOPR07	ORTHODONTIST VISITS-OTHR PRIVATE AMT 07	Sum of DVOR07X from DVIS records with ORTHODNT = 1	8	8	173939298.72	173939298.72	1351.9299	1351.93
24.13	DVOOPU07	ORTHODONTIST VISITS-OTHR PUBLIC AMT 07	Sum of DVOU07X from DVIS records with ORTHODNT = 1	1	1	2783628.21	2784812.18	1058	1058.45
24.14	DVOOSR07	ORTHODONT VSTS - OT UNCLASS SRCE AMT 07	Sum of DVOT07X from DVIS records with ORTHODNT = 1	7	7	101528032.81	101528032.81	2270.2382	2270.238
25.1	HHTOTD07	# HOME HEALTH PROVIDER DAYS, 07	Sum of HHDAYS from HVIS records. NOTE: If person has at least one HVIS record with HHDAYS = -9, then HHDAYS not counted from ANY HVIS records for that person.	669	669	478409541.65	478409541.65	71.125	71.125

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
26.1	HHAGD07	# AGENCY HOME HEALTH PROVIDER DAYS, 07	Sum of HHDAYS from HVIS records with MPCELIG = 1. NOTE: If person has at least one HVIS record with (MPCELIG = 1 AND HHDAYS = -9) then HHDAYS not counted from ANY HVIS records for that person.	546	546	296485609.34	296485609.34	55.3367	55.3367
26.2	HHATCH07	HOME HEALTH AGENCY VISIT CHARGES 07	Sum of HHTC07X from HVIS records with MPCELIG = 1.	592	592	44913581382.22	44913659646.10	7783.0786	7783.092
26.3	HHAEXP07	TOTAL HOME HEALTH AGENCY EXP 07	Sum of HHXP07X from HVIS records with MPCELIG = 1.	585	585	35555761327.73	35555811267.62	6284.48	6284.489
26.4	HHASLF07	HOME HLTH AGENCY - SELF/FAMILY AMT 07	Sum of HHSF07X from HVIS records with MPCELIG = 1.	96	96	844448665.97	844451115.45	762.4067	762.409
26.5	HHAMCR07	HOME HLTH AGENCY - MEDICARE AMT 07	Sum of HHMR07X from HVIS records with MPCELIG = 1.	294	294	12654085742.21	12654046500.80	4338.98	4338.967
26.6	HHAMCD07	HOME HLTH AGENCY - MEDICAID AMT 07	Sum of HHMD07X from HVIS records with MPCELIG = 1.	198	198	15500638857.12	15500598619.56	10222.8184	10222.79
26.7	HHAPRV07	HOME HLTH AGENCY - PRIVATE INS AMT 07	Sum of HHPV07X from HVIS records with MPCELIG = 1.	71	71	2276199993.51	2276190129.34	2590.7408	2590.73
26.8	HHAVA07	HOME HLTH AGENCY-VA AMT 07	Sum of HHVA07X from HVIS records with MPCELIG = 1.	5	5	96776841.77	96787659.26	2430.5893	2430.861

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
26.9	HHATRI07	HOME HLTH AGENCY- TRICARE AMT 07	Sum of HHTR07X from HVIS records with MPCELIG = 1.	2	2	77312826.99	77310091.48	2894.3169	2894.215
26.10	HHAOFD07	HOME HLTH AGENCY- OTHER FED AMT 07	Sum of HHOF07X from HVIS records with MPCELIG = 1.	22	22	57678403.25	57657807.03	288.7002	288.5971
26.11	HHASTL07	HOME HLTH AGENCY- OTHR ST/LOCAL AMT 07	Sum of HHSL07X from HVIS records with MPCELIG = 1.	141	141	3788033121.47	3788024094.55	2903.4937	2903.487
26.12	HHAWCP07	HOME HLTH AGENCY- WORKERS COMP AMT 07	Sum of HHWC07X from HVIS records with MPCELIG = 1.	6	6	95096898.23	95115867.98	1335.4997	1335.766
26.13	HHAOPR07	HOME HLTH AGENCY - OTH PRIVATE AMT 07	Sum of HHOR07X from HVIS records with MPCELIG = 1.	16	16	98486022.51	98470999.12	753.6148	753.4998
26.14	HHAOPU07	HOME HLTH AGENCY - OTH PUBLIC AMT 07	Sum of HHOU07X from HVIS records with MPCELIG = 1.	1	1	5243784.23	5245919.42	835	835.34
26.15	HHAOSR07	H HLTH AGENCY - OT UNCLASS SRCE AMT 07	Sum of HHOT07X from HVIS records with MPCELIG = 1.	8	8	61900801.22	61912463.65	801.8802	802.0313
27.1	HHINDD07	# NON-AGENCY HOME HEALTH PROVIDR DAYS 07	Sum of HHDAYS from HVIS records with MPCELIG = 2. NOTE: If person has at least one HVIS record with (MPCELIG = 2 AND HHDAYS = -9), then HHDAYS not counted from ANY HVIS records for that person.	83	83	60069955.28	60069955.28	70.5442	70.5442

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
27.2	HHNTCH07	HOME HEALTH NON-AGENCY VISIT CHARGES 07	Sum of HHTC07X from HVIS records with MPCELIG = 2	92	92	2486989281.10	2486989281.12	2511.64	2511.64
27.3	HHNEXP07	TOTAL HOME HEALTH NON-AGNCY EXP 07	Sum of HHXP07X from HVIS records with MPCELIG = 2	87	87	2358782728.62	2358775192.27	2475.6511	2475.643
27.4	HHNSLF07	HOME HLTH NON-AGNCY -SELF/FAM AMT 07	Sum of HHSF07X from HVIS records with MPCELIG = 2	61	61	1530768887.75	1530768887.76	2190.0671	2190.067
27.5	HHNMCR07	HOME HLTH NON-AGNCY -MEDICARE AMT 07	Sum of HHMR07X from HVIS records with MPCELIG = 2	6	6	42258802.70	42258802.70	435.7643	435.7643
27.6	HHNMCD07	HOME HLTH NON-AGNCY -MEDICAID AMT 07	Sum of HHMD07X from HVIS records with MPCELIG = 2	17	17	165145727.99	165138191.63	1290.8108	1290.752
27.7	HHNPRV07	HOME HLTH NON-AGNCY -PRIV INS AMT 07	Sum of HHPV07X from HVIS records with MPCELIG = 2	13	13	422617713.79	422617713.80	2670.0653	2670.065
27.8	HHNVA07	HOME HLTH NON-AGNCY-VA AMT 07	Sum of HHVA07X from HVIS records with MPCELIG = 2	1	1	2526767.80	2526767.80	216	216
27.9	HHNTRI07	HOME HLTH NON-AGNCY-TRICARE AMT 07	Sum of HHTR07X from HVIS records with MPCELIG = 2	1	1	264221.78	264221.78	60	60
27.10	HHNOFD07	HOME HLTH NON-AGNCY-OTHR FED AMT 07	Sum of HHOF07X from HVIS records with MPCELIG = 2	0	0	.	.	0	0
27.11	HHNSTL07	HOME HLTH NON-AGNCY-OTHR ST/LOCL AMT 07	Sum of HHSL07X from HVIS records with MPCELIG = 2	2	2	16023142.57	16023142.57	938.6948	938.6948
27.12	HHNWCP07	HOME HLTH NON-AGNCY-WORKERS COMP AMT 07	Sum of HHWC07X from HVIS records with MPCELIG = 2	0	0	.	.	0	0

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
27.13	HHNOPR07	HOME HLTH NON-AGNCY-OTH PRIVATE AMT 07	Sum of HHOR07X from HVIS records with MPCELIG = 2	1	1	40586795.43	40586795.43	6144	6144
27.14	HHNOPU07	HOME HLTH NON-AGNCY-OTH PUBLIC AMT 07	Sum of HHOU07X from HVIS records with MPCELIG = 2	0	0	.	.	0	0
27.15	HHNOSR07	H HLTH NON-AGNCY-OT UNCLASS SRCE AMT 07	Sum of HHOT07X from HVIS records with MPCELIG = 2	4	4	138590668.80	138590668.80	2487.5671	2487.567
28.1	HHINFD07	# INFORMAL HOME HEALTH PROV DAYS, 07	Sum of HHDAYS from HVIS records with MPCELIG = 3. NOTE: If person has at least one HVIS record with (MPCELIG = 3 AND HHDAYS = -9), then HHDAYS not counted from ANY HVIS records for that person.	136	136	130997261.65	130997261.64	89.5249	89.5249
29.0	VISTCH07	GLASSES/CONTACT LENSES CHARGES 07	Sum of OMTC07X from OMED records with OMTYPEX = 1	3986	3986	12096588573.64	12096617246.46	268.1555	268.1561
29.1	VISEXP07	TOTAL GLASSES/CONTACT LENS EXPN 07	Sum of OMXP07X from OMED records with OMTYPEX = 1	3947	3947	11619855349.84	11619767977.14	260.1045	260.1026
29.2	VISSLF07	GLASSES/CNTCT LENSES -SELF/FAM AMT 07	Sum of OMSF07X from OMED records with OMTYPEX = 1	3319	3319	8418766238.24	8418705470.35	215.4344	215.4328
29.3	VISMCR07	GLASSES/CNTCT LENSES-MEDICARE AMT 07	Sum of OMMR07X from OMED records with OMTYPEX = 1	67	67	112873173.47	112843105.73	164.8842	164.8403

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
29.4	VISMCD07	GLASSES/CNTCT LENSES-MEDICAID AMT 07	Sum of OMMD07X from OMED records with OMTYPEX = 1	464	465	577010981.95	576933948.55	179.1834	176.975
29.5	VISPRV07	GLASSES/CNTCT LENSES-PRIV INS AMT 07	Sum of OMPV07X from OMED records with OMTYPEX = 1	955	955	2151093439.91	2151057053.42	179.7828	179.7798
29.6	VISVA07	GLASSES/CNTCT LENSES-VA AMT 07	Sum of OMVA07X from OMED records with OMTYPEX = 1	33	33	57241415.13	57238808.77	202.8497	202.8405
29.7	VISTRI07	GLASSES/LENSES-TRICARE AMT 07	Sum of OMTR07X from OMED records with OMTYPEX = 1	11	11	27355569.92	27355268.22	223.8224	223.82
29.8	VISOFD07	GLASSES/CNTCT LENSES-OTHR FED AMT 07	Sum of OMOF07X from OMED records with OMTYPEX = 1	8	8	18817233.81	18817233.81	234.5478	234.5478
29.9	VISSTL07	GLASSES/CNTCT LENSES-OTH ST/LOCL AMT 07	Sum of OMSL07X from OMED records with OMTYPEX = 1	32	32	54879332.61	54875452.83	227.2668	227.2508
29.10	VISWCP07	GLASSES/CNTCT LENSES-WORKERS COMP AMT 07	Sum of OMWC07X from OMED records with OMTYPEX = 1	1	1	2494304.22	2494304.22	327	327
29.11	VISOPR07	GLASSES/CNTCT LENSES-OTH PRIVATE AMT 07	Sum of OMOR07X from OMED records with OMTYPEX = 1	42	42	104908706.63	104898290.66	212.1185	212.0974
29.12	VISOPU07	GLASSES/CNTCT LENSES-OTH PUBLIC AMT 07	Sum of OMOU07X from OMED records with OMTYPEX = 1	11	11	21223979.25	21217390.57	299.6983	299.6052
29.13	VISOSR07	GLASES/CNTCT LENSE-OT UNCLAS SRCE AMT 07	Sum of OMOT07X from OMED records with OMTYPEX = 1	20	20	73328604.23	73331650.01	289.0099	289.0219

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
30.0	OTHTCH07	OTHER EQUP/SUPPLIES CHARGES 07	Sum of OMTC07X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	1311	1311	12724147870.92	12724146242.88	855.6879	855.6878
30.1	OTHEXP07	TOT OTH EQUIP/SPLY (EXCL DIAB) EXP 07	Sum of OMXP07X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	1199	1199	10950065510.42	10950019518.34	803.8789	803.8755
30.2	OTHSLF07	OTHER EQUP/SUPPLIES - SELF/FAM AMT 07	Sum of OMSF07X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	726	726	5217084376.61	5217071926.26	590.4283	590.4269
30.3	OTHMCR07	OTHER EQUP/SUPPLIES- MEDICARE AMT 07	Sum of OMMR07X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	171	171	882783427.29	882677695.33	466.9106	466.8547
30.4	OTHMCD07	OTHER EQUP/SUPPLIES- MEDICAID AMT 07	Sum of OMMD07X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	244	245	1487886501.35	1487859434.64	795.7625	792.7928
30.5	OTHPRV07	OTHER EQUP/SUPPLIES-PRIV INS AMT 07	Sum of OMPV07X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	299	299	2238324400.55	2238207517.52	575.2859	575.2559
30.6	OTHVA07	OTHER EQUP/SUPPLY-VA AMT 07	Sum of OMVA07X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	53	53	354404440.37	354357617.39	595.74	595.6613

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
30.7	OTHTRI07	OTHER EQUP/SUPPLY-TRICARE AMT 07	Sum of OMTR07X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	19	19	134118946.42	134095613.77	527.1746	527.0829
30.8	OTHOFD07	OTHER EQUP/SUPPLIES-OTHR FEDRL AMT 07	Sum of OMOF07X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	1	1	40221.15	40221.15	5	5
30.9	OTHSTL07	OTHER EQUP/SUPPLY-OTHR ST/LOCAL AMT 07	Sum of OMSL07X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	8	8	170581275.41	170576041.74	1489.9651	1489.919
30.10	OTHWCP07	OTHER EQUP/SUPPLY - WORKERS COMP AMT 07	Sum of OMWC07X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	8	8	111620488.95	111620488.95	981.3617	981.3617
30.11	OTHOPR07	OTHER EQUP/SUPPLY-OTH PRIVATE AMT 07	Sum of OMOR07X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	20	20	44950609.05	44937012.19	176.8262	176.7727
30.12	OTHOPU07	OTHER EQUP/SUPPLY - OTH PUBLIC AMT 07	Sum of OMOU07X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	3	3	547663.95	544969.02	27.6743	27.5382
30.13	OTHOSR07	OTH EQUP/SUPLY -OT UNCLASS SRCE AMT 07	Sum of OMOT07X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	20	20	308024310.84	308030980.38	1123.9871	1124.011

.

#	(A) VARIABLE NAME ON PERSON-LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT-LEVEL FILE	(D) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON-LEVEL FILE	(E) UN-WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT-LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON-LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT-LEVEL FILE FOR PERS WITH VARIABLE > 0
31.0	RXTOT07	# PRESC MEDS INCL REFILLS 07	Count of PMED records	17310	17310	3070805431.03	3070805431.03	16.514	16.514
31.1	RXEXP07	TOTAL RX-EXP 07	Sum of RXXP07X from PMED records	17308	17310	232640757731.86	232639470750.18	1251.2004	1251.075
31.2	RXSLF07	TOTAL RX-SELF/FAMILY AMT 07	Sum of RXSF07X from PMED records	15877	15885	64471006662.07	64469123972.61	366.4109	366.2813
31.3	RXMCR07	TOTAL RX--MEDICARE AMT 07	Sum of RXMR07X from PMED records	3115	3116	57562500123.46	57562553469.51	1784.5909	1783.488
31.4	RXMCD07	TOTAL RX-MEDICAID AMT 07	Sum of RXMD07X from PMED records	3071	3074	18080842112.37	18080793451.89	864.6784	863.2229
31.5	RXPRV07	TOTAL RX-PRIVATE INS AMT 07	Sum of RXPV07X from PMED records	7735	7759	79298109329.50	79298508061.69	817.7555	815.3131
31.6	RXVA07	TOTAL RX-VA AMT 07	Sum of RXVA07X from PMED records	611	611	4219531315.97	4219473946.29	607.3546	607.3463
31.7	RXTRI07	TOTAL RX-TRICARE AMT 07	Sum of RXTR07X from PMED records	315	315	3312792992.80	3312826321.36	948.8445	948.8541
31.8	RXOFD07	TOTAL RX-OTHER FED AMT 07	Sum of RXOF07X from PMED records	22	22	163308006.82	163314865.83	733.0499	733.0807
31.9	RXSTL07	TOTAL RX-OTHER ST/LOCAL AMT 07	Sum of RXSL07X from PMED records	169	169	834278039.85	834248125.81	686.0157	685.9911
31.10	RXWCP07	TOTAL RX-WORKERS COMP AMT 07	Sum of RXWC07X from PMED records	51	51	388092967.58	388078133.54	638.9567	638.9323
31.11	RXOPR07	TOTAL RX - OTH PRIVATE AMT 07	Sum of RXOR07X from PMED records	465	469	3841240901.15	3841265072.39	776.7075	770.7918
31.12	RXOPU07	TOTAL RX - OTH PUBLIC AMT 07	Sum of RXOU07X from PMED records	99	99	464209190.63	464173256.98	687.3513	687.298
31.13	RXOSR07	TOT RX-OTH UNCLASS SRCE AMT 07	Sum of RXOT07X from PMED records	6	6	5110881.58	5112072.29	105.4052	105.4297

.

ABBREVIATIONS USED IN TABLE:

      PMED = PRESCRIBED MEDICINES FILE, HC-110A

      DVIS = DENTAL VISITS FILE, HC-110B

      OMED = OTHER MEDICAL EXPENSES FILE, HC-110C

      STAZ = HOSPITAL INPATIENT STAYS FILE, HC-110D

      EROM = EMERGENCY ROOM VISITS FILE, HC-110E

      OPAT = OUTPATIENT VISITS FILE, HC-110F

      MVIS = MEDICAL PROVIDER VISITS FILE, HC-110G

      HVIS = HOME HEALTH VISITS FILE, HC-110H

NOTE: EXPENDITURE VARIABLES ON THE EVENT-LEVEL FILES INCLUDE 2 DECIMAL PLACES. THE EXPENDITURE VARIABLES ON THE PERSON-LEVEL FILE REFLECT ROUNDING TO A WHOLE NUMBER AFTER SUMMING FROM THE EVENT-LEVEL TO THE PERSON-LEVEL. THIS RESULTS IN SLIGHT DIFFERENCES IN THE UNWEIGHTED COUNT OF PERSONS WITH A POSITIVE VALUE FOR SOME VARIABLES, AND IN THE WEIGHTED SUM AND WEIGHTED MEAN FOR MOST VARIABLES.

**TABLE H110IT2
110I**
    Page 103
    MEPS HC-