

HC-168I
TABLE 1
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
	3,862	185,562	11,549	16,376	8,033	139,195	364,577
-1 INAPPLICABLE	104	2,109	120	316	27	981	3,657
-9 NOT ASCERTAINED	469	19,950	1,131	3,043	927	11,128	36,648
005 OTHER FOOD POISONING*	8	27	0	2	16	9	62
008 INTESTINAL INFECTION NEC*	10	234	7	9	72	162	494
034 STREP THROAT/SCARLET FEV*	1	454	0	19	56	472	1,002
041 BACT INF IN OTH DIS/NOS*	19	322	14	7	22	257	641
053 HERPES ZOSTER*	4	168	0	4	18	183	377
054 HERPES SIMPLEX*	1	23	0	0	2	162	188
070 VIRAL HEPATITIS*	3	130	0	17	3	46	199
074 COXSACKIE VIRAL DISEASE*	0	44	0	0	3	18	65
075 INFECTIOUS MONONUCLEOSIS	1	24	0	2	5	9	41
078 OTHER VIRAL DISEASE*	0	267	0	13	7	52	339
079 VIRAL INF IN OTH DIS/NOS*	13	277	4	15	75	177	561
088 OTH ARTHROPOD-BORNE DIS*	2	39	0	0	4	22	67
110 DERMATOPHYTOSIS*	0	207	0	7	5	216	435

NOTE: '*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.
SEE HC170 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 1
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
112 CANDIDIASIS*	0	162	0	7	4	255	428
117 OTHER MYCOSES*	2	39	0	48	2	57	148
133 ACARIASIS*	0	21	0	4	2	24	51
136 INF/PARASITE DIS NEC/NOS*	9	99	3	22	12	271	416
162 MAL NEO TRACHEA/LUNG*	30	317	30	221	14	51	663
172 MALIGNANT MELANOMA SKIN*	2	163	2	4	0	19	190
173 OTHER MALIG NEOPL SKIN*	3	732	6	51	0	56	848
185 MALIGN NEOPL PROSTATE	12	736	36	34	0	131	949
188 MALIGN NEOPL BLADDER*	3	99	7	29	5	11	154
189 MAL NEO URINARY NEC/NOS*	5	71	0	72	0	14	162
193 MALIGN NEOPL THYROID	1	97	8	21	0	103	230
195 MAL NEO OTH/ILL-DEF SITE*	23	328	38	70	12	79	550
199 MALIGNANT NEOPLASM NOS*	16	157	7	41	4	64	289
202 OTH MAL NEO LYMPH/HISTIO*	6	305	8	122	2	25	468
208 LEUKEMIA-UNSPECIF CELL*	3	164	4	54	0	16	241

NOTE: '*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.
SEE HC170 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 1
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
211 OTH BENIGN NEOPLASM GI*	3	44	1	25	0	13	86
214 LIPOMA*	0	36	0	19	2	7	64
215 OTH BEN NEO SOFT TISSUE*	10	99	0	21	9	31	170
216 BENIGN NEOPLASM OF SKIN*	0	161	0	11	0	8	180
229 BENIGN NEOPLASM NEC/NOS*	1	55	0	1	1	6	64
232 CARCINOMA IN SITU SKIN*	0	67	0	1	0	3	71
238 UNC BEHAV NEO NEC/NOS*	0	150	0	3	0	17	170
239 UNSPECIFIED NEOPLASM*	14	470	43	111	11	73	722
240 GOITER, SIMPLE/NOS*	0	33	0	5	0	13	51
241 NONTOXIC NODULAR GOITER*	0	57	0	5	1	22	85
242 THYROTOXICOSIS*	0	229	12	18	0	224	483
244 ACQUIRED HYPOTHYROIDISM*	0	596	6	35	1	1,290	1,928
245 THYROIDITIS*	0	56	0	4	0	39	99
246 OTH DISORDERS OF THYROID*	7	803	2	100	3	1,604	2,519
250 DIABETES MELLITUS*	94	7,462	616	607	99	11,600	20,478
251 OTH PANCREATIC DISORDER*	6	20	2	1	7	6	42

NOTE: '*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.
SEE HC170 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 1
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
256 OVARIAN DYSFUNCTION*	0	52	0	1	0	81	134
257 TESTICULAR DYSFUNCTION*	0	206	0	5	0	92	303
259 OTH ENDORINE DISORDERS*	0	137	0	22	0	248	407
266 B-COMPLEX DEFICIENCIES*	0	110	27	4	1	70	212
269 OTH NUTRITION DEFICIENCY*	2	171	22	15	1	432	643
272 DIS OF LIPOID METABOLISM*	14	5,099	313	303	11	8,778	14,518
275 DIS MINERAL METABOLISM*	1	90	1	22	2	77	193
277 METABOLISM DIS NEC/NOS*	5	53	7	3	7	49	124
278 OBESITY/HYPERALIMENT*	6	340	12	49	1	48	456
279 DIS IMMUNE MECHANISM*	0	71	0	1	1	55	128
280 IRON DEFICIENCY ANEMIAS*	0	121	6	9	2	138	276
285 ANEMIA NEC/NOS*	15	546	44	113	17	395	1,130
288 WBC DISORDERS*	4	35	6	11	4	9	69
289 OTHER BLOOD DISEASE*	6	173	3	9	2	44	237
294 OTHER ORGANIC PSYCH COND*	3	190	221	8	3	147	572

NOTE: '*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.
SEE HC170 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 1
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
295 SCHIZOPHRENIC DISORDERS*	9	707	58	99	3	258	1,134
296 AFFECTIVE PSYCHOSES*	33	2,870	208	162	18	1,365	4,656
298 OTH NONORGANIC PSYCHOSES*	4	125	10	1	5	48	193
299 PERVASIVE DEVELOPMNT DISORDERS	0	1,138	126	15	0	65	1,344
300 NEUROTIC DISORDERS*	73	6,228	230	350	122	4,055	11,058
301 PERSONALITY DISORDERS*	7	138	4	28	1	57	235
303 ALCOHOL DEPENDENCE SYNDR*	5	47	21	0	8	13	94
304 DRUG DEPENDENCE*	4	1,862	0	197	2	49	2,114
305 NONDEPENDENT DRUG ABUSE*	8	11	1	14	11	37	82
307 SPECIAL SYMPTOM NEC*	0	117	0	4	2	92	215
308 ACUTE REACTION TO STRESS*	5	659	11	7	16	163	861
309 ADJUSTMENT REACTION*	13	1,800	52	173	9	256	2,303
311 DEPRESSIVE DISORDER NEC	54	6,796	279	332	39	4,143	11,643
312 CONDUCT DISTURBANCE NEC*	1	504	29	12	1	68	615
314 HYPERKINETIC SYNDROME*	6	2,764	120	78	8	1,673	4,649
315 SPECIFIC DEVELOP DELAYS*	0	290	76	24	0	3	393

NOTE: '*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.
SEE HC170 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 1
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
331 CEREBRAL DEGENERATION*	4	223	190	4	4	110	535
332 PARKINSON'S DISEASE*	2	120	52	22	0	168	364
333 EXTRAPYRAMIDAL DIS NEC*	0	87	12	9	1	303	412
338 PAIN, NOT ELSEWHERE CLASSIFIED	4	340	40	5	10	199	598
340 MULTIPLE SCLEROSIS	8	391	92	106	6	166	769
344 OTH PARALYTIC SYNDROMES*	6	316	112	44	0	70	548
345 EPILEPSY*	4	139	32	12	10	305	502
346 MIGRAINE*	8	979	17	40	75	884	2,003
348 OTHER BRAIN CONDITIONS*	12	69	26	51	14	32	204
349 CNS DISORDER NEC/NOS*	2	360	51	34	3	214	664
351 FACIAL NERVE DISORDERS*	1	44	1	1	5	31	83
354 MONONEURITIS UPPER LIMB*	0	504	3	70	4	99	680
355 MONONEURITIS LEG*	6	990	44	48	19	487	1,594
360 DISORDERS OF THE GLOBE*	0	260	2	6	11	156	435
361 RETINAL DETACHMENT*	1	105	3	10	3	21	143

NOTE: '*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.
SEE HC170 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 1
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
362 RETINAL DISORDERS NEC*	0	427	67	26	0	104	624
365 GLAUCOMA*	0	783	35	39	3	911	1,771
367 DISORDERS OF REFRACTION*	0	468	5	4	0	25	502
368 VISUAL DISTURBANCES*	1	205	6	12	4	20	248
369 BLINDNESS AND LOW VISION*	0	191	61	6	3	47	308
371 CORNEAL OPACITY/DISORDER*	0	48	0	6	0	12	66
372 DISORDERS OF CONJUNCTIVA*	0	165	0	9	17	201	392
373 INFLAMMATION OF EYELIDS*	0	65	0	1	7	50	123
374 DISORDERS OF EYELIDS NEC*	0	53	0	5	1	17	76
375 LACRIMAL SYSTEM DISORDER*	0	154	8	9	2	217	390
379 EYE DISORDERS NEC*	0	393	24	21	6	246	690
380 DISORDER OF EXTERNAL EAR*	0	127	0	3	3	36	169
381 NONSUPPUR OTITIS MEDIA*	0	33	0	3	1	21	58
382 OTITIS MEDIA, SUPPUR/NOS*	8	1,020	1	46	105	997	2,177
384 DISORD TYMPANIC MEMB NEC*	0	22	3	5	3	20	53
386 VERTIGINOUS SYNDROMES*	1	47	0	1	5	51	105

NOTE: '*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.
SEE HC170 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 1
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
388 DISORDERS OF EAR NEC*	1	234	0	6	18	129	388
389 HEARING LOSS*	0	435	25	22	0	16	498
401 ESSENTIAL HYPERTENSION*	99	7,907	609	288	196	19,558	28,657
410 ACUTE MYOCARDIAL INFARCT*	69	780	176	116	60	785	1,986
413 ANGINA PECTORIS*	21	361	66	9	16	257	730
414 OTH CHR ISCHEMIC HRT DIS*	79	2,158	376	260	73	2,309	5,255
415 ACUTE PULMONARY HRT DIS*	10	66	2	21	8	45	152
424 OTH ENDOCARDIAL DISEASE*	5	209	22	12	4	124	376
425 CARDIOMYOPATHY*	7	67	10	2	2	92	180
427 CARDIAC DYSRHYTHMIAS*	36	902	87	190	55	793	2,063
428 HEART FAILURE*	74	446	115	46	52	515	1,248
429 ILL-DEFINED HEART DIS*	31	484	27	102	25	374	1,043
436 CVA	81	833	508	176	78	342	2,018
440 ATHEROSCLEROSIS*	0	34	0	4	1	15	54
441 AORTIC ANEURYSM*	4	44	1	7	3	13	72

NOTE: '*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.
SEE HC170 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 1
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
442 OTHER ANEURYSM*	5	41	15	6	4	7	78
443 OTH PERIPH VASCULAR DIS*	10	103	3	26	6	33	181
444 ARTERIAL EMBOLISM*	34	349	15	91	27	131	647
447 OTHER ARTERIAL DISEASE*	5	73	12	21	1	33	145
454 VARICOSE VEINS, LEG*	1	234	0	19	5	16	275
455 HEMORRHOIDS*	2	98	5	26	18	92	241
458 HYPOTENSION*	10	58	23	1	9	37	138
459 OTH CIRCULATORY DISEASE*	15	289	34	68	17	152	575
460 ACUTE NASOPHARYNGITIS	2	1,038	1	31	41	782	1,895
462 ACUTE PHARYNGITIS	0	254	0	14	25	200	493
463 ACUTE TONSILLITIS	1	65	0	6	6	49	127
464 AC LARYNGITIS/TRACHEITIS*	2	58	0	2	34	56	152
465 AC URI MULT SITES/NOS*	2	259	0	7	39	297	604
466 AC BRONCHITIS/BRONCHIOL*	3	77	0	4	20	121	225
473 CHRONIC SINUSITIS*	3	1,131	1	50	33	1,340	2,558
474 CHR T & A DIS*	2	61	0	11	2	38	114

NOTE: '*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.
SEE HC170 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 1
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
477 ALLERGIC RHINITIS*	7	3,058	35	78	50	3,195	6,423
478 OTH UPPR RESPIRATORY DIS*	8	449	4	26	33	536	1,056
486 PNEUMONIA, ORGANISM NOS	118	468	61	70	144	449	1,310
490 BRONCHITIS NOS	10	399	3	22	64	648	1,146
491 CHRONIC BRONCHITIS*	22	530	90	11	44	472	1,169
492 EMPHYSEMA*	17	441	140	19	20	397	1,034
493 ASTHMA*	58	2,042	137	93	229	4,462	7,021
496 CHR AIRWAY OBSTRUCT NEC	42	578	119	46	78	882	1,745
511 PLEURISY*	5	22	6	2	5	10	50
514 PULM CONGEST/HYPOSTASIS	12	76	4	6	16	59	173
518 OTHER LUNG DISEASES*	25	236	47	54	24	128	514
519 OTH RESP SYSTEM DISEASES*	9	142	6	9	25	200	391
520 TOOTH DEVELOP/ERUPT DIS*	1	26	0	5	3	144	179
521 HARD TISSUE DIS OF TEETH*	0	16	0	6	3	53	78
522 PULP & PERIAPICAL DIS*	3	21	0	5	25	427	481

NOTE: '*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.
SEE HC170 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 1
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
523 GINGIVAL/PERIODONTAL DIS*	0	31	7	2	6	159	205
524 DENTOFACIAL ANOMALIES*	1	55	6	1	2	13	78
525 OTHER DENTAL DISORDER*	1	32	1	6	20	356	416
527 SALIVARY GLAND DISEASES*	0	9	0	3	1	22	35
528 ORAL SOFT TISSUE DISEASE*	3	44	1	8	10	97	163
531 GASTRIC ULCER*	8	93	11	5	10	120	247
535 GASTRITIS AND DUODENITIS*	6	192	7	16	35	273	529
536 STOMACH FUNCTION DISORD*	29	655	8	73	118	767	1,650
537 OTH GASTRODUODENAL DIS*	9	154	0	12	13	247	435
541 APPENDICITIS NOS	16	15	0	2	19	23	75
553 OTHER ABDOMINAL HERNIA*	26	387	25	110	17	161	726
555 REGIONAL ENTERITIS*	13	190	8	33	13	162	419
556 IDIOPATHIC PROCTOCOLITIS*	5	59	0	6	6	67	143
558 OTH NONINF GASTROENTERIT*	11	139	14	7	13	127	311
560 INTESTINAL OBSTRUCTION*	13	31	5	9	27	29	114
562 DIVERTICULA OF INTESTINE*	10	104	0	23	23	96	256

NOTE: '*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.
SEE HC170 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 1
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
564 FUNCT DIGESTIVE DIS NEC*	5	314	24	20	52	600	1,015
569 OTH INTESTINAL DISORDERS*	10	124	3	15	15	52	219
571 CHR LIVER DIS/CIRRHOSIS*	19	108	44	23	7	84	285
573 OTH LIVER DISORDERS*	4	79	7	8	2	31	131
574 CHOLELITHIASIS*	19	84	6	31	39	43	222
575 OTH GALLBLADDER DISORDER*	36	177	11	41	50	88	403
577 DISEASES OF PANCREAS*	29	74	2	11	25	47	188
578 GASTROINTESTINAL HEMORR*	10	41	0	14	15	14	94
585 CHRONIC RENAL FAILURE	8	649	14	41	6	45	763
590 KIDNEY INFECTION*	17	105	1	9	31	138	301
592 RENAL/URETERAL CALCULUS*	18	295	2	72	100	271	758
593 OTH RENAL & URETERAL DIS*	21	1,666	37	69	14	245	2,052
595 CYSTITIS*	10	200	15	21	44	254	544
599 OTH URINARY TRACT DISOR*	50	826	14	71	115	781	1,857
600 HYPERPLASIA OF PROSTATE*	1	194	1	13	6	312	527

NOTE: '**' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.
SEE HC170 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 1
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
601 PROSTATIC INFLAMMATION*	0	46	0	2	0	40	88
602 OTH PROSTATIC DISORDERS*	2	192	13	4	4	435	650
607 DISORDERS OF PENIS*	0	11	6	0	1	72	90
608 MALE GENITAL DIS NEC*	1	64	0	12	3	13	93
610 BENIGN MAMMARY DYSPLASIA*	0	40	0	17	1	10	68
611 OTHER BREAST DISORDERS*	3	180	1	39	8	28	259
616 OTH FEMALE GEN INFLAM*	0	54	0	2	4	76	136
617 ENDOMETRIOSIS*	1	41	0	3	3	25	73
618 GENITAL PROLAPSE*	3	74	0	5	2	12	96
620 NONINFLAM DIS OVAR/ADNEX*	6	127	0	38	25	49	245
621 DISORDERS OF UTERUS NEC*	1	59	0	9	3	12	84
623 NONINFLAMM DIS VAGINA*	0	51	0	6	9	68	134
625 FEMALE GENITAL SYMPTOMS*	2	128	0	10	13	81	234
626 DISORDER OF MENSTRUATION*	5	185	0	15	14	165	384
627 MENOPAUSAL DISORDERS*	1	147	0	5	2	340	495
629 OTH FEMALE GENITAL DIS*	0	63	0	11	1	30	105

NOTE: '*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.
SEE HC170 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 1
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
634 SPONTANEOUS ABORTION*	8	66	0	13	38	29	154
650 NORMAL DELIVERY	84	38	1	2	8	51	184
669 OTH COMPL LABOR/DELIVERY*	6	22	0	1	3	65	97
680 CARBUNCLE AND FURUNCLE*	3	36	11	6	8	43	107
681 CELLULITIS, FINGER/TOE*	0	18	1	0	4	18	41
682 OTHER CELLULITIS/ABSCESS*	21	210	9	28	62	173	503
684 IMPETIGO	0	35	0	2	4	29	70
686 OTH LOCAL SKIN INFECTION*	12	254	9	15	37	220	547
691 ATOPIC DERMATITIS*	0	24	0	0	3	33	60
692 CONTACT DERMATITIS*	1	467	0	20	31	679	1,198
693 DERMAT D/T INTERN AGENT*	1	45	0	2	7	59	114
695 ERYTHEMATOUS CONDITIONS*	0	70	0	0	0	147	217
696 PSORIASIS/LIKE DISORDERS*	0	238	1	18	5	209	471
698 PRURITUS & LIKE COND*	0	37	0	3	3	120	163
700 CORNS AND CALLOSITIES	0	80	2	5	2	3	92

NOTE: '*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.
SEE HC170 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 1
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
701 OTH SKIN HYPERTRO/ATROPH*	0	82	0	2	2	32	118
702 OTHER DERMATOSES*	0	32	1	0	0	5	38
703 DISEASES OF NAIL*	2	255	1	8	4	55	325
704 HAIR & FOLLICLE DISEASE*	2	65	0	5	6	68	146
705 DISORDERS OF SWEAT GLAND*	2	46	0	0	5	27	80
706 SEBACEOUS GLAND DISEASE*	10	614	6	46	16	584	1,276
707 CHRONIC ULCER OF SKIN*	10	345	72	81	5	166	679
708 URTICARIA*	1	58	0	2	12	64	137
709 OTHER SKIN DISORDERS*	1	518	16	81	7	382	1,005
710 DIFF CONNECTIVE TISS DIS*	11	334	31	34	7	267	684
715 OSTEOARTHROSIS ET AL*	15	2,646	254	185	20	1,266	4,386
716 ARTHROPATHIES NEC/NOS*	7	2,621	437	152	24	1,431	4,672
717 INTERNAL DERANGEMNT KNEE*	3	127	8	13	2	25	178
718 OTHER JOINT DERANGEMENT*	0	76	8	25	4	3	116
719 JOINT DISORDER NEC & NOS*	57	6,799	303	377	89	1,959	9,584
720 INFLAM SPONDYLOPATHIES*	4	122	14	19	3	23	185

NOTE: '*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.
SEE HC170 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 1
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
721 SPONDYLOSIS ET AL*	2	243	16	21	5	56	343
722 INTERVERTEBRAL DISC DIS*	24	2,374	69	156	51	656	3,330
723 OTHER CERVICAL SPINE DIS*	10	1,759	19	53	21	280	2,142
724 BACK DISORDER NEC & NOS*	32	8,010	264	348	146	2,207	11,007
726 PERIPH ENTHESOPATHIES*	4	1,486	26	143	13	175	1,847
727 OTH DIS SYNOV/TEND/BURSA*	1	626	13	76	9	100	825
728 DIS OF MUSCLE/LIG/FASCIA*	8	1,051	26	67	25	469	1,646
729 OTHER SOFT TISSUE DIS*	17	2,648	198	225	89	1,501	4,678
733 OTH BONE & CARTILAGE DIS*	6	578	47	66	23	653	1,373
734 FLAT FOOT	0	146	0	0	0	0	146
735 ACQ DEFORMITIES OF TOE*	0	57	0	2	0	5	64
737 CURVATURE OF SPINE*	1	412	23	31	3	53	523
745 CARDIAC SEPTAL CLOS ANOM*	1	16	0	7	0	11	35
756 OTH MUSCULOSKELET ANOMAL*	1	171	9	7	2	16	206
780 GENERAL SYMPTOMS*	94	3,651	325	237	296	4,231	8,834

NOTE: '*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.
SEE HC170 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 1
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
781 NERV/MUSCULSKEL SYS SYMP*	4	355	52	14	9	127	561
782 SKIN/OTH INTEGUMENT SYMP*	19	1,002	41	111	64	1,204	2,441
783 NUTRIT/METAB/DEVEL SYMP*	4	347	10	11	3	99	474
784 SYMPTOMS INVOL HEAD/NECK*	7	1,339	25	55	87	468	1,981
785 CARDIOVASCULAR SYS SYMP*	23	331	9	50	36	170	619
786 RESP SYS/OTH CHEST SYMP*	86	1,340	76	109	260	1,148	3,019
787 GI SYSTEM SYMPTOMS*	30	447	13	36	89	999	1,614
788 URINARY SYSTEM SYMPTOMS*	1	248	18	25	4	323	619
789 OTH ABDOMEN/PELVIS SYMP*	14	308	7	38	83	175	625
790 ABNORMAL BLOOD FINDINGS*	12	294	3	26	15	219	569
793 ABN FIND-BODY STRUCT NOS*	0	29	0	15	0	0	44
795 ABN HISTOLOG/IMMUNO FIND*	0	54	0	6	0	5	65
797 SENILITY W/O PSYCHOSIS	0	30	265	2	0	16	313
799 OTH ILL-DEF MORBID/MORTL*	4	615	26	171	6	116	938
805 VERTEBRL FX W/O CORD INJ*	6	160	29	14	14	57	280
807 FX RIB/STERN/LARYN/TRACH*	15	90	12	28	27	57	229

NOTE: '*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.
SEE HC170 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 1
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
810 CLAVICLE FRACTURE*	3	99	13	4	14	13	146
812 HUMERUS FRACTURE*	3	127	0	8	20	18	176
814 CARPAL FRACTURE*	2	170	10	27	31	40	280
815 METACARPAL FRACTURE*	1	44	0	19	11	18	93
816 FRACTURE PHALANGES, HAND*	0	148	1	32	32	43	256
818 FRACTURE ARM MULT/NOS*	2	164	10	26	32	25	259
820 FRACTURE NECK OF FEMUR*	14	60	42	1	10	20	147
822 PATELLA FRACTURE*	4	200	1	43	8	18	274
824 ANKLE FRACTURE*	8	256	6	33	28	48	379
825 FX OF TARSAL/METATARSAL*	1	254	8	14	20	35	332
826 FRACTURE PHALANGES, FOOT*	1	56	3	6	20	17	103
827 LOWER LIMB FRACTURE NEC*	10	104	7	16	20	15	172
831 SHOULDER DISLOCATION*	1	80	5	4	13	15	118
836 DISLOCATION OF KNEE*	1	535	0	46	12	43	637
839 DISLOCATION NEC*	2	563	8	31	4	16	624

NOTE: '*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.
SEE HC170 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 1
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
840 SPRAIN SHOULDER & ARM*	4	991	10	139	27	135	1,306
842 SPRAIN WRIST & HAND*	0	260	5	30	25	35	355
843 SPRAIN OF HIP & THIGH*	0	68	2	10	8	6	94
844 SPRAIN OF KNEE & LEG*	3	435	0	50	23	80	591
845 SPRAIN OF ANKLE & FOOT*	2	359	12	23	57	70	523
847 SPRAIN OF BACK NEC/NOS*	1	836	12	33	48	170	1,100
848 SPRAIN NEC*	1	317	2	28	38	94	480
850 CONCUSSION*	5	107	2	65	24	18	221
854 OTHER BRAIN INJURY*	3	70	35	6	3	17	134
873 OTHER OPEN WOUND OF HEAD*	6	64	1	11	80	73	235
879 OPEN WOUND SITE NEC*	9	115	1	18	33	54	230
882 OPEN WOUND OF HAND*	0	28	0	2	10	15	55
883 OPEN WOUND OF FINGER*	0	92	0	4	51	49	196
891 OPEN WND KNEE/LEG/ANKLE*	0	48	13	8	23	45	137
892 OPEN WOUND OF FOOT*	3	48	12	27	9	21	120
910 SUPERFICIAL INJURY HEAD*	0	11	0	1	2	11	25

NOTE: '*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.
SEE HC170 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 1
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
913 SUPERFICIAL INJ FOREARM*	0	9	0	0	2	5	16
916 SUPERFICIAL INJ HIP/LEG*	0	6	1	1	2	8	18
917 SUPERFICIAL INJ FOOT/TOE*	1	23	1	0	1	13	39
918 SUPERFIC INJ EYE/ADNEXA*	0	32	0	2	11	28	73
919 SUPERFICIAL INJ OTH SITE*	5	92	1	2	34	97	231
920 CONTUSION FACE/SCALP/NCK	0	18	0	16	14	6	54
921 CONTUSION EYE & ADNEXA*	0	49	0	8	8	26	91
922 CONTUSION OF TRUNK*	7	84	6	4	27	32	160
923 CONTUSION OF UPPER LIMB*	1	98	0	3	11	10	123
924 CONTUSION LEG & OTH SITE*	4	178	6	28	42	52	310
930 FOREIGN BODY EXTERN EYE*	0	24	0	1	9	21	55
959 INJURY NEC/NOS*	48	2,679	168	235	324	577	4,031
977 POIS-MEDICINAL NEC/NOS*	6	3	7	19	11	1	47
989 TOX EFF OTH NONMED SUBST*	3	144	2	4	37	121	311
995 CERTAIN ADVERSE EFF NEC*	12	244	5	19	64	223	567

NOTE: '*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.
SEE HC170 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 1
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
996 REPLACE & GRAFT COMPLIC*	5	105	4	15	9	30	168
998 OTH SURGICAL COMPL NEC*	5	99	6	16	9	99	234
V04 VACCIN FOR VIRAL DISEASE*	0	84	0	7	1	11	103
V05 OTH VACCIN FOR SINGL DIS*	0	46	0	0	0	6	52
V07 PROPHYLACTIC MEASURES*	0	39	0	5	0	242	286
V15 OTH HX OF HEALTH HAZARDS*	0	74	9	0	0	31	114
V20 HEALTH SUPERVISION CHILD*	0	108	0	0	0	0	108
V22 NORMAL PREGNANCY*	277	3,920	15	321	123	445	5,101
V24 POSTPARTUM CARE/EXAM*	0	41	0	0	0	24	65
V25 CONTRACEPTIVE MANAGEMENT*	0	185	0	13	0	740	938
V26 PROCREATIVE MANAGEMENT*	0	52	0	3	0	28	83
V40 MENTAL/BEHAVIORAL PROB*	4	433	11	50	5	87	590
V41 PROB W SPECIAL FUNCTIONS*	0	137	10	7	0	33	187
V43 ORGAN REPLACEMENT NEC*	28	294	35	78	4	85	524
V45 OTH POSTSURGICAL STATES*	23	302	29	31	11	115	511
V47 OTH PROBL W INTERNAL ORG*	0	49	0	0	2	29	80

NOTE: '*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.
SEE HC170 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 1
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
V49 LIMB PROBLEM/PROBLEM NEC*	3	62	47	64	3	18	197
V50 OTHER ELECTIVE SURGERY*	5	64	0	4	1	20	94
V52 FITTING OF PROSTHESIS*	0	10	0	0	0	15	25
V53 ADJUSTMENT OF OTH DEVICE*	5	182	0	21	5	15	228
V58 ENCOUNTR PROC/AFTRCR NEC*	3	552	49	119	3	72	798
V61 OTH FAMILY CIRCUMSTANCES*	0	222	5	7	0	1	235
V62 OTH PSYCHOSOCIAL CIRCUM*	0	91	0	2	0	7	100
V65 OTHER REASON FOR CONSULT*	3	952	21	16	1	254	1,247
V67 FOLLOW-UP EXAMINATION*	2	186	0	33	2	61	284
V68 ADMINISTRATIVE ENCOUNTER*	4	582	25	7	2	1,836	2,456
V70 GENERAL MEDICAL EXAM*	5	1,098	65	55	4	111	1,338
V71 OBSERVATION-SUSPECT COND*	8	617	6	12	67	77	787
V72 SPECIAL EXAMINATIONS*	0	651	8	50	0	294	1,003
V76 SCREENING-MALIG NEOPLASM*	1	74	0	15	1	12	103
V77 SCREEN-ENDO/NUTR/METAB*	0	199	8	13	2	430	652

NOTE: '*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.
SEE HC170 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 1
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
V80 SCREEN-NEURO/EYE/EAR DIS*	0	52	0	0	0	15	67
V81 SCREEN-HEART/RESP/GU DIS*	1	66	12	4	0	349	432
V82 SCREEN-OTHER CONDITIONS*	1	24	0	7	1	28	61

NOTE: '*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.
SEE HC170 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 1
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
-1 INAPPLICABLE	1,020,210	28,493,687	1,261,328	3,625,464	268,998	10,566,242	45,235,929
-9 NOT ASCERTAINED	4,370,309	193,747,684	10,028,865	30,399,895	8,279,809	118,350,643	365,177,205
005 OTHER FOOD POISONING*	66,441	470,161	0	48,003	188,637	164,670	937,912
008 INTESTINAL INFECTION NEC*	123,514	2,392,674	15,504	75,819	651,099	1,444,074	4,702,684
034 STREP THROAT/SCARLET FEV*	33,270	5,391,676	0	208,618	335,906	5,315,769	11,285,238
041 BACT INF IN OTH DIS/NOS*	210,970	4,114,570	171,046	107,649	221,767	3,030,199	7,856,201
053 HERPES ZOSTER*	14,914	1,853,611	0	20,928	109,356	2,056,763	4,055,572
054 HERPES SIMPLEX*	15,087	199,482	0	0	13,418	2,164,626	2,392,613
070 VIRAL HEPATITIS*	13,327	1,670,095	0	104,405	9,680	730,122	2,527,628
074 COXSACKIE VIRAL DISEASE*	0	431,576	0	0	23,163	127,935	582,674
075 INFECTIOUS MONONUCLEOSIS	12,198	372,244	0	35,402	76,945	126,531	623,320
078 OTHER VIRAL DISEASE*	0	3,581,110	0	109,520	83,599	564,766	4,338,995
079 VIRAL INF IN OTH DIS/NOS*	142,400	3,204,117	18,972	210,412	695,896	2,236,684	6,508,481
088 OTH ARTHROPOD-BORNE DIS*	27,125	722,481	0	0	28,503	588,499	1,366,609
110 DERMATOPHYTOSIS*	0	2,328,163	0	39,935	51,722	2,009,985	4,429,804

NOTE: '*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.
SEE HC170 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 1
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
112 CANDIDIASIS*	0	1,835,010	0	143,274	40,894	2,965,300	4,984,478
117 OTHER MYCOSES*	29,390	376,592	0	701,197	29,390	641,019	1,777,588
133 ACARIASIS*	0	228,639	0	153,286	17,214	369,435	768,573
136 INF/PARASITE DIS NEC/NOS*	67,114	979,707	11,868	154,065	89,223	2,359,506	3,661,482
162 MAL NEO TRACHEA/LUNG*	320,280	5,238,192	161,923	2,569,713	184,736	603,713	9,078,558
172 MALIGNANT MELANOMA SKIN*	30,190	2,819,389	24,061	19,058	0	288,386	3,181,084
173 OTHER MALIG NEOPL SKIN*	46,731	11,810,539	39,808	508,078	0	815,131	13,220,286
185 MALIGN NEOPL PROSTATE	110,840	10,869,590	240,055	515,807	0	1,411,493	13,147,786
188 MALIGN NEOPL BLADDER*	53,945	1,400,701	146,090	601,428	79,379	143,912	2,425,455
189 MAL NEO URINARY NEC/NOS*	64,632	989,369	0	331,783	0	122,775	1,508,558
193 MALIGN NEOPL THYROID	7,740	961,293	14,998	189,057	0	1,168,774	2,341,862
195 MAL NEO OTH/ILL-DEF SITE*	228,881	3,802,428	136,499	1,083,617	146,687	816,069	6,214,182
199 MALIGNANT NEOPLASM NOS*	106,073	1,619,478	16,813	270,786	11,001	532,454	2,556,606
202 OTH MAL NEO LYMPH/HISTIO*	26,541	2,638,901	53,132	1,149,990	4,592	215,663	4,088,819
208 LEUKEMIA-UNSPECIF CELL*	22,961	2,292,331	92,778	861,865	0	148,742	3,418,678
211 OTH BENIGN NEOPLASM GI*	13,324	435,664	7,847	186,357	0	68,590	711,782

NOTE: '*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.
SEE HC170 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 1
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
214 LIPOMA*	0	442,412	0	213,138	12,967	39,829	708,346
215 OTH BEN NEO SOFT TISSUE*	58,404	1,249,685	0	215,731	51,018	430,050	2,004,888
216 BENIGN NEOPLASM OF SKIN*	0	2,768,439	0	58,511	0	112,451	2,939,401
229 BENIGN NEOPLASM NEC/NOS*	3,448	795,177	0	19,525	3,448	163,405	985,004
232 CARCINOMA IN SITU SKIN*	0	1,172,747	0	22,982	0	77,164	1,272,893
238 UNC BEHAV NEO NEC/NOS*	0	1,342,072	0	34,124	0	186,395	1,562,591
239 UNSPECIFIED NEOPLASM*	82,904	5,230,508	248,677	1,265,568	71,340	756,216	7,655,213
240 GOITER, SIMPLE/NOS*	0	547,058	0	62,692	0	203,280	813,030
241 NONTOXIC NODULAR GOITER*	0	1,017,242	0	69,322	3,251	337,545	1,427,360
242 THYROTOXICOSIS*	0	3,094,208	150,558	295,531	0	2,439,034	5,979,332
244 ACQUIRED HYPOTHYROIDISM*	0	7,517,766	55,599	464,250	4,522	18,283,141	26,325,278
245 THYROIDITIS*	0	541,189	0	45,600	0	564,309	1,151,098
246 OTH DISORDERS OF THYROID*	44,108	7,349,900	10,636	1,175,166	42,054	18,215,567	26,837,432
250 DIABETES MELLITUS*	756,658	68,089,537	4,564,957	6,843,565	635,921	116,062,891	196,953,529
251 OTH PANCREATIC DISORDER*	30,543	169,293	0	9,525	26,372	90,857	326,589

NOTE: '*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.
SEE HC170 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 1
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
256 OVARIAN DYSFUNCTION*	0	1,081,162	0	23,762	0	1,590,588	2,695,512
257 TESTICULAR DYSFUNCTION*	0	2,619,891	0	73,940	0	1,408,744	4,102,575
259 OTH ENDORINE DISORDERS*	0	2,037,439	0	405,374	0	3,307,862	5,750,674
266 B-COMPLEX DEFICIENCIES*	0	1,464,437	248,653	74,114	10,899	863,833	2,661,937
269 OTH NUTRITION DEFICIENCY*	15,342	1,650,495	118,983	171,364	5,192	4,572,458	6,533,834
272 DIS OF LIPOID METABOLISM*	75,706	51,741,165	2,037,918	3,701,997	100,591	103,717,553	161,374,931
275 DIS MINERAL METABOLISM*	55,956	1,160,604	1,875	390,100	23,855	742,826	2,375,215
277 METABOLISM DIS NEC/NOS*	30,812	563,953	114,219	102,310	43,771	1,095,100	1,950,166
278 OBESITY/HYPERALIMENT*	53,719	4,233,318	118,066	524,174	2,003	597,435	5,528,715
279 DIS IMMUNE MECHANISM*	0	765,315	0	15,278	5,192	655,252	1,441,037
280 IRON DEFICIENCY ANEMIAS*	0	993,485	47,832	72,127	3,775	1,119,099	2,236,318
285 ANEMIA NEC/NOS*	101,196	5,248,165	411,418	1,640,827	118,251	2,804,680	10,324,537
288 WBC DISORDERS*	16,131	481,523	182,093	189,486	22,454	55,890	947,577
289 OTHER BLOOD DISEASE*	26,080	2,003,546	19,029	116,757	7,522	606,067	2,779,001
294 OTHER ORGANIC PSYCH COND*	116,769	2,451,979	2,226,757	81,098	40,075	1,781,516	6,698,195
295 SCHIZOPHRENIC DISORDERS*	80,646	6,217,488	536,081	713,396	14,831	2,096,800	9,659,242

NOTE: '*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.
SEE HC170 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 1
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
296 AFFECTIVE PSYCHOSES*	316,629	32,858,330	1,982,082	2,105,008	193,969	16,701,820	54,157,838
298 OTH NONORGANIC PSYCHOSES*	127,467	837,475	126,070	5,385	63,622	350,542	1,510,561
299 PERVASIVE DEVELOPMNT DISORDERS	0	14,158,446	831,139	130,884	0	597,302	15,717,771
300 NEUROTIC DISORDERS*	638,957	72,604,744	2,603,566	2,649,483	989,700	52,488,905	131,975,353
301 PERSONALITY DISORDERS*	43,290	1,214,983	41,170	326,221	7,534	391,977	2,025,175
303 ALCOHOL DEPENDENCE SYNDR*	86,698	356,191	264,432	0	185,130	129,138	1,021,590
304 DRUG DEPENDENCE*	115,406	29,048,659	0	1,357,461	35,368	733,785	31,290,680
305 NONDEPENDENT DRUG ABUSE*	89,356	160,656	13,772	171,902	123,687	522,217	1,081,590
307 SPECIAL SYMPTOM NEC*	0	1,199,873	0	48,080	14,046	1,258,395	2,520,395
308 ACUTE REACTION TO STRESS*	25,944	8,814,700	57,813	59,657	119,872	1,795,257	10,873,243
309 ADJUSTMENT REACTION*	132,657	22,461,156	366,645	1,076,614	60,658	2,841,293	26,939,023
311 DEPRESSIVE DISORDER NEC	643,055	71,037,310	2,604,356	2,697,129	361,721	49,862,587	127,206,158
312 CONDUCT DISTURBANCE NEC*	3,644	3,471,817	331,010	85,584	18,578	446,161	4,356,794
314 HYPERKINETIC SYNDROME*	57,527	28,275,089	1,061,741	612,200	60,384	18,139,850	48,206,791
315 SPECIFIC DEVELOP DELAYS*	0	3,177,884	875,455	386,349	0	20,976	4,460,663

NOTE: '*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.
SEE HC170 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 1
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
331 CEREBRAL DEGENERATION*	38,331	3,725,457	1,466,440	27,003	60,823	1,116,239	6,434,293
332 PARKINSON'S DISEASE*	13,972	1,306,892	466,546	202,132	0	1,631,012	3,620,553
333 EXTRAPYRAMIDAL DIS NEC*	0	1,128,917	107,429	116,820	7,478	4,518,100	5,878,744
338 PAIN, NOT ELSEWHERE CLASSIFIED	63,281	4,152,081	176,826	55,349	70,295	2,147,738	6,665,570
340 MULTIPLE SCLEROSIS	93,041	4,357,571	886,942	894,024	83,299	1,954,135	8,269,012
344 OTH PARALYTIC SYNDROMES*	166,087	3,398,428	1,089,546	694,014	0	836,734	6,184,809
345 EPILEPSY*	39,216	995,794	235,866	102,419	72,692	2,720,272	4,166,258
346 MIGRAINE*	125,511	11,936,508	141,093	311,332	774,970	10,092,504	23,381,918
348 OTHER BRAIN CONDITIONS*	74,454	291,223	60,732	737,064	77,710	198,706	1,439,889
349 CNS DISORDER NEC/NOS*	12,350	4,543,405	307,504	356,111	58,634	2,646,572	7,924,576
351 FACIAL NERVE DISORDERS*	11,174	612,476	18,133	15,473	38,163	283,739	979,157
354 MONONEURITIS UPPER LIMB*	0	5,080,034	18,846	724,790	36,208	717,877	6,577,755
355 MONONEURITIS LEG*	55,411	15,133,051	340,011	536,452	154,391	5,783,365	22,002,681
360 DISORDERS OF THE GLOBE*	0	2,291,175	0	34,126	100,664	1,552,775	3,978,740
361 RETINAL DETACHMENT*	14,717	1,635,841	7,332	73,505	38,480	316,245	2,086,120
362 RETINAL DISORDERS NEC*	0	5,838,236	730,147	350,258	0	1,217,667	8,136,308

NOTE: '*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.
SEE HC170 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 1
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
365 GLAUCOMA*	0	8,297,505	172,836	368,483	9,058	8,745,574	17,593,456
367 DISORDERS OF REFRACTION*	0	5,208,932	44,576	32,011	0	378,101	5,663,619
368 VISUAL DISTURBANCES*	12,667	2,406,649	23,578	148,429	64,803	150,357	2,806,483
369 BLINDNESS AND LOW VISION*	0	1,981,847	878,866	58,624	21,463	684,035	3,624,835
371 CORNEAL OPACITY/DISORDER*	0	632,346	0	59,766	0	164,383	856,495
372 DISORDERS OF CONJUNCTIVA*	0	1,613,033	0	122,525	116,207	2,110,089	3,961,854
373 INFLAMMATION OF EYELIDS*	0	637,377	0	10,402	32,571	508,755	1,189,104
374 DISORDERS OF EYELIDS NEC*	0	628,034	0	61,465	8,355	168,254	866,108
375 LACRIMAL SYSTEM DISORDER*	0	1,880,298	36,674	96,536	30,612	2,697,061	4,741,181
379 EYE DISORDERS NEC*	0	4,578,624	204,016	143,107	26,541	2,183,030	7,135,317
380 DISORDER OF EXTERNAL EAR*	0	1,676,822	0	52,366	9,176	366,908	2,105,272
381 NONSUPPUR OTITIS MEDIA*	0	437,785	0	22,644	2,890	266,003	729,322
382 OTITIS MEDIA, SUPPUR/NOS*	167,145	11,645,730	12,766	600,347	822,751	11,234,030	24,482,769
384 DISORD TYMPANIC MEMB NEC*	0	374,009	42,248	62,669	25,533	420,728	925,188
386 VERTIGINOUS SYNDROMES*	11,006	1,001,189	0	2,975	78,399	928,532	2,022,101

NOTE: '*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.
SEE HC170 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 1
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
388 DISORDERS OF EAR NEC*	37,749	2,919,987	0	109,551	161,596	1,463,153	4,692,036
389 HEARING LOSS*	0	5,770,425	248,833	356,561	0	190,731	6,566,550
401 ESSENTIAL HYPERTENSION*	689,217	76,172,380	5,146,791	2,989,971	1,420,202	210,917,818	297,336,380
410 ACUTE MYOCARDIAL INFARCT*	766,321	8,885,335	1,860,384	1,739,045	765,647	9,295,426	23,312,158
413 ANGINA PECTORIS*	259,328	4,146,054	757,916	94,425	224,676	3,088,615	8,571,014
414 OTH CHR ISCHEMIC HRT DIS*	722,635	24,558,273	3,613,238	3,633,831	666,989	28,524,185	61,719,150
415 ACUTE PULMONARY HRT DIS*	104,579	1,110,240	13,706	221,093	91,431	563,190	2,104,239
424 OTH ENDOCARDIAL DISEASE*	104,568	3,273,263	302,453	171,756	30,168	1,733,684	5,615,893
425 CARDIOMYOPATHY*	113,486	1,157,814	24,439	36,498	37,296	1,465,098	2,834,631
427 CARDIAC DYSRHYTHMIAS*	461,494	13,989,161	1,131,663	2,654,024	702,211	11,116,617	30,055,170
428 HEART FAILURE*	762,795	4,322,952	983,113	537,090	548,144	5,328,679	12,482,772
429 ILL-DEFINED HEART DIS*	239,991	5,225,524	206,835	1,039,155	209,881	3,534,962	10,456,349
436 CVA	944,491	9,426,158	5,177,091	1,805,584	879,186	3,729,206	21,961,716
440 ATHEROSCLEROSIS*	0	323,953	0	45,134	4,175	108,638	481,901
441 AORTIC ANEURYSM*	46,234	407,547	18,207	67,398	32,652	152,791	724,829
442 OTHER ANEURYSM*	32,738	561,868	73,422	91,247	38,647	20,628	818,549

NOTE: '*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.
SEE HC170 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 1
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
443 OTH PERIPH VASCULAR DIS*	59,063	822,824	18,179	199,506	30,471	364,179	1,494,221
444 ARTERIAL EMBOLISM*	290,829	5,418,959	84,816	1,175,963	282,350	1,566,863	8,819,779
447 OTHER ARTERIAL DISEASE*	34,073	1,469,482	142,266	234,457	3,915	495,263	2,379,456
454 VARICOSE VEINS, LEG*	12,553	3,229,769	0	103,423	80,508	210,333	3,636,585
455 HEMORRHOIDS*	28,716	1,075,279	99,255	271,384	150,181	933,593	2,558,408
458 HYPOTENSION*	112,183	781,813	225,149	4,650	108,985	543,999	1,776,779
459 OTH CIRCULATORY DISEASE*	152,749	2,887,901	374,394	1,072,963	212,645	1,331,841	6,032,494
460 ACUTE NASOPHARYNGITIS	7,827	10,646,623	25,430	217,675	213,673	7,211,940	18,323,169
462 ACUTE PHARYNGITIS	0	3,041,087	0	167,162	218,581	2,246,465	5,673,295
463 ACUTE TONSILLITIS	4,706	696,268	0	130,483	30,745	468,526	1,330,729
464 AC LARYNGITIS/TRACHEITIS*	5,007	557,352	0	15,549	265,161	608,366	1,451,436
465 AC URI MULT SITES/NOS*	23,209	3,523,698	0	101,321	263,044	3,659,494	7,570,766
466 AC BRONCHITIS/BRONCHIOL*	19,119	945,004	0	29,594	141,746	1,073,907	2,209,371
473 CHRONIC SINUSITIS*	18,446	15,483,595	12,766	938,895	322,369	18,870,723	35,646,795
474 CHR T & A DIS*	25,088	483,788	0	65,638	15,735	304,536	894,784

NOTE: '*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.
SEE HC170 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 1
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
477 ALLERGIC RHINITIS*	39,487	37,954,864	197,901	763,818	271,711	33,780,988	73,008,769
478 OTH UPPR RESPIRATORY DIS*	75,249	3,659,521	82,353	398,118	186,680	4,703,053	9,104,973
486 PNEUMONIA, ORGANISM NOS	1,195,291	6,532,564	521,526	838,719	1,253,208	5,059,797	15,401,105
490 BRONCHITIS NOS	158,211	5,454,959	30,474	225,573	733,595	8,458,138	15,060,951
491 CHRONIC BRONCHITIS*	210,192	5,950,323	530,235	139,727	393,988	5,550,568	12,775,033
492 EMPHYSEMA*	97,703	4,797,638	1,094,726	305,416	151,713	5,258,049	11,705,243
493 ASTHMA*	400,712	18,563,421	924,794	651,131	1,604,746	41,849,872	63,994,675
496 CHR AIRWAY OBSTRUCT NEC	616,307	6,921,241	1,420,093	970,759	835,470	11,745,886	22,509,755
511 PLEURISY*	40,077	351,307	63,762	48,482	36,923	191,377	731,928
514 PULM CONGEST/HYPOSTASIS	181,318	863,449	40,185	191,178	136,808	596,524	2,009,462
518 OTHER LUNG DISEASES*	161,055	1,702,289	397,588	657,540	172,949	1,136,129	4,227,551
519 OTH RESP SYSTEM DISEASES*	82,671	1,542,541	32,393	83,583	217,012	2,194,367	4,152,566
520 TOOTH DEVELOP/ERUPT DIS*	38,507	265,272	0	40,597	17,193	1,718,451	2,080,020
521 HARD TISSUE DIS OF TEETH*	0	182,616	0	22,399	8,072	510,763	723,850
522 PULP & PERIAPICAL DIS*	44,744	184,660	0	70,580	173,237	4,338,372	4,811,593
523 GINGIVAL/PERIODONTAL DIS*	0	390,990	76,528	34,062	43,174	1,463,979	2,008,733

NOTE: '*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.
SEE HC170 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 1
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
524 DENTOFACIAL ANOMALIES*	6,214	823,055	63,762	3,783	9,727	224,513	1,131,053
525 OTHER DENTAL DISORDER*	1,626	256,229	49,732	35,955	136,679	3,325,245	3,805,466
527 SALIVARY GLAND DISEASES*	0	125,901	0	43,788	13,097	165,059	347,846
528 ORAL SOFT TISSUE DISEASE*	38,789	606,960	15,557	165,271	62,577	1,043,016	1,932,169
531 GASTRIC ULCER*	126,053	1,073,000	56,512	49,958	118,245	1,149,067	2,572,835
535 GASTRITIS AND DUODENITIS*	50,832	1,362,998	58,745	155,186	423,000	1,876,798	3,927,559
536 STOMACH FUNCTION DISORD*	185,896	6,929,363	39,623	880,931	1,024,731	7,074,815	16,135,360
537 OTH GASTRODUODENAL DIS*	45,389	1,465,356	0	158,182	96,394	2,432,158	4,197,478
541 APPENDICITIS NOS	154,139	166,942	0	0	223,595	324,337	869,013
553 OTHER ABDOMINAL HERNIA*	339,291	4,559,066	404,535	1,162,481	179,756	1,818,693	8,463,822
555 REGIONAL ENTERITIS*	99,265	2,769,693	40,532	660,000	87,818	1,978,560	5,635,869
556 IDIOPATHIC PROCTOCOLITIS*	24,720	639,487	0	77,768	30,107	827,107	1,599,189
558 OTH NONINF GASTROENTERIT*	115,172	1,781,882	380,144	64,344	119,116	1,513,045	3,973,704
560 INTESTINAL OBSTRUCTION*	137,789	375,362	70,878	139,443	314,113	352,039	1,389,623
562 DIVERTICULA OF INTESTINE*	121,349	1,196,484	0	242,833	214,409	1,145,189	2,920,264

NOTE: '*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.
SEE HC170 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 1
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
564 FUNCT DIGESTIVE DIS NEC*	22,931	2,898,026	210,315	269,300	413,238	5,380,409	9,194,219
569 OTH INTESTINAL DISORDERS*	87,350	1,497,967	33,852	158,312	135,331	564,622	2,477,435
571 CHR LIVER DIS/CIRRHOSIS*	142,509	1,431,618	315,480	180,659	65,554	852,981	2,988,802
573 OTH LIVER DISORDERS*	20,320	1,105,488	77,848	63,594	7,616	277,950	1,552,816
574 CHOLELITHIASIS*	71,037	804,294	13,387	339,676	275,777	248,754	1,752,925
575 OTH GALLBLADDER DISORDER*	336,402	2,040,360	43,032	538,689	526,003	989,525	4,474,009
577 DISEASES OF PANCREAS*	344,346	837,530	20,284	170,299	252,373	447,713	2,072,545
578 GASTROINTESTINAL HEMORR*	87,078	447,207	0	167,958	121,202	98,197	921,642
585 CHRONIC RENAL FAILURE	150,233	7,017,722	330,599	1,009,220	90,604	547,487	9,145,865
590 KIDNEY INFECTION*	155,969	1,551,947	12,526	86,749	379,502	1,380,234	3,566,927
592 RENAL/URETERAL CALCULUS*	155,916	3,989,868	29,142	1,301,219	1,321,062	3,113,553	9,910,760
593 OTH RENAL & URETERAL DIS*	125,717	13,484,389	205,949	714,169	104,904	2,127,256	16,762,385
595 CYSTITIS*	139,362	2,428,656	83,074	190,346	460,922	2,867,161	6,169,520
599 OTH URINARY TRACT DISOR*	489,093	11,423,383	190,425	883,856	1,327,098	9,281,790	23,595,644
600 HYPERPLASIA OF PROSTATE*	3,331	3,179,281	38,251	169,374	150,566	4,636,605	8,177,409
601 PROSTATIC INFLAMMATION*	0	445,004	0	4,314	0	287,597	736,915

NOTE: '*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.
SEE HC170 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 1
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
602 OTH PROSTATIC DISORDERS*	25,075	2,048,310	93,212	15,920	26,203	4,747,394	6,956,114
607 DISORDERS OF PENIS*	0	129,354	47,832	0	7,972	812,928	998,086
608 MALE GENITAL DIS NEC*	13,415	679,825	0	145,171	14,486	110,057	962,954
610 BENIGN MAMMARY DYSPLASIA*	0	327,168	0	148,271	4,777	85,567	565,783
611 OTHER BREAST DISORDERS*	44,972	2,005,143	7,968	377,209	47,919	192,072	2,675,282
616 OTH FEMALE GEN INFLAM*	0	406,068	0	26,050	14,370	580,818	1,027,307
617 ENDOMETRIOSIS*	4,317	521,010	0	27,540	59,931	272,845	885,643
618 GENITAL PROLAPSE*	24,141	1,902,702	0	91,920	12,725	269,507	2,300,994
620 NONINFLAM DIS OVAR/ADNEX*	25,591	1,459,720	0	429,258	129,019	535,776	2,579,364
621 DISORDERS OF UTERUS NEC*	2,003	856,408	0	148,994	10,048	103,506	1,120,959
623 NONINFLAMM DIS VAGINA*	0	347,928	0	42,700	37,571	803,248	1,231,447
625 FEMALE GENITAL SYMPTOMS*	7,753	1,463,978	0	52,262	88,898	965,657	2,578,548
626 DISORDER OF MENSTRUATION*	36,893	1,716,746	0	127,483	57,546	1,743,173	3,681,840
627 MENOPAUSAL DISORDERS*	8,361	1,662,870	0	24,713	8,354	4,725,999	6,430,297
629 OTH FEMALE GENITAL DIS*	0	918,284	0	153,672	15,646	406,841	1,494,442

NOTE: '*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.
SEE HC170 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 1
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
634 SPONTANEOUS ABORTION*	38,430	736,816	0	77,010	243,602	225,900	1,321,759
650 NORMAL DELIVERY	692,262	367,212	9,296	4,012	47,026	406,332	1,526,141
669 OTH COMPL LABOR/DELIVERY*	38,657	257,367	0	10,718	10,580	545,156	862,477
680 CARBUNCLE AND FURUNCLE*	24,638	340,786	122,699	73,326	70,704	488,117	1,120,270
681 CELLULITIS, FINGER/TOE*	0	270,093	12,766	0	29,783	206,874	519,516
682 OTHER CELLULITIS/ABSCESS*	208,913	3,289,143	63,082	263,701	647,004	1,977,468	6,449,312
684 IMPETIGO	0	420,033	0	18,103	15,505	362,667	816,308
686 OTH LOCAL SKIN INFECTION*	90,999	2,723,873	60,309	156,991	378,911	2,264,331	5,675,413
691 ATOPIC DERMATITIS*	0	224,407	0	0	32,398	345,860	602,665
692 CONTACT DERMATITIS*	9,481	4,671,137	0	166,036	270,006	6,754,195	11,870,855
693 DERMAT D/T INTERN AGENT*	3,816	622,283	0	20,522	51,561	482,398	1,180,581
695 ERYTHEMATOUS CONDITIONS*	0	1,019,727	0	0	0	2,338,327	3,358,054
696 PSORIASIS/LIKE DISORDERS*	0	2,897,161	6,798	162,995	16,876	2,651,426	5,735,255
698 PRURITUS & LIKE COND*	0	315,650	0	17,841	17,386	1,142,364	1,493,241
700 CORNS AND CALLOSITIES	0	1,052,544	17,787	44,359	10,394	18,171	1,143,255
701 OTH SKIN HYPERTRO/ATROPH*	0	1,045,373	0	40,935	21,811	369,725	1,477,844

NOTE: '*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.
SEE HC170 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 1
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
702 OTHER DERMATOSES*	0	741,076	30,349	0	0	121,873	893,298
703 DISEASES OF NAIL*	10,724	3,198,731	15,391	108,855	46,820	627,959	4,008,480
704 HAIR & FOLLICLE DISEASE*	7,971	586,699	0	41,335	111,645	810,410	1,558,060
705 DISORDERS OF SWEAT GLAND*	18,732	441,185	0	0	41,317	319,309	820,543
706 SEBACEOUS GLAND DISEASE*	48,135	7,752,823	163,973	528,048	148,876	7,563,278	16,205,133
707 CHRONIC ULCER OF SKIN*	138,887	4,125,034	688,061	1,124,366	13,414	1,426,754	7,516,516
708 URTICARIA*	15,955	660,728	0	30,061	105,616	779,141	1,591,502
709 OTHER SKIN DISORDERS*	0	6,668,214	257,859	635,206	33,692	3,674,484	11,269,454
710 DIFF CONNECTIVE TISS DIS*	33,165	3,540,715	176,335	366,805	27,603	2,813,138	6,957,761
715 OSTEOARTHRISIS ET AL*	190,252	35,073,382	3,011,544	2,615,202	104,746	14,256,497	55,251,624
716 ARTHROPATHIES NEC/NOS*	52,438	30,223,010	4,127,028	1,782,325	121,213	14,822,595	51,128,608
717 INTERNAL DERANGEMNT KNEE*	46,645	1,114,287	59,931	143,881	10,775	209,548	1,585,067
718 OTHER JOINT DERANGEMENT*	0	936,734	27,935	24,603	56,942	28,000	1,074,214
719 JOINT DISORDER NEC & NOS*	748,338	81,254,612	2,891,257	4,147,840	862,142	19,503,865	109,408,054
720 INFLAM SPONDYLOPATHIES*	64,232	1,604,095	253,068	205,878	67,575	279,134	2,473,982

NOTE: '*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.
SEE HC170 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 1
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
721 SPONDYLOSIS ET AL*	27,560	3,648,032	51,524	145,318	39,989	598,721	4,511,143
722 INTERVERTEBRAL DISC DIS*	194,926	29,191,639	923,017	1,903,536	522,563	6,903,319	39,639,000
723 OTHER CERVICAL SPINE DIS*	73,207	22,354,092	214,767	571,999	216,201	3,032,230	26,462,495
724 BACK DISORDER NEC & NOS*	331,231	97,045,551	3,106,267	3,610,465	1,238,003	22,263,787	127,595,305
726 PERIPH ENTHESOPATHIES*	89,393	21,386,348	361,791	1,600,735	170,264	2,435,138	26,043,670
727 OTH DIS SYNOV/TEND/BURSA*	26,767	7,543,971	140,290	900,287	148,181	1,273,847	10,033,342
728 DIS OF MUSCLE/LIG/FASCIA*	104,881	13,292,289	273,108	550,502	212,857	5,428,747	19,862,385
729 OTHER SOFT TISSUE DIS*	93,719	28,020,708	2,328,232	3,254,378	634,675	14,999,584	49,331,296
733 OTH BONE & CARTILAGE DIS*	45,942	6,370,959	630,468	968,456	226,508	7,246,945	15,489,277
734 FLAT FOOT	0	1,182,512	0	0	0	0	1,182,512
735 ACQ DEFORMITIES OF TOE*	0	556,894	0	17,285	0	38,343	612,522
737 CURVATURE OF SPINE*	14,711	4,877,583	247,774	391,699	18,376	653,880	6,204,024
745 CARDIAC SEPTAL CLOS ANOM*	23,894	222,191	0	121,426	0	99,004	466,515
756 OTH MUSCULOSKELET ANOMAL*	1,428	1,903,844	77,429	28,403	20,670	188,149	2,219,923
780 GENERAL SYMPTOMS*	888,198	41,398,452	2,666,528	2,580,486	2,704,961	42,777,686	93,016,309
781 NERV/MUSCULSKEL SYS SYMP*	16,821	4,737,924	348,873	217,584	129,747	1,528,207	6,979,156

NOTE: '*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.
SEE HC170 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 1
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
782 SKIN/OTH INTEGUMENT SYMP*	159,542	11,527,960	375,599	765,142	550,246	12,918,699	26,297,187
783 NUTRIT/METAB/DEVEL SYMP*	40,770	3,800,402	214,322	123,114	23,052	1,488,996	5,690,657
784 SYMPTOMS INVOL HEAD/NECK*	53,454	14,278,839	331,815	591,907	823,748	4,436,264	20,516,028
785 CARDIOVASCULAR SYS SYMP*	199,977	3,660,077	70,261	394,240	297,049	1,941,922	6,563,527
786 RESP SYS/OTH CHEST SYMP*	863,472	12,423,480	304,422	1,465,111	2,451,876	10,610,310	28,118,670
787 GI SYSTEM SYMPTOMS*	341,701	4,217,785	132,417	542,683	638,753	10,197,125	16,070,463
788 URINARY SYSTEM SYMPTOMS*	19,301	2,806,639	284,873	387,754	28,193	4,195,387	7,722,147
789 OTH ABDOMEN/PELVIS SYMP*	86,826	2,560,396	35,005	357,491	543,930	1,389,854	4,973,501
790 ABNORMAL BLOOD FINDINGS*	131,756	3,571,810	83,691	426,706	231,703	2,421,665	6,867,331
793 ABN FIND-BODY STRUCT NOS*	0	264,652	0	96,884	0	0	361,536
795 ABN HISTOLOG/IMMUNO FIND*	0	651,139	0	77,701	0	87,727	816,567
797 SENILITY W/O PSYCHOSIS	0	150,854	2,369,804	19,850	0	108,314	2,648,823
799 OTH ILL-DEF MORBID/MORTL*	33,383	5,776,452	404,183	2,225,984	78,152	1,697,444	10,215,599
805 VERTEBRL FX W/O CORD INJ*	73,850	2,311,103	335,869	146,868	115,580	685,671	3,668,942
807 FX RIB/STERN/LARYN/TRACH*	123,606	1,089,387	118,185	343,208	265,941	644,586	2,584,913

NOTE: '*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.
SEE HC170 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 1
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
810 CLAVICLE FRACTURE*	24,618	1,943,371	49,845	70,416	149,219	118,473	2,355,942
812 HUMERUS FRACTURE*	39,921	2,339,911	0	388,284	255,296	362,794	3,386,205
814 CARPAL FRACTURE*	21,650	2,456,078	116,767	761,909	383,732	533,531	4,273,666
815 METACARPAL FRACTURE*	4,427	556,126	0	285,829	121,166	131,403	1,098,950
816 FRACTURE PHALANGES, HAND*	0	2,633,167	30,349	621,253	294,723	383,840	3,963,332
818 FRACTURE ARM MULT/NOS*	32,360	1,868,223	61,970	818,664	397,349	389,920	3,568,487
820 FRACTURE NECK OF FEMUR*	174,928	606,531	437,484	3,170	120,087	166,261	1,508,462
822 PATELLA FRACTURE*	37,798	2,360,135	13,772	845,075	93,355	188,038	3,538,172
824 ANKLE FRACTURE*	42,872	2,250,074	41,129	170,484	277,471	395,381	3,177,411
825 FX OF TARSAL/METATARSAL*	9,417	2,937,570	137,522	185,050	187,633	495,259	3,952,450
826 FRACTURE PHALANGES, FOOT*	27,459	641,344	24,347	101,404	172,330	123,249	1,090,134
827 LOWER LIMB FRACTURE NEC*	162,638	1,668,671	24,369	67,256	232,442	168,354	2,323,730
831 SHOULDER DISLOCATION*	9,365	846,163	40,997	62,473	159,666	165,282	1,283,945
836 DISLOCATION OF KNEE*	10,150	6,860,961	0	639,857	113,753	688,707	8,313,427
839 DISLOCATION NEC*	44,209	3,945,926	97,542	903,391	67,536	105,940	5,164,543
840 SPRAIN SHOULDER & ARM*	25,049	12,716,513	54,916	1,511,070	303,789	1,361,642	15,972,979

NOTE: '*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.
SEE HC170 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 1
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
842 SPRAIN WRIST & HAND*	0	2,721,479	55,062	262,007	281,775	425,576	3,745,899
843 SPRAIN OF HIP & THIGH*	0	834,415	8,685	143,911	90,712	60,101	1,137,823
844 SPRAIN OF KNEE & LEG*	21,056	5,205,170	0	437,744	205,564	791,115	6,660,649
845 SPRAIN OF ANKLE & FOOT*	26,363	4,324,869	78,926	359,410	554,213	665,346	6,009,127
847 SPRAIN OF BACK NEC/NOS*	6,155	10,322,255	84,490	1,238,703	371,723	1,832,725	13,856,050
848 SPRAIN NEC*	8,191	3,847,763	6,663	246,315	307,057	1,070,580	5,486,570
850 CONCUSSION*	66,307	1,610,361	19,594	556,309	355,916	188,227	2,796,714
854 OTHER BRAIN INJURY*	30,080	1,148,449	262,860	29,554	22,957	229,159	1,723,058
873 OTHER OPEN WOUND OF HEAD*	69,768	726,686	7,972	171,578	794,135	721,384	2,491,525
879 OPEN WOUND SITE NEC*	59,582	1,597,089	11,187	196,093	276,427	621,280	2,761,658
882 OPEN WOUND OF HAND*	0	362,091	0	35,761	143,984	174,049	715,885
883 OPEN WOUND OF FINGER*	0	1,236,494	0	38,269	515,256	497,832	2,287,851
891 OPEN WND KNEE/LEG/ANKLE*	0	443,827	101,112	123,120	205,111	334,704	1,207,874
892 OPEN WOUND OF FOOT*	28,739	608,197	114,957	346,201	71,671	252,984	1,422,750
910 SUPERFICIAL INJURY HEAD*	0	81,565	0	20,730	20,009	96,044	218,348

NOTE: '*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.
SEE HC170 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 1
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
913 SUPERFICIAL INJ FOREARM*	0	73,409	0	0	13,837	26,619	113,865
916 SUPERFICIAL INJ HIP/LEG*	0	49,947	9,960	11,004	9,849	73,364	154,124
917 SUPERFICIAL INJ FOOT/TOE*	27,459	236,936	1,713	0	27,459	138,857	432,425
918 SUPERFIC INJ EYE/ADNEXA*	0	480,990	0	32,456	146,324	471,038	1,130,809
919 SUPERFICIAL INJ OTH SITE*	54,710	1,219,977	2,492	47,244	261,376	980,086	2,565,885
920 CONTUSION FACE/SCALP/NCK	0	109,922	0	74,021	58,871	32,869	275,682
921 CONTUSION EYE & ADNEXA*	0	431,238	0	48,130	53,899	227,052	760,319
922 CONTUSION OF TRUNK*	57,767	1,024,939	118,204	35,262	199,489	305,341	1,741,003
923 CONTUSION OF UPPER LIMB*	11,010	1,212,157	0	35,380	84,334	125,276	1,468,156
924 CONTUSION LEG & OTH SITE*	50,608	2,165,049	50,919	213,412	397,083	482,211	3,359,283
930 FOREIGN BODY EXTERN EYE*	0	312,645	0	3,459	107,445	179,932	603,482
959 INJURY NEC/NOS*	652,247	28,547,030	1,981,047	3,070,862	3,246,185	5,782,416	43,279,787
977 POIS-MEDICINAL NEC/NOS*	66,489	65,076	133,200	411,787	131,402	3,134	811,090
989 TOX EFF OTH NONMED SUBST*	24,071	1,157,803	7,534	69,908	309,678	1,234,268	2,803,262
995 CERTAIN ADVERSE EFF NEC*	166,638	3,033,117	65,604	97,774	684,931	2,621,339	6,669,401
996 REPLACE & GRAFT COMPLIC*	28,333	1,216,774	15,391	78,432	46,579	320,873	1,706,382

NOTE: '*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.
SEE HC170 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 1
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
998 OTH SURGICAL COMPL NEC*	68,657	1,094,401	163,552	52,513	114,767	1,040,976	2,534,865
V04 VACCIN FOR VIRAL DISEASE*	0	981,379	0	163,017	25,382	127,100	1,296,878
V05 OTH VACCIN FOR SINGL DIS*	0	402,389	0	0	0	58,965	461,353
V07 PROPHYLACTIC MEASURES*	0	509,501	0	74,343	0	2,636,454	3,220,298
V15 OTH HX OF HEALTH HAZARDS*	0	930,872	41,246	0	0	423,109	1,395,227
V20 HEALTH SUPERVISION CHILD*	0	1,126,156	0	0	0	0	1,126,156
V22 NORMAL PREGNANCY*	2,152,405	34,477,572	115,355	2,189,624	792,120	3,027,676	42,754,753
V24 POSTPARTUM CARE/EXAM*	0	397,562	0	0	0	252,018	649,580
V25 CONTRACEPTIVE MANAGEMENT*	0	1,946,667	0	70,738	0	10,149,033	12,166,438
V26 PROCREATIVE MANAGEMENT*	0	504,247	0	31,846	0	263,696	799,789
V40 MENTAL/BEHAVIORAL PROB*	37,999	2,703,811	46,970	241,715	50,641	422,251	3,503,386
V41 PROB W SPECIAL FUNCTIONS*	0	1,312,594	56,211	17,620	0	296,144	1,682,570
V43 ORGAN REPLACEMENT NEC*	310,177	4,578,632	199,132	885,334	24,181	976,458	6,973,913
V45 OTH POSTSURGICAL STATES*	298,975	3,606,575	87,608	534,202	82,547	1,308,254	5,918,161
V47 OTH PROBL W INTERNAL ORG*	0	630,845	0	0	39,152	388,650	1,058,646

NOTE: '*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.
SEE HC170 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 1
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
V49 LIMB PROBLEM/PROBLEM NEC*	65,578	797,792	376,289	1,020,034	21,512	180,439	2,461,644
V50 OTHER ELECTIVE SURGERY*	34,491	859,738	0	52,844	9,158	181,202	1,137,433
V52 FITTING OF PROSTHESIS*	0	127,874	0	0	0	166,185	294,058
V53 ADJUSTMENT OF OTH DEVICE*	59,270	2,623,454	0	229,594	57,547	136,674	3,106,539
V58 ENCOUNTR PROC/AFTRCR NEC*	42,836	7,809,784	413,865	1,360,427	36,052	953,410	10,616,375
V61 OTH FAMILY CIRCUMSTANCES*	0	2,938,240	36,209	124,300	0	3,731	3,102,481
V62 OTH PSYCHOSOCIAL CIRCUM*	0	951,050	0	11,775	0	114,417	1,077,243
V65 OTHER REASON FOR CONSULT*	29,825	10,177,407	217,367	167,945	10,402	2,897,573	13,500,517
V67 FOLLOW-UP EXAMINATION*	23,945	1,843,711	0	366,548	29,081	715,866	2,979,151
V68 ADMINISTRATIVE ENCOUNTER*	61,496	5,928,826	255,193	103,291	41,747	20,449,093	26,839,646
V70 GENERAL MEDICAL EXAM*	22,140	14,514,318	237,405	422,712	20,646	905,143	16,122,365
V71 OBSERVATION-SUSPECT COND*	95,152	6,019,849	79,475	99,108	707,624	921,834	7,923,041
V72 SPECIAL EXAMINATIONS*	0	7,328,594	267,894	446,599	0	3,923,064	11,966,150
V76 SCREENING-MALIG NEOPLASM*	6,184	758,447	0	258,154	6,184	81,623	1,110,593
V77 SCREEN-ENDO/NUTR/METAB*	0	1,724,486	60,646	64,166	8,396	4,116,275	5,973,969
V80 SCREEN-NEURO/EYE/EAR DIS*	0	880,444	0	0	0	143,121	1,023,566

NOTE: '*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.
SEE HC170 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
 TABLE 1
 MEPS 2014
 UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
 LINKED TO CONDITION RECORDS (FROM FILE HC170)
 FOR EACH VALUE OF ICD9CODX

ICD9CODX: WEIGHTED COUNTS

ICD-9-CM CODE FOR CONDITION - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
V81 SCREEN-HEART/RESP/GU DIS*	2,693	882,657	127,524	39,637	0	4,349,920	5,402,431
V82 SCREEN-OTHER CONDITIONS*	20,194	504,060	0	135,462	1,640	356,670	1,018,026

NOTE: '*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 3-DIGIT CODE CATEGORIES.
 SEE HC170 DOCUMENT FOR ADDITIONAL INFORMATION
 PMED = PRESCRIBED MEDICINES FILE, HC-168A
 STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
 EROM = EMERGENCY ROOM VISITS FILE, HC-168E
 OPAT = OUTPATIENT VISITS FILE, HC-168F
 MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
 HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 2
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF ICD9PROX

ICD9PROX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR PROCEDURE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
-1 INAPPLICABLE	3,685	180,159	11,311	15,607	7,946	137,568	356,276
-9 NOT ASCERTAINED	2	19	0	4	0	5	30
00 PROCEDURES/INTERVENTIONS, NEC	2	42	4	13	2	24	87
03 SPINAL CORD & CANAL OPS*	6	56	6	22	6	23	119
07 OTH ENDOCRINE GLND OPS*	0	40	0	2	0	32	74
13 OPERATIONS ON LENS*	0	168	0	20	0	71	259
16 ORBIT/EYEBALL OPS*	1	98	0	21	2	51	173
20 OTHER MID & INNER EAR OP*	0	65	3	14	0	13	95
23 TOOTH REMOVAL & RESTORAT*	1	26	0	7	1	590	625
24 OTH OPS ON TEETH & GUMS*	0	0	0	2	0	41	43
27 OTHER MOUTH & FACE OPS*	0	10	0	0	1	17	28
28 TONSIL & ADENOID OPS*	5	25	0	22	2	20	74
36 OPS ON HEART VESSELS*	4	33	8	10	0	27	82
37 OTHER HEART/PERICARD OPS*	4	33	0	10	0	18	65
39 OTHER OPS ON VESSELS*	4	1,440	17	100	1	22	1,584
44 OTHER GASTRIC OPERATIONS*	9	87	1	20	0	28	145

NOTE: '*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 2-DIGIT CODE CATEGORIES.
SEE HC170 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 2
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF ICD9PROX

ICD9PROX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR PROCEDURE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
45 INTEST INCIS/EXCIS/ANAST*	2	74	1	30	1	35	143
47 OPERATIONS ON APPENDIX*	6	8	0	6	10	14	44
51 BILIARY TRACT OPERATION*	14	60	8	27	14	37	160
53 REPAIR OF HERNIA*	5	45	15	12	1	13	91
54 OTHER ABDOMEN REGION OPS*	3	26	9	9	2	12	61
59 OTHER URINARY TRACT OPS*	6	62	14	39	0	106	227
63 SPERM CORD/EPID/VAS OPS*	2	59	3	6	0	29	99
68 OTHER UTERINE INCIS/EXC*	23	72	0	18	2	44	159
69 OTHER UTERUS/SUPPORT OPS*	2	44	0	19	0	18	83
74 C-SECTION/REMOVAL FETUS*	5	20	0	1	3	30	59
78 OTH BONE OPS EXCPT FACE*	6	150	5	15	0	22	198
81 JOINT REPAIR*	47	824	86	106	6	140	1,209
83 OTHER MUS/TEN/FAS/BUR OP*	1	256	9	41	0	5	312
84 OTHER MUSCULOSKELET PROC*	5	178	22	35	1	16	257
85 OPERATIONS ON THE BREAST*	5	25	0	15	0	13	58

NOTE: '*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 2-DIGIT CODE CATEGORIES.
SEE HC170 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
 TABLE 2
 MEPS 2014
 UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
 LINKED TO CONDITION RECORDS (FROM FILE HC170)
 FOR EACH VALUE OF ICD9PROX

ICD9PROX: UNWEIGHTED COUNTS

ICD-9-CM CODE FOR PROCEDURE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
86 SKIN & SUBQ OPERATIONS*	3	314	4	22	24	41	408
87 DIAGNOSTIC RADIOLOGY*	0	65	0	26	0	2	93
88 OTHER DX RADIOLOGY*	2	42	4	5	1	7	61
89 INTERVIEW/CONSULT/EXAM*	0	36	0	6	0	2	44
93 PT, REHAB & RELATED PROC*	1	484	10	29	2	6	532
94 PSYCHE RELATED PROCEDURE*	0	139	0	24	0	10	173
96 NON-OP INTUBAT & IRRIGAT*	0	32	0	2	2	6	42
99 OTHER NONOPERATIVE PROC*	1	246	9	9	3	37	305

NOTE: '*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 2-DIGIT CODE CATEGORIES.
 SEE HC170 DOCUMENT FOR ADDITIONAL INFORMATION
 PMED = PRESCRIBED MEDICINES FILE, HC-168A
 STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
 EROM = EMERGENCY ROOM VISITS FILE, HC-168E
 OPAT = OUTPATIENT VISITS FILE, HC-168F
 MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
 HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 2
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF ICD9PROX

ICD9PROX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR PROCEDURE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
-1 INAPPLICABLE	35,326,845	2018963755	103,874,080	175,719,807	72,138,517	1507447117	3913470122
-9 NOT ASCERTAINED	32,609	309,432	0	44,919	0	119,002	505,962
00 PROCEDURES/INTERVENTIONS, NEC	18,443	694,045	10,720	183,752	11,962	398,588	1,317,510
03 SPINAL CORD & CANAL OPS*	54,326	417,138	39,614	113,025	28,664	233,847	886,613
07 OTH ENDOCRINE GLND OPS*	0	608,279	0	33,055	0	428,718	1,070,053
13 OPERATIONS ON LENS*	0	1,573,204	0	255,610	0	811,705	2,640,518
16 ORBIT/EYEBALL OPS*	2,066	1,086,952	0	142,297	26,386	503,739	1,761,441
20 OTHER MID & INNER EAR OP*	0	850,318	7,132	114,180	0	117,817	1,089,448
23 TOOTH REMOVAL & RESTORAT*	38,507	276,033	0	46,420	4,467	6,038,227	6,403,653
24 OTH OPS ON TEETH & GUMS*	0	0	0	10,860	0	462,298	473,158
27 OTHER MOUTH & FACE OPS*	0	99,139	0	0	13,847	169,870	282,856
28 TONSIL & ADENOID OPS*	20,888	333,579	0	339,657	9,552	273,230	976,907
36 OPS ON HEART VESSELS*	53,735	467,338	50,284	125,300	0	366,199	1,062,855
37 OTHER HEART/PERICARD OPS*	28,874	389,240	0	210,233	0	258,012	886,358
39 OTHER OPS ON VESSELS*	51,921	9,949,640	112,658	118,800	4,384	166,525	10,403,927
44 OTHER GASTRIC OPERATIONS*	57,396	612,353	0	148,664	0	303,128	1,121,541

NOTE: '*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 2-DIGIT CODE CATEGORIES.
SEE HC170 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 2
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF ICD9PROX

ICD9PROX: WEIGHTED COUNTS							
ICD-9-CM CODE FOR PROCEDURE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
45 INTEST INCIS/EXCIS/ANAST*	35,104	881,728	12,921	346,548	12,628	447,202	1,736,130
47 OPERATIONS ON APPENDIX*	110,115	113,185	0	96,727	190,305	257,606	767,939
51 BILIARY TRACT OPERATION*	135,023	458,929	21,252	214,078	136,965	362,987	1,329,235
53 REPAIR OF HERNIA*	121,959	1,061,186	330,190	104,097	3,015	155,773	1,776,221
54 OTHER ABDOMEN REGION OPS*	15,735	190,884	110,604	145,193	11,555	126,903	600,874
59 OTHER URINARY TRACT OPS*	65,452	767,903	77,705	346,807	0	1,040,464	2,298,332
63 SPERM CORD/EPID/VAS OPS*	27,277	847,467	105,038	65,196	0	330,524	1,375,503
68 OTHER UTERINE INCIS/EXC*	180,628	768,271	0	299,824	22,477	477,200	1,748,399
69 OTHER UTERUS/SUPPORT OPS*	10,077	298,726	0	136,427	0	110,130	555,359
74 C-SECTION/REMOVAL FETUS*	38,657	272,073	0	10,718	12,661	327,193	661,301
78 OTH BONE OPS EXCPT FACE*	54,682	1,411,757	29,149	177,039	0	250,477	1,923,104
81 JOINT REPAIR*	581,419	11,090,082	1,054,272	1,337,172	57,882	1,867,576	15,988,403
83 OTHER MUS/TEN/FAS/BUR OP*	7,369	5,459,662	211,194	182,410	0	69,167	5,929,803
84 OTHER MUSCULOSKELET PROC*	51,544	2,092,119	187,568	249,005	4,173	177,923	2,762,330
85 OPERATIONS ON THE BREAST*	78,547	302,608	0	112,354	0	117,293	610,802

NOTE: '*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 2-DIGIT CODE CATEGORIES.
SEE HC170 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 2
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF ICD9PROX

ICD9PROX: WEIGHTED COUNTS

ICD-9-CM CODE FOR PROCEDURE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
86 SKIN & SUBQ OPERATIONS*	19,761	4,486,608	37,790	197,966	158,512	369,601	5,270,237
87 DIAGNOSTIC RADIOLOGY*	0	788,284	0	306,501	0	26,557	1,121,342
88 OTHER DX RADIOLOGY*	33,870	538,279	25,745	77,420	3,522	104,786	783,623
89 INTERVIEW/CONSULT/EXAM*	0	750,284	0	92,831	0	11,274	854,389
93 PT, REHAB & RELATED PROC*	39,416	7,348,703	90,298	310,059	24,146	76,233	7,888,855
94 PSYCHE RELATED PROCEDURE*	0	2,211,867	0	84,997	0	136,288	2,433,152
96 NON-OP INTUBAT & IRRIGAT*	0	331,575	0	16,631	15,289	23,461	386,955
99 OTHER NONOPERATIVE PROC*	2,366	3,017,688	137,529	118,991	17,224	385,747	3,679,546

NOTE: '*' INDICATES COLLAPSING OF FULLY SPECIFIED CODES TO 2-DIGIT CODE CATEGORIES.
SEE HC170 DOCUMENT FOR ADDITIONAL INFORMATION
PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 3
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF CCCODEX

CCCODEX: UNWEIGHTED COUNTS							
CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
-1 INAPPLICABLE	104	2,109	120	316	27	981	3,657
-9 NOT ASCERTAINED	15	675	31	75	16	466	1,278
002 SEPTICEMIA (EXCEPT IN LABOR)	14	32	2	0	9	21	78
003 BACTERIAL INFECTION, UNSPECIFIED SIT	21	392	14	17	32	300	776
004 MYCOSES	2	409	0	63	11	532	1,017
005 HIV INFECTION	0	173	32	15	0	280	500
006 HEPATITIS	4	156	0	27	5	64	256
007 VIRAL INFECTION	19	839	11	36	114	620	1,639
008 OTHER INFECTIONS, INCLUDING PARASITI	11	243	15	40	21	366	696
010 IMMUNIZATIONS AND SCREENING FOR INFE	0	201	0	11	4	30	246
011 CANCER OF HEAD AND NECK	5	86	12	57	4	26	190
014 CANCER OF COLON	11	204	30	83	8	30	366
018 CANCER OF OTHER GI ORGANS, PERITONEU	27	220	41	31	12	69	400
019 CANCER OF BRONCHUS, LUNG	30	317	30	221	14	51	663
022 MELANOMAS OF SKIN	2	163	2	4	0	19	190
023 OTHER NON-EPITHELIAL CANCER OF SKIN	3	799	6	52	0	59	919
024 CANCER OF BREAST	26	950	27	356	9	219	1,587

PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 3
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF CCCODEX

CCCODEX: UNWEIGHTED COUNTS							
CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
025 CANCER OF UTERUS	3	61	3	9	1	20	97
028 CANCER OF OTHER FEMALE GENITAL ORGAN	10	126	16	78	10	29	269
029 CANCER OF PROSTATE	12	736	36	34	0	131	949
032 CANCER OF BLADDER	3	99	7	29	5	11	154
038 NON-HODGKIN'S LYMPHOMA	6	305	8	122	2	25	468
041 CANCER, OTHER AND UNSPECIFIED PRIMAR	19	628	32	295	3	210	1,187
043 MALIGNANT NEOPLASM WITHOUT SPECIFICA	23	207	8	56	9	78	381
044 NEOPLASMS OF UNSPECIFIED NATURE OR U	14	594	46	117	12	113	896
047 OTHER AND UNSPECIFIED BENIGN NEOPLAS	17	461	1	88	17	74	658
048 THYROID DISORDERS	7	1,780	20	167	5	3,201	5,180
049 DIABETES MELLITUS WITHOUT COMPLICATI	96	7,456	585	603	100	11,667	20,507
050 DIABETES MELLITUS WITH COMPLICATIONS	3	163	31	16	2	78	293
051 OTHER ENDOCRINE DISORDERS	6	498	2	45	7	509	1,067
052 NUTRITIONAL DEFICIENCIES	2	295	50	20	3	524	894
053 DISORDERS OF LIPID METABOLISM	14	5,099	313	303	11	8,778	14,518
054 GOUT AND OTHER CRYSTAL ARTHROPATHIES	6	346	41	10	25	688	1,116
055 FLUID AND ELECTROLYTE DISORDERS	34	223	34	16	83	770	1,160

PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 3
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF CCCODEX

CCCODEX: UNWEIGHTED COUNTS

CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
057 IMMUNITY DISORDERS	0	71	0	1	1	55	128
058 OTHER NUTRITIONAL, ENDOCRINE, AND ME	15	680	42	129	11	290	1,167
059 DEFICIENCY AND OTHER ANEMIA	15	667	50	122	19	533	1,406
062 COAGULATION AND HEMORRHAGIC DISORDER	10	150	4	33	5	40	242
063 DISEASES OF WHITE BLOOD CELLS	4	35	6	11	4	9	69
064 OTHER HEMATOLOGIC CONDITIONS	17	187	10	32	15	91	352
079 PARKINSON'S DISEASE	2	120	52	22	0	168	364
080 MULTIPLE SCLEROSIS	8	391	92	106	6	166	769
081 OTHER HEREDITARY AND DEGENERATIVE NE	1	217	61	22	1	327	629
082 PARALYSIS	6	316	112	44	0	70	548
083 EPILEPSY, CONVULSIONS	22	327	120	46	67	767	1,349
084 HEADACHE, INCLUDING MIGRAINE	14	1,617	40	55	132	1,258	3,116
086 CATARACT	1	1,388	11	127	3	541	2,071
087 RETINAL DETACHMENTS, DEFECTS, VASCUL	1	532	70	36	3	125	767
088 GLAUCOMA	0	783	35	39	3	911	1,771
089 BLINDNESS AND VISION DEFECTS	1	873	72	23	7	95	1,071
090 INFLAMMATION, INFECTION OF EYE (EXCE	0	459	0	14	35	420	928

PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 3
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF CCCODEX

CCCODEX: UNWEIGHTED COUNTS							
CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
091 OTHER EYE DISORDERS	0	1,131	35	63	13	596	1,838
092 OTITIS MEDIA AND RELATED CONDITIONS	8	1,075	4	54	109	1,038	2,288
093 CONDITIONS ASSOCIATED WITH DIZZINESS	17	530	24	47	67	239	924
094 OTHER EAR AND SENSE ORGAN DISORDERS	1	910	35	42	21	201	1,210
095 OTHER NERVOUS SYSTEM DISORDERS	47	3,614	201	264	97	1,352	5,575
096 HEART VALVE DISORDERS	20	479	40	74	9	220	842
098 ESSENTIAL HYPERTENSION	102	7,918	609	288	196	19,562	28,675
100 ACUTE MYOCARDIAL INFARCTION	69	780	176	116	60	785	1,986
101 CORONARY ATHEROSCLEROSIS AND OTHER H	103	2,576	449	271	89	2,609	6,097
102 NONSPECIFIC CHEST PAIN	45	389	32	42	156	168	832
103 PULMONARY HEART DISEASE	13	97	7	25	14	64	220
104 OTHER AND ILL-DEFINED HEART DISEASE	39	599	37	108	31	473	1,287
105 CONDUCTION DISORDERS	17	276	19	25	10	46	393
106 CARDIAC DYSRHYTHMIAS	53	1,050	91	200	84	895	2,373
108 CONGESTIVE HEART FAILURE, NONHYPERTE	74	446	115	46	52	515	1,248
109 ACUTE CEREBROVASCULAR DISEASE	90	828	522	170	90	328	2,028
111 OTHER AND ILL-DEFINED CEREBROVASCULA	4	90	30	43	6	35	208

PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 3
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF CCCODEX

CCCODEX: UNWEIGHTED COUNTS

CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
114 PERIPHERAL AND VISCERAL ATHEROSCLERO	10	137	3	30	7	48	235
115 AORTIC, PERIPHERAL, AND VISCERAL ART	9	85	16	13	7	20	150
116 AORTIC AND PERIPHERAL ARTERIAL EMBOL	34	349	15	91	27	131	647
117 OTHER CIRCULATORY DISEASE	32	497	76	76	31	268	980
118 PHLEBITIS, THROMBOPHLEBITIS AND THRO	4	281	5	69	8	150	517
119 VARICOSE VEINS OF LOWER EXTREMITY	1	234	0	19	5	16	275
120 HEMORRHOIDS	2	98	5	26	18	92	241
121 OTHER DISEASES OF VEINS AND LYMPHATI	1	87	15	38	6	23	170
122 PNEUMONIA (EXCEPT THAT CAUSED BY TUB	124	480	62	70	148	472	1,356
123 INFLUENZA	10	776	2	36	128	752	1,704
124 ACUTE AND CHRONIC TONSILLITIS	3	126	0	17	8	87	241
125 ACUTE BRONCHITIS	3	77	0	4	20	121	225
126 OTHER UPPER RESPIRATORY INFECTIONS	10	3,197	2	123	228	3,149	6,709
127 CHRONIC OBSTRUCTIVE PULMONARY DISEAS	94	2,087	352	106	234	2,565	5,438
128 ASTHMA	58	2,042	137	93	229	4,462	7,021
130 PLEURISY, PNEUMOTHORAX, PULMONARY CO	7	30	8	2	8	15	70
133 OTHER LOWER RESPIRATORY DISEASE	92	1,477	105	237	174	1,405	3,490

PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 3
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF CCCODEX

CCCODEX: UNWEIGHTED COUNTS

CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
134 OTHER UPPER RESPIRATORY DISEASE	17	3,690	52	120	111	3,849	7,839
135 INTESTINAL INFECTION	21	300	13	14	96	203	647
136 DISORDERS OF TEETH AND JAW	7	234	15	38	66	1,322	1,682
137 DISEASES OF MOUTH, EXCLUDING DENTAL	3	57	4	11	12	122	209
138 ESOPHAGEAL DISORDERS	17	1,061	50	108	48	3,149	4,433
139 GASTRODUODENAL ULCER (EXCEPT HEMORRH	5	72	10	5	14	103	209
140 GASTRITIS AND DUODENITIS	6	192	7	16	35	273	529
141 OTHER DISORDERS OF STOMACH AND DUODE	38	809	8	85	131	1,015	2,086
142 APPENDICITIS AND OTHER APPENDICEAL C	28	31	0	6	26	27	118
143 ABDOMINAL HERNIA	27	426	25	120	21	172	791
144 REGIONAL ENTERITIS AND ULCERATIVE CO	18	249	8	39	19	229	562
145 INTESTINAL OBSTRUCTION WITHOUT HERNI	13	31	5	9	27	29	114
146 DIVERTICULOSIS AND DIVERTICULITIS	10	104	0	23	23	96	256
147 ANAL AND RECTAL CONDITIONS	0	19	5	3	6	24	57
149 BILIARY TRACT DISEASE	55	261	17	72	89	131	625
151 OTHER LIVER DISEASES	30	351	51	59	16	169	676
152 PANCREATIC DISORDERS (NOT DIABETES)	29	74	2	11	25	47	188

PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 3
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF CCCODEX

CCCODEX: UNWEIGHTED COUNTS

CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
153 GASTROINTESTINAL HEMORRHAGE	19	105	1	20	29	47	221
154 NONINFECTIOUS GASTROENTERITIS	11	139	14	7	13	127	311
155 OTHER GASTROINTESTINAL DISORDERS	33	847	64	83	93	1,301	2,421
157 ACUTE AND UNSPECIFIED RENAL FAILURE	23	3,229	70	666	14	134	4,136
159 URINARY TRACT INFECTIONS	72	1,010	30	84	181	1,115	2,492
160 CALCULUS OF URINARY TRACT	20	315	2	74	106	279	796
161 OTHER DISEASES OF KIDNEY AND URETERS	32	3,629	66	225	23	398	4,373
162 OTHER DISEASES OF BLADDER AND URETHR	3	136	17	11	7	208	382
163 GENITOURINARY SYMPTOMS AND ILL-DEFIN	8	445	26	47	16	427	969
164 HYPERPLASIA OF PROSTATE	1	194	1	13	6	312	527
165 INFLAMMATORY CONDITIONS OF MALE GENI	2	66	0	2	4	57	131
166 OTHER MALE GENITAL DISORDERS	3	277	19	19	8	526	852
167 NONMALIGNANT BREAST CONDITIONS	3	256	1	72	9	38	379
168 INFLAMMATORY DISEASES OF FEMALE PELV	0	58	0	7	7	86	158
169 ENDOMETRIOSIS	1	41	0	3	3	25	73
170 PROLAPSE OF FEMALE GENITAL ORGANS	3	74	0	5	2	12	96
171 MENSTRUAL DISORDERS	6	220	0	18	21	206	471

PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 3
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF CCCODEX

CCCODEX: UNWEIGHTED COUNTS

CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
172 OVARIAN CYST	6	127	0	38	25	49	245
173 MENOPAUSAL DISORDERS	1	149	0	5	2	370	527
175 OTHER FEMALE GENITAL DISORDERS	2	306	0	35	22	156	521
176 CONTRACEPTIVE AND PROCREATIVE MANAGE	0	283	0	22	4	793	1,102
177 SPONTANEOUS ABORTION	8	66	0	13	38	29	154
181 OTHER COMPLICATIONS OF PREGNANCY	8	79	0	15	13	36	151
195 OTHER COMPLICATIONS OF BIRTH, PUERPE	9	111	0	5	4	81	210
196 NORMAL PREGNANCY AND/OR DELIVERY	363	4,005	16	323	131	523	5,361
197 SKIN AND SUBCUTANEOUS TISSUE INFECTI	36	557	30	51	116	485	1,275
198 OTHER INFLAMMATORY CONDITION OF SKIN	0	432	1	23	8	548	1,012
199 CHRONIC ULCER OF SKIN	10	347	72	81	6	167	683
200 OTHER SKIN DISORDERS	22	2,254	34	181	86	1,783	4,360
202 RHEUMATOID ARTHRITIS AND RELATED DIS	4	1,597	204	122	24	1,202	3,153
203 OSTEOARTHRITIS	15	2,646	254	185	20	1,266	4,386
204 OTHER NON-TRAUMATIC JOINT DISORDERS	72	9,614	758	585	126	3,450	14,605
205 SPONDYLOSIS, INTERVERTEBRAL DISC DIS	72	12,551	382	597	226	3,222	17,050
206 OSTEOPOROSIS	1	227	16	47	3	372	666

PMED = PRESCRIBED MEDICINES FILE, HC-168A
 STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
 EROM = EMERGENCY ROOM VISITS FILE, HC-168E
 OPAT = OUTPATIENT VISITS FILE, HC-168F
 MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
 HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 3
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF CCCODEX

CCCODEX: UNWEIGHTED COUNTS

CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
208 ACQUIRED FOOT DEFORMITIES	0	442	0	31	0	22	495
209 OTHER ACQUIRED DEFORMITIES	1	371	2	27	1	13	415
210 SYSTEMIC LUPUS ERYTHEMATOSUS AND CON	11	334	31	34	7	267	684
211 OTHER CONNECTIVE TISSUE DISEASE	56	6,066	349	591	140	2,339	9,541
212 OTHER BONE DISEASE AND MUSCULOSKELET	6	683	54	52	24	335	1,154
213 CARDIAC AND CIRCULATORY CONGENITAL A	5	66	17	18	5	35	146
215 GENITOURINARY CONGENITAL ANOMALIES	7	68	6	7	3	28	119
217 OTHER CONGENITAL ANOMALIES	4	416	73	46	7	44	590
218 LIVEBORN	16	23	3	2	2	3	49
224 OTHER PERINATAL CONDITIONS	9	58	14	5	2	13	101
225 JOINT DISORDERS AND DISLOCATIONS, TR	9	1,360	21	101	46	112	1,649
226 FRACTURE OF NECK OF FEMUR (HIP)	14	60	42	1	10	20	147
228 SKULL AND FACE FRACTURES	3	24	2	9	17	6	61
229 FRACTURE OF UPPER LIMB	15	808	34	116	150	165	1,288
230 FRACTURE OF LOWER LIMB	28	937	41	114	105	153	1,378
231 OTHER FRACTURES	27	363	41	52	44	126	653
232 SPRAINS AND STRAINS	11	3,318	43	320	231	607	4,530

PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 3
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF CCCODEX

CCCODEX: UNWEIGHTED COUNTS

CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
233 INTRACRANIAL INJURY	10	229	37	72	50	39	437
234 CRUSHING INJURY OR INTERNAL INJURY	5	147	3	0	5	18	178
235 OPEN WOUNDS OF HEAD, NECK, AND TRUNK	16	203	2	29	124	141	515
236 OPEN WOUNDS OF EXTREMITIES	11	346	61	95	127	172	812
237 COMPLICATION OF DEVICE, IMPLANT OR G	6	109	4	15	11	30	175
238 COMPLICATIONS OF SURGICAL PROCEDURES	5	125	6	25	14	136	311
239 SUPERFICIAL INJURY, CONTUSION	18	610	15	67	158	296	1,164
240 BURNS	4	101	5	9	19	44	182
242 POISONING BY OTHER MEDICATIONS AND D	17	78	10	33	45	55	238
243 POISONING BY NONMEDICINAL SUBSTANCES	4	162	5	6	43	126	346
244 OTHER INJURIES AND CONDITIONS DUE TO	59	3,532	226	283	439	749	5,288
245 SYNCOPE	9	57	17	10	34	13	140
246 FEVER OF UNKNOWN ORIGIN	12	395	0	15	97	308	827
247 LYMPHADENITIS	1	47	0	17	6	26	97
250 NAUSEA AND VOMITING	18	170	0	3	67	419	677
251 ABDOMINAL PAIN	14	308	7	38	83	175	625
252 MALAISE AND FATIGUE	2	217	18	12	4	78	331

PMED = PRESCRIBED MEDICINES FILE, HC-168A
 STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
 EROM = EMERGENCY ROOM VISITS FILE, HC-168E
 OPAT = OUTPATIENT VISITS FILE, HC-168F
 MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
 HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 3
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF CCCODEX

CCCODEX: UNWEIGHTED COUNTS

CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
253 ALLERGIC REACTIONS	7	843	2	29	87	1,005	1,973
254 REHABILITATION CARE, FITTING OF PROS	2	586	7	88	0	10	693
255 ADMINISTRATIVE/SOCIAL ADMISSION	7	1,941	51	32	3	2,070	4,104
256 MEDICAL EXAMINATION/EVALUATION	1	1,310	27	59	2	207	1,606
257 OTHER AFTERCARE	7	742	50	155	7	133	1,094
258 OTHER SCREENING FOR SUSPECTED CONDIT	4	441	21	42	6	835	1,349
259 RESIDUAL CODES, UNCLASSIFIED	76	3,896	253	427	83	4,274	9,009
650 ADJUSTMENT DISORDER	0	129	1	0	1	24	155
651 ANXIETY DISORDER	88	8,054	283	482	145	4,128	13,180
652 ATTENTION-DEFICIT, CONDUCT, AND DISR	7	3,268	149	90	9	1,741	5,264
653 DELIRIUM, DEMENTIA, AND AMNESTIC AND	7	469	676	36	7	273	1,468
654 DEVELOPMENTAL DISORDERS	0	508	85	26	0	45	664
655 DISORDERS USUALLY DIAGNOSED IN INFAN	0	1,299	131	16	0	84	1,530
657 MOOD DISORDERS	90	10,170	496	542	58	5,830	17,186
658 PERSONALITY DISORDERS	7	138	4	28	1	57	235
659 SCHIZOPHRENIA AND OTHER PSYCHOTIC DI	13	832	68	100	8	306	1,327
660 ALCOHOL-RELATED DISORDERS	13	50	22	10	21	23	139

PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
 TABLE 3
 MEPS 2014
 UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
 LINKED TO CONDITION RECORDS (FROM FILE HC170)
 FOR EACH VALUE OF CCCODEX

CCCODEX: UNWEIGHTED COUNTS

CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
661 SUBSTANCE-RELATED DISORDERS	7	2,439	7	209	14	96	2,772
663 SCREENING AND HISTORY OF MENTAL HEAL	7	346	46	46	3	104	552
670 MISCELLANEOUS MENTAL DISORDERS	11	809	19	79	14	240	1,172

PMED = PRESCRIBED MEDICINES FILE, HC-168A
 STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
 EROM = EMERGENCY ROOM VISITS FILE, HC-168E
 OPAT = OUTPATIENT VISITS FILE, HC-168F
 MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
 HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 3
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF CCCODEX

CCCODEX: WEIGHTED COUNTS							
CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
-1 INAPPLICABLE	1,020,210	28,493,687	1,261,328	3,625,464	268,998	10,566,242	45,235,929
-9 NOT ASCERTAINED	199,052	7,232,401	368,130	818,914	101,293	4,638,664	13,358,454
002 SEPTICEMIA (EXCEPT IN LABOR)	170,856	361,595	21,709	0	143,904	182,137	880,199
003 BACTERIAL INFECTION, UNSPECIFIED SIT	222,434	4,697,012	171,046	155,305	293,982	3,375,019	8,914,798
004 MYCOSES	29,390	4,543,110	0	886,820	122,006	5,649,758	11,231,084
005 HIV INFECTION	0	1,271,178	145,706	153,572	0	2,081,173	3,651,628
006 HEPATITIS	16,777	1,896,113	0	149,399	24,892	975,363	3,062,545
007 VIRAL INFECTION	184,599	9,963,742	141,929	400,185	1,058,723	7,498,161	19,247,339
008 OTHER INFECTIONS, INCLUDING PARASITI	94,239	2,447,565	51,282	518,472	152,322	3,662,984	6,926,865
010 IMMUNIZATIONS AND SCREENING FOR INFE	0	1,835,285	0	203,256	76,196	260,843	2,375,579
011 CANCER OF HEAD AND NECK	26,353	798,932	58,129	210,975	47,806	196,672	1,338,868
014 CANCER OF COLON	86,047	1,762,671	262,070	949,447	52,791	169,394	3,282,420
018 CANCER OF OTHER GI ORGANS, PERITONEU	229,342	2,623,557	177,604	415,306	146,687	653,583	4,246,080
019 CANCER OF BRONCHUS, LUNG	320,280	5,238,192	161,923	2,569,713	184,736	603,713	9,078,558
022 MELANOMAS OF SKIN	30,190	2,819,389	24,061	19,058	0	288,386	3,181,084
023 OTHER NON-EPITHELIAL CANCER OF SKIN	46,731	12,983,286	39,808	531,059	0	892,295	14,493,179
024 CANCER OF BREAST	308,850	10,675,921	140,498	3,956,013	119,046	2,465,061	17,665,389

PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 3
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF CCCODEX

CCCODEX: WEIGHTED COUNTS							
CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
025 CANCER OF UTERUS	14,864	629,543	12,725	79,115	0	68,060	804,307
028 CANCER OF OTHER FEMALE GENITAL ORGAN	65,993	773,579	73,581	458,719	53,160	191,416	1,616,447
029 CANCER OF PROSTATE	110,840	10,869,590	240,055	515,807	0	1,411,493	13,147,786
032 CANCER OF BLADDER	53,945	1,400,701	146,090	601,428	79,379	143,912	2,425,455
038 NON-HODGKIN'S LYMPHOMA	26,541	2,638,901	53,132	1,149,990	4,592	215,663	4,088,819
041 CANCER, OTHER AND UNSPECIFIED PRIMAR	194,594	7,093,019	168,257	4,002,067	15,660	2,212,172	13,685,769
043 MALIGNANT NEOPLASM WITHOUT SPECIFICA	180,422	2,342,529	33,173	501,532	83,130	713,103	3,853,888
044 NEOPLASMS OF UNSPECIFIED NATURE OR U	82,904	6,636,157	256,111	1,307,126	73,818	997,895	9,354,011
047 OTHER AND UNSPECIFIED BENIGN NEOPLAS	88,113	6,207,141	7,847	808,628	90,440	869,849	8,072,018
048 THYROID DISORDERS	44,108	20,133,512	216,793	2,112,561	49,827	40,103,367	62,660,168
049 DIABETES MELLITUS WITHOUT COMPLICATI	759,212	68,099,594	4,310,655	6,848,822	659,212	116,726,764	197,404,260
050 DIABETES MELLITUS WITH COMPLICATIONS	13,480	1,642,465	254,302	214,208	6,662	934,793	3,065,908
051 OTHER ENDOCRINE DISORDERS	30,543	6,587,181	0	642,301	26,372	7,070,381	14,356,778
052 NUTRITIONAL DEFICIENCIES	15,342	3,260,360	373,711	249,145	43,550	5,554,178	9,496,286
053 DISORDERS OF LIPID METABOLISM	75,706	51,741,165	2,037,918	3,701,997	100,591	103,717,553	161,374,931
054 GOUT AND OTHER CRYSTAL ARTHROPATHIES	78,476	4,498,958	442,839	97,823	150,733	7,649,842	12,918,672
055 FLUID AND ELECTROLYTE DISORDERS	404,356	2,785,213	360,561	207,228	875,676	8,334,097	12,967,131

PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 3
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF CCCODEX

CCCODEX: WEIGHTED COUNTS							
CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
057 IMMUNITY DISORDERS	0	765,315	0	15,278	5,192	655,252	1,441,037
058 OTHER NUTRITIONAL, ENDOCRINE, AND ME	171,878	8,163,839	695,540	2,168,273	79,007	4,170,092	15,448,629
059 DEFICIENCY AND OTHER ANEMIA	101,196	6,241,650	459,250	1,712,955	122,026	3,923,779	12,560,855
062 COAGULATION AND HEMORRHAGIC DISORDER	106,846	1,622,239	28,670	234,238	41,473	455,019	2,488,485
063 DISEASES OF WHITE BLOOD CELLS	16,131	481,523	182,093	189,486	22,454	55,890	947,577
064 OTHER HEMATOLOGIC CONDITIONS	97,942	1,942,133	11,149	375,795	73,270	917,105	3,417,393
079 PARKINSON'S DISEASE	13,972	1,306,892	466,546	202,132	0	1,631,012	3,620,553
080 MULTIPLE SCLEROSIS	93,041	4,357,571	886,942	894,024	83,299	1,954,135	8,269,012
081 OTHER HEREDITARY AND DEGENERATIVE NE	1,384	4,774,450	302,012	268,695	7,478	4,811,525	10,165,544
082 PARALYSIS	166,087	3,398,428	1,089,546	694,014	0	836,734	6,184,809
083 EPILEPSY, CONVULSIONS	181,884	2,614,979	1,069,260	268,601	526,848	6,786,040	11,447,612
084 HEADACHE, INCLUDING MIGRAINE	170,634	18,257,487	465,957	510,023	1,294,113	13,499,191	34,197,405
086 CATARACT	6,428	18,621,161	57,360	1,552,276	22,062	6,741,101	27,000,389
087 RETINAL DETACHMENTS, DEFECTS, VASCUL	14,717	7,474,077	737,479	423,763	38,480	1,533,912	10,222,428
088 GLAUCOMA	0	8,297,505	172,836	368,483	9,058	8,745,574	17,593,456
089 BLINDNESS AND VISION DEFECTS	12,667	9,680,143	947,020	239,064	86,266	1,231,832	12,196,992
090 INFLAMMATION, INFECTION OF EYE (EXCE	0	4,547,009	0	153,798	249,441	4,330,881	9,281,130

PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 3
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF CCCODEX

CCCODEX: WEIGHTED COUNTS							
CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
091 OTHER EYE DISORDERS	0	12,521,249	271,039	572,651	90,734	6,202,978	19,658,651
092 OTITIS MEDIA AND RELATED CONDITIONS	167,145	12,457,524	55,014	685,660	851,174	11,920,761	26,137,278
093 CONDITIONS ASSOCIATED WITH DIZZINESS	181,581	5,987,056	157,203	464,297	905,028	2,933,424	10,628,590
094 OTHER EAR AND SENSE ORGAN DISORDERS	37,749	12,228,187	305,044	590,390	170,772	2,178,891	15,511,034
095 OTHER NERVOUS SYSTEM DISORDERS	419,504	45,369,437	1,338,787	2,972,837	941,776	15,190,708	66,233,048
096 HEART VALVE DISORDERS	259,613	6,322,802	437,874	913,971	65,521	2,732,324	10,732,104
098 ESSENTIAL HYPERTENSION	692,117	76,175,281	5,146,791	2,989,971	1,420,202	210,917,818	297,342,181
100 ACUTE MYOCARDIAL INFARCTION	766,321	8,885,335	1,860,384	1,739,045	765,647	9,295,426	23,312,158
101 CORONARY ATHEROSCLEROSIS AND OTHER H	1,065,345	29,626,985	4,387,452	3,797,516	891,665	32,118,557	71,887,519
102 NONSPECIFIC CHEST PAIN	463,180	3,906,884	93,641	560,363	1,630,337	1,667,723	8,322,128
103 PULMONARY HEART DISEASE	124,424	1,302,386	53,045	238,070	121,376	695,174	2,534,475
104 OTHER AND ILL-DEFINED HEART DISEASE	371,316	6,868,311	231,274	1,122,055	286,898	5,088,501	13,968,356
105 CONDUCTION DISORDERS	172,365	3,595,327	56,616	445,720	52,732	446,657	4,769,415
106 CARDIAC DYSRHYTHMIAS	623,149	15,678,376	1,139,836	2,789,600	952,920	12,297,238	33,481,119
108 CONGESTIVE HEART FAILURE, NONHYPERTE	762,795	4,322,952	983,113	537,090	548,144	5,328,679	12,482,772
109 ACUTE CEREBROVASCULAR DISEASE	1,019,487	9,179,030	5,507,289	1,624,263	1,029,046	3,413,252	21,772,367
111 OTHER AND ILL-DEFINED CEREBROVASCULA	85,863	846,348	106,378	497,209	75,808	518,929	2,130,535

PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 3
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF CCCODEX

CCCODEX: WEIGHTED COUNTS							
CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
114 PERIPHERAL AND VISCERAL ATHEROSCLERO	59,063	1,146,778	18,179	244,640	34,646	472,816	1,976,121
115 AORTIC, PERIPHERAL, AND VISCERAL ART	78,973	969,415	91,628	158,646	71,299	173,419	1,543,379
116 AORTIC AND PERIPHERAL ARTERIAL EMBOL	290,829	5,418,959	84,816	1,175,963	282,350	1,566,863	8,819,779
117 OTHER CIRCULATORY DISEASE	325,730	5,869,621	745,407	1,048,695	365,562	2,980,462	11,335,477
118 PHLEBITIS, THROMBOPHLEBITIS AND THRO	34,824	2,956,312	161,484	631,272	73,420	1,716,497	5,573,810
119 VARICOSE VEINS OF LOWER EXTREMITY	12,553	3,229,769	0	103,423	80,508	210,333	3,636,585
120 HEMORRHOIDS	28,716	1,075,279	99,255	271,384	150,181	933,593	2,558,408
121 OTHER DISEASES OF VEINS AND LYMPHATI	14,025	891,378	237,040	621,274	76,220	300,155	2,140,091
122 PNEUMONIA (EXCEPT THAT CAUSED BY TUB	1,222,525	6,667,256	529,671	838,719	1,292,208	5,407,400	15,957,780
123 INFLUENZA	94,390	7,812,469	17,961	657,649	1,335,762	7,215,684	17,133,915
124 ACUTE AND CHRONIC TONSILLITIS	29,794	1,180,056	0	196,121	46,480	773,062	2,225,514
125 ACUTE BRONCHITIS	19,119	945,004	0	29,594	141,746	1,073,907	2,209,371
126 OTHER UPPER RESPIRATORY INFECTIONS	87,760	38,655,095	38,197	1,649,220	1,618,733	37,920,134	79,969,139
127 CHRONIC OBSTRUCTIVE PULMONARY DISEAS	1,093,120	24,254,448	3,075,528	1,694,791	2,315,250	32,336,549	64,769,687
128 ASTHMA	400,712	18,563,421	924,794	651,131	1,604,746	41,849,872	63,994,675
130 PLEURISY, PNEUMOTHORAX, PULMONARY CO	49,784	442,898	77,510	48,482	66,428	276,201	961,304
133 OTHER LOWER RESPIRATORY DISEASE	907,836	13,251,542	710,304	3,173,239	1,384,602	13,313,185	32,740,708

PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 3
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF CCCODEX

CCCODEX: WEIGHTED COUNTS							
CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
134 OTHER UPPER RESPIRATORY DISEASE	132,770	43,656,107	458,313	1,328,773	753,036	39,757,113	86,086,111
135 INTESTINAL INFECTION	214,285	3,192,394	70,747	136,213	904,049	1,824,912	6,342,600
136 DISORDERS OF TEETH AND JAW	96,000	2,627,356	198,315	293,537	420,756	13,793,248	17,429,213
137 DISEASES OF MOUTH, EXCLUDING DENTAL	38,789	749,816	22,689	209,059	82,805	1,222,037	2,325,195
138 ESOPHAGEAL DISORDERS	176,581	12,159,481	671,323	2,022,118	403,085	36,694,997	52,127,585
139 GASTRODUODENAL ULCER (EXCEPT HEMORRH	80,096	752,825	42,782	49,958	116,178	999,910	2,041,749
140 GASTRITIS AND DUODENITIS	50,832	1,362,998	58,745	155,186	423,000	1,876,798	3,927,559
141 OTHER DISORDERS OF STOMACH AND DUODE	231,285	8,394,718	39,623	1,039,114	1,121,125	9,510,433	20,336,299
142 APPENDICITIS AND OTHER APPENDICEAL C	247,968	317,658	0	26,539	279,631	344,459	1,216,255
143 ABDOMINAL HERNIA	342,532	4,985,896	404,535	1,257,024	234,609	1,964,270	9,188,865
144 REGIONAL ENTERITIS AND ULCERATIVE CO	123,985	3,409,180	40,532	737,768	117,926	2,805,667	7,235,058
145 INTESTINAL OBSTRUCTION WITHOUT HERNI	137,789	375,362	70,878	139,443	314,113	352,039	1,389,623
146 DIVERTICULOSIS AND DIVERTICULITIS	121,349	1,196,484	0	242,833	214,409	1,145,189	2,920,264
147 ANAL AND RECTAL CONDITIONS	0	236,875	99,255	71,633	21,117	240,916	669,796
149 BILIARY TRACT DISEASE	407,439	2,844,654	56,420	878,364	801,780	1,238,278	6,226,934
151 OTHER LIVER DISEASES	205,942	4,910,269	393,328	463,605	123,006	1,667,042	7,763,191
152 PANCREATIC DISORDERS (NOT DIABETES)	344,346	837,530	20,284	170,299	252,373	447,713	2,072,545

PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 3
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF CCCODEX

CCCODEX: WEIGHTED COUNTS							
CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
153 GASTROINTESTINAL HEMORRHAGE	161,043	1,202,998	13,730	233,326	236,265	390,530	2,237,892
154 NONINFECTIOUS GASTROENTERITIS	115,172	1,781,882	380,144	64,344	119,116	1,513,045	3,973,704
155 OTHER GASTROINTESTINAL DISORDERS	431,386	8,705,813	474,844	1,157,876	883,274	12,642,649	24,295,843
157 ACUTE AND UNSPECIFIED RENAL FAILURE	137,925	25,466,986	431,476	3,544,797	80,577	1,012,100	30,673,862
159 URINARY TRACT INFECTIONS	732,090	14,039,380	286,024	1,021,948	2,047,589	12,978,309	31,105,341
160 CALCULUS OF URINARY TRACT	184,079	4,352,098	29,142	1,322,673	1,387,829	3,200,955	10,476,775
161 OTHER DISEASES OF KIDNEY AND URETERS	291,453	29,051,300	583,989	1,981,096	207,547	3,453,180	35,568,564
162 OTHER DISEASES OF BLADDER AND URETHR	29,469	1,449,561	88,663	121,488	39,477	2,511,836	4,240,493
163 GENITOURINARY SYMPTOMS AND ILL-DEFIN	85,074	4,870,349	367,784	563,027	189,025	5,174,424	11,249,682
164 HYPERPLASIA OF PROSTATE	3,331	3,179,281	38,251	169,374	150,566	4,636,605	8,177,409
165 INFLAMMATORY CONDITIONS OF MALE GENI	10,473	615,948	0	4,314	41,756	432,212	1,104,704
166 OTHER MALE GENITAL DISORDERS	38,489	2,959,738	141,044	203,702	48,661	5,707,375	9,099,009
167 NONMALIGNANT BREAST CONDITIONS	44,972	2,696,809	7,968	624,779	52,696	277,638	3,704,861
168 INFLAMMATORY DISEASES OF FEMALE PELV	0	430,397	0	51,372	31,399	631,765	1,144,932
169 ENDOMETRIOSIS	4,317	521,010	0	27,540	59,931	272,845	885,643
170 PROLAPSE OF FEMALE GENITAL ORGANS	24,141	1,902,702	0	91,920	12,725	269,507	2,300,994
171 MENSTRUAL DISORDERS	41,889	2,047,592	0	139,586	130,574	2,235,650	4,595,291

PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 3
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF CCCODEX

CCCODEX: WEIGHTED COUNTS							
CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
172 OVARIAN CYST	25,591	1,459,720	0	429,258	129,019	535,776	2,579,364
173 MENOPAUSAL DISORDERS	8,361	1,709,821	0	24,713	8,354	5,112,795	6,864,044
175 OTHER FEMALE GENITAL DISORDERS	4,759	3,546,341	0	392,639	115,164	1,806,319	5,865,223
176 CONTRACEPTIVE AND PROCREATIVE MANAGE	0	3,091,113	0	196,779	36,175	10,688,843	14,012,911
177 SPONTANEOUS ABORTION	38,430	736,816	0	77,010	243,602	225,900	1,321,759
181 OTHER COMPLICATIONS OF PREGNANCY	77,116	823,261	0	105,253	115,025	391,822	1,512,477
195 OTHER COMPLICATIONS OF BIRTH, PUERPE	83,591	761,083	0	74,394	15,957	707,704	1,642,729
196 NORMAL PREGNANCY AND/OR DELIVERY	2,860,869	35,296,362	124,651	2,193,637	839,146	3,719,799	45,034,464
197 SKIN AND SUBCUTANEOUS TISSUE INFECTI	324,551	7,094,838	258,856	512,121	1,146,094	5,308,058	14,644,518
198 OTHER INFLAMMATORY CONDITION OF SKIN	0	5,617,841	6,798	218,858	34,262	7,277,906	13,155,664
199 CHRONIC ULCER OF SKIN	138,887	4,127,048	688,061	1,124,366	13,414	1,426,754	7,518,530
200 OTHER SKIN DISORDERS	126,495	27,584,205	549,595	1,711,829	719,134	19,858,523	50,549,780
202 RHEUMATOID ARTHRITIS AND RELATED DIS	11,375	14,867,673	1,741,399	1,340,270	113,262	12,855,890	30,929,868
203 OSTEOARTHRITIS	190,252	35,073,382	3,011,544	2,615,202	104,746	14,256,497	55,251,624
204 OTHER NON-TRAUMATIC JOINT DISORDERS	867,618	114,187,268	7,086,475	6,582,392	1,110,344	34,853,346	164,687,444
205 SPONDYLOSIS, INTERVERTEBRAL DISC DIS	691,156	153,909,309	4,548,643	6,437,195	2,084,331	33,077,191	200,747,826
206 OSTEOPOROSIS	4,585	2,673,411	210,374	696,148	61,827	3,888,009	7,534,353

PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 3
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF CCCODEX

CCCODEX: WEIGHTED COUNTS							
CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
208 ACQUIRED FOOT DEFORMITIES	0	3,872,374	0	391,528	0	272,209	4,536,111
209 OTHER ACQUIRED DEFORMITIES	22,206	4,137,639	3,718	479,099	22,206	156,090	4,820,956
210 SYSTEMIC LUPUS ERYTHEMATOSUS AND CON	33,165	3,540,715	176,335	366,805	27,603	2,813,138	6,957,761
211 OTHER CONNECTIVE TISSUE DISEASE	648,356	74,434,959	3,839,171	7,477,089	1,198,995	25,110,615	112,709,185
212 OTHER BONE DISEASE AND MUSCULOSKELET	56,067	7,618,601	690,471	705,310	185,907	4,039,296	13,295,653
213 CARDIAC AND CIRCULATORY CONGENITAL A	67,775	686,242	357,172	189,998	17,182	264,356	1,582,725
215 GENITOURINARY CONGENITAL ANOMALIES	34,533	971,530	126,183	70,054	28,800	232,657	1,463,757
217 OTHER CONGENITAL ANOMALIES	20,991	4,464,766	475,340	505,458	47,800	514,558	6,028,912
218 LIVEBORN	121,136	135,480	35,964	20,269	8,815	24,716	346,380
224 OTHER PERINATAL CONDITIONS	44,047	307,623	258,814	31,486	10,949	160,817	813,736
225 JOINT DISORDERS AND DISLOCATIONS, TR	118,976	13,245,483	198,469	1,790,817	444,640	1,249,714	17,048,099
226 FRACTURE OF NECK OF FEMUR (HIP)	174,928	606,531	437,484	3,170	120,087	166,261	1,508,462
228 SKULL AND FACE FRACTURES	14,170	193,319	16,588	54,178	127,287	36,065	441,607
229 FRACTURE OF UPPER LIMB	165,603	12,593,713	258,931	2,946,354	1,685,047	2,012,956	19,662,603
230 FRACTURE OF LOWER LIMB	335,319	10,734,833	422,736	1,382,425	1,041,207	1,548,342	15,464,861
231 OTHER FRACTURES	348,559	5,855,824	454,055	648,448	438,319	1,691,752	9,436,957
232 SPRAINS AND STRAINS	86,813	40,472,885	288,742	4,222,523	2,143,938	6,339,021	53,553,923

PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 3
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF CCCODEX

CCCODEX: WEIGHTED COUNTS							
CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
233 INTRACRANIAL INJURY	103,518	3,413,193	282,455	604,202	640,179	449,326	5,492,871
234 CRUSHING INJURY OR INTERNAL INJURY	27,410	1,546,121	35,066	0	36,156	170,286	1,815,038
235 OPEN WOUNDS OF HEAD, NECK, AND TRUNK	146,084	2,743,234	19,159	367,671	1,181,678	1,544,570	6,002,397
236 OPEN WOUNDS OF EXTREMITIES	128,523	3,726,528	517,701	1,040,909	1,258,798	1,523,897	8,196,356
237 COMPLICATION OF DEVICE, IMPLANT OR G	31,149	1,239,664	15,391	78,432	54,359	320,873	1,739,868
238 COMPLICATIONS OF SURGICAL PROCEDURES	68,657	1,405,851	163,552	190,883	174,344	1,426,519	3,429,806
239 SUPERFICIAL INJURY, CONTUSION	201,555	7,190,514	183,288	526,167	1,300,561	3,030,837	12,432,921
240 BURNS	128,529	1,385,381	64,963	287,879	251,838	549,376	2,667,964
242 POISONING BY OTHER MEDICATIONS AND D	179,419	973,563	171,499	482,279	481,134	737,348	3,025,242
243 POISONING BY NONMEDICINAL SUBSTANCES	33,552	1,344,376	35,978	82,821	352,731	1,265,579	3,115,036
244 OTHER INJURIES AND CONDITIONS DUE TO	699,888	36,861,378	2,331,718	3,496,332	4,443,107	7,592,569	55,424,992
245 SYNCOPE	81,843	926,927	140,586	181,781	378,824	194,293	1,904,253
246 FEVER OF UNKNOWN ORIGIN	62,197	2,509,396	0	132,334	637,146	1,508,722	4,849,794
247 LYMPHADENITIS	6,184	614,488	0	102,956	47,789	382,122	1,153,539
250 NAUSEA AND VOMITING	140,688	1,427,007	0	28,691	392,419	4,309,330	6,298,136
251 ABDOMINAL PAIN	86,826	2,560,396	35,005	357,491	543,930	1,389,854	4,973,501
252 MALAISE AND FATIGUE	15,118	3,224,287	160,898	184,713	33,534	978,973	4,597,524

PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 3
MEPS 2014
UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF CCCODEX

CCCODEX: WEIGHTED COUNTS							
CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
253 ALLERGIC REACTIONS	88,860	9,620,991	27,305	243,901	805,711	10,316,445	21,103,214
254 REHABILITATION CARE, FITTING OF PROS	11,723	6,416,361	24,308	1,094,448	0	96,809	7,643,649
255 ADMINISTRATIVE/SOCIAL ADMISSION	91,321	20,998,116	508,769	407,311	52,148	23,169,849	45,227,515
256 MEDICAL EXAMINATION/EVALUATION	8,897	16,748,367	300,975	530,870	12,469	2,428,206	20,029,783
257 OTHER AFTERCARE	92,620	8,555,092	425,143	1,793,826	95,007	1,530,123	12,491,810
258 OTHER SCREENING FOR SUSPECTED CONDIT	33,756	5,003,408	199,174	528,083	29,929	9,064,342	14,858,691
259 RESIDUAL CODES, UNCLASSIFIED	799,078	44,467,097	2,349,245	4,539,306	864,204	46,622,635	99,641,565
650 ADJUSTMENT DISORDER	0	1,700,519	15,391	0	3,747	358,917	2,078,574
651 ANXIETY DISORDER	776,852	94,171,672	2,930,550	3,444,365	1,161,120	52,042,964	154,527,521
652 ATTENTION-DEFICIT, CONDUCT, AND DISR	61,171	31,746,906	1,392,751	697,784	78,962	18,586,011	52,563,586
653 DELIRIUM, DEMENTIA, AND AMNESTIC AND	155,100	6,487,970	6,063,001	298,202	100,898	3,006,069	16,111,241
654 DEVELOPMENTAL DISORDERS	0	4,625,855	931,489	393,732	0	289,546	6,240,622
655 DISORDERS USUALLY DIAGNOSED IN INFAN	0	15,264,179	878,378	147,814	0	812,517	17,102,888
657 MOOD DISORDERS	980,390	111,904,049	4,668,521	5,143,526	561,054	71,287,981	194,545,521
658 PERSONALITY DISORDERS	43,290	1,214,983	41,170	326,221	7,534	391,977	2,025,175
659 SCHIZOPHRENIA AND OTHER PSYCHOTIC DI	208,112	7,054,963	662,150	718,782	78,453	2,447,342	11,169,803
660 ALCOHOL-RELATED DISORDERS	176,055	413,460	278,204	87,663	325,466	317,358	1,598,205

PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H

HC-168I
TABLE 3
MEPS 2014

14:18 Friday, August 5, 2016 76

UNWEIGHTED AND WEIGHTED COUNTS OF EVENT RECORDS (FROM FILES HC168A - HC168H)
LINKED TO CONDITION RECORDS (FROM FILE HC170)
FOR EACH VALUE OF CCCODEX

CCCODEX: WEIGHTED COUNTS

CLINICAL CLASSIFICATION CODE - EDITED	STAZ	MVIS	HVIS	OPAT	EROM	PMED	TOTAL
661 SUBSTANCE-RELATED DISORDERS	136,735	31,106,992	22,755	1,504,697	139,692	1,162,072	34,072,942
663 SCREENING AND HISTORY OF MENTAL HEAL	29,428	3,518,345	181,985	403,173	17,074	923,301	5,073,305
670 MISCELLANEOUS MENTAL DISORDERS	85,216	6,160,415	182,642	557,322	118,922	2,451,878	9,556,396

PMED = PRESCRIBED MEDICINES FILE, HC-168A
STAZ = HOSPITAL INPATIENT STAYS FILE, HC-168D
EROM = EMERGENCY ROOM VISITS FILE, HC-168E
OPAT = OUTPATIENT VISITS FILE, HC-168F
MVIS = MEDICAL PROVIDER VISITS FILE, HC-168G
HVIS = HOME HEALTH VISITS FILE, HC-168H