

MEPS HC-018: 1997 Medical Conditions

June 2001

**Agency for Healthcare Research and Quality
Center for Cost and Financing Studies**

Contents

A. Data Use Agreement	A-1
B. Background	B-1
1.0 Household Component	B-1
2.0 Medical Provider Component	B-2
3.0 Insurance Component	B-3
4.0 Nursing Home Component	B-3
5.0 Survey Management	B-4
C. Technical and Programming Information	C-1
1.0 General Information	C-1
2.0 Data File Information	C-2
2.1 Codebook Structure	C-2
2.2 Reserved Codes	C-3
2.3 Codebook Format	C-3
2.4 Variable Naming	C-4
2.5 File Contents	C-4
3.0 Sample Weights and Variance Estimation Variables (WTDPER97-VARPSU97)	C-10
3.1 Survey Sample Information	C-10
3.2 Sample Weights and Variance Estimation	C-11
3.3 Person Level Estimation using this MEPS PUF	C-12
3.4 Details on Person Weights Construction	C-13
3.5 Variance Estimation	C-15
4.0 Merging MEPS Data Files	C-15
Appendix 1: Variable to Source Crosswalk	A1-1
Appendix 2: Condition, Procedure and Clinical Classification Code Frequencies	A2-1
Appendix 3: Clinical Classification Code to ICD-9 Code Crosswalk	A3-1
Appendix 4: List of Priority Conditions	A4-1

A. Data Use Agreement

Individual identifiers have been removed from the micro-data contained in the files on this CD-ROM. Nevertheless, under sections 308 (d) and 903 (c) of the Public Health Service Act (42 U.S.C. 242m and 42 U.S.C. 299 a-1), data collected by the Agency for Healthcare Research and Quality (AHRQ) and /or the National Center for Health Statistics (NCHS) may not be used for any purpose other than for the purpose for which it was supplied; any effort to determine the identity of any reported cases, is prohibited by law.

Therefore in accordance with the above referenced Federal Statute, it is understood that:

1. No one is to use the data in this data set in any way except for statistical reporting and analysis; and
2. If the identity of any person or establishment should be discovered inadvertently, then (a) no use will be made of this knowledge, (b) The Director, Office of Management AHRQ will be advised of this incident, (c) the information that would identify any individual or establishment will be safeguarded or destroyed, as requested by AHRQ, and (d) no one else will be informed of the discovered identity.
3. No one will attempt to link this data set with individually identifiable records from any data sets other than the Medical Expenditure Panel survey or the National Health Interview Survey.

By using this data you signify your agreement to comply with the above stated statutorily based requirements with the knowledge that deliberately making a false statement in any matter within the jurisdiction of any department or agency of the Federal Government violates 18 U.S.C. 1001 and is punishable by a fine of up to \$10,000 or up to 5 years in prison.

The Agency for Healthcare Research and Quality requests that users cite AHRQ and the Medical Expenditure Panel Survey as the data source in any publications or research based upon these data.

B. Background

This documentation describes one in a series of public use files from the Medical Expenditure Panel Survey (MEPS). The survey provides a new and extensive data set on the use of health services and health care in the United States.

The Medical Expenditure Panel Survey (MEPS) is conducted to provide nationally representative estimates of health care use, expenditures, sources of payment, and insurance coverage for the U.S. civilian non-institutionalized population. MEPS also includes a nationally representative survey of nursing homes and their residents. MEPS is cosponsored by the Agency for Healthcare Research and Quality (AHRQ) and the National Center for Health Statistics (NCHS).

MEPS comprises four component surveys: the Household Component (HC), the Medical Provider Component (MPC), the Insurance Component (IC), and the Nursing Home Component (NHC). The HC is the core survey, and it forms the basis for the MPC sample and part of the IC sample. The separate NHC sample supplements the other MEPS components. Together these surveys yield comprehensive data that provide national estimates of the level and distribution of health care use and expenditures, support health services research, and can be used to assess health care policy implications.

MEPS is the third in a series of national probability surveys conducted by AHRQ on the financing and use of medical care in the United States. The National Medical Care Expenditure Survey (NMCES, also known as NMES-1) was conducted in 1977, the National Medical Expenditure Survey (NMES-2) in 1987. Beginning in 1996, MEPS continues this series with design enhancements and efficiencies that provide a more current data resource to capture the changing dynamics of the health care delivery and insurance system.

The design efficiencies incorporated into MEPS are in accordance with the Department of Health and Human Services (DHHS) Survey Integration Plan of June 1995, which focused on consolidating DHHS surveys, achieving cost efficiencies, reducing respondent burden, and enhancing analytical capacities. To accommodate these goals, new MEPS design features include linkage with the National Health Interview Survey (NHIS), from which the sampling frame for the MEPS HC is drawn, and continuous longitudinal data collection for core survey components. The MEPS HC augments NHIS by selecting a sample of NHIS respondents, collecting additional data on their health care expenditures, and linking these data with additional information collected from the respondents' medical providers, employers, and insurance providers.

1.0 Household Component

The MEPS HC, a nationally representative survey of the U.S. civilian non-institutionalized population, collects medical expenditure data at both the person and household levels. The HC collects detailed data on demographic characteristics, health conditions, health status, use of medical care services, charges and payments, access to care, satisfaction with care, health insurance coverage, income, and employment.

The HC uses an overlapping panel design in which data are collected through a preliminary contact followed by a series of five rounds of interviews over a 2 ½-year period. Using computer-assisted personal interviewing (CAPI) technology, data on medical expenditures and use for 2 calendar years are collected from each household. This series of data collection rounds is launched each subsequent year on a new sample of households to provide overlapping panels of survey data and, when combined with other ongoing panels, will provide continuous and current estimates of health care expenditures.

The sampling frame for the MEPS HC is drawn from respondents to NHIS, conducted by NCHS. NHIS provides a nationally representative sample of the U.S. civilian non-institutionalized population, with oversampling of Hispanics and blacks.

2.0 Medical Provider Component

The MEPS MPC supplements and validates information on medical care events reported in the MEPS HC by contacting medical providers and pharmacies identified by household respondents. The MPC sample includes all hospitals, hospital physicians, home health agencies, and pharmacies reported in the HC. Also included in the MPC are all office-based physicians:

- Providing care for HC respondents receiving Medicaid.
- Associated with a 75-percent sample of HC households receiving care through an HMO (health maintenance organization) or managed care plan.
- Associated with a 25-percent sample of the remaining HC households.

Data are collected on medical and financial characteristics of medical and pharmacy events reported by HC respondents, including:

- Diagnoses coded according to ICD-9-CM (9th Revision, International Classification of Diseases) and DSM-IV (Fourth Edition, *Diagnostic and Statistical Manual of Mental Disorders*).
- Physician procedure codes classified by CPT-4 (Common Procedure Terminology, Version 4).
- Inpatient stay codes classified by DRGs (diagnosis-related groups).
- Prescriptions coded by national drug code (NDC), medication names, strength, and quantity dispensed.
- Charges, payments, and the reasons for any difference between charges and payments.

The MPC is conducted through telephone interviews and mailed survey materials.

3.0 Insurance Component

The MEPS IC collects data on health insurance plans obtained through employers, unions, and other sources of private health insurance. Data obtained in the IC include the number and types of private insurance plans offered, benefits associated with these plans, premiums, contributions by employers and employees, eligibility requirements, and employer characteristics.

Establishments participating in the MEPS IC are selected through four sampling frames:

- A list of employers or other insurance providers identified by MEPS HC respondents who report having private health insurance at the Round 1 interview.
- A Bureau of the Census list frame of private sector business establishments.
- The Census of Governments from Bureau of the Census.
- An Internal Revenue Service list of the self-employed.

To provide an integrated picture of health insurance, data collected from the first sampling frame (employers and insurance providers) are linked back to data provided by the MEPS HC respondents. Data from the other three sampling frames are collected to provide annual national and State estimates of the supply of private health insurance available to American workers and to evaluate policy issues pertaining to health insurance.

The MEPS IC is an annual panel survey. Data are collected from the selected organizations through a prescreening telephone interview, a mailed questionnaire, and a telephone follow up for nonrespondents.

4.0 Nursing Home Component

The 1996 MEPS NHC was a survey of nursing homes and persons residing in or admitted to nursing homes at any time during calendar year 1996. The NHC gathered information on the demographic characteristics, residence history, health and functional status, use of services, use of prescription medications, and health care expenditures of nursing home residents. Nursing home administrators and designated staff also provided information on facility size, ownership, certification status, services provided, revenues and expenses, and other facility characteristics. Data on the income, assets, family relationships, and care-giving services for sampled nursing home residents were obtained from next-of-kin or other knowledgeable persons in the community.

The 1996 MEPS NHC sample was selected using a two-stage stratified probability design. In the first stage, facilities were selected; in the second stage, facility residents were sampled, selecting both persons in residence on January 1, 1996, and those admitted during the period January 1 through December 31.

The sample frame for facilities was derived from the National Health Provider Inventory, which is updated periodically by NCHS. The MEPS NHC data were collected in person in three rounds of data collection over a 1 ½-year period using the CAPI system. Community data were collected by telephone using computer-assisted telephone interviewing (CATI) technology. At the end of three rounds of data collection, the sample consists of approximately 815 responding facilities, 3,100 residents in the facility on January 1, and 2,200 eligible residents admitted during 1996.

5.0 Survey Management

MEPS data are collected under the authority of the Public Health Service Act. They are edited and published in accordance with the confidentiality provisions of this act and the Privacy Act. NCHS provides consultation and technical assistance.

As soon as data collection and editing are completed, the MEPS survey data are released to the public in staged releases of summary reports and microdata files. Summary reports are released as printed documents and electronic files. Microdata files are released on CD-ROM and/or as electronic files. A catalog of all MEPS products released to date is provided in Section F of this document.

Printed documents and CD-ROMs are available through the AHRQ Publications Clearinghouse. Write or call:

AHRQ Publications Clearinghouse
Attn: (publication number)
P.O. Box 8547
Silver Spring, MD 20907
800/358-9295
410/381-3150 (callers outside the United States only)
888/586-6340 (toll-free TDD service; hearing impaired only)

Be sure to specify the AHRQ number of the document or CD-ROM you are requesting. Selected electronic files are available from the Internet on the MEPS home page:
<http://www.meps.AHRQ.gov/>.

Additional information on MEPS is available from the MEPS project manager or the MEPS public use data manager at the Center for Cost and Financing Studies, Agency for Healthcare Research and Quality.

C. Technical and Programming Information

1.0 General Information

This documentation describes the data contained in MEPS Public Use Release HC-018, which is one in a series of public use data files to be released from 1997 of the Medical Expenditure Panel Survey Household Component (MEPS HC).

Released in ASCII and SAS formats, this public use file provides information on household-reported medical conditions collected on a nationally representative sample of the civilian noninstitutionalized population of the United States for 1997 MEPS HC. (See Section 3.0)

This file contains 109,859 records. Each record represents one household-reported medical condition reported in the 1997 portion of Round 3 and Rounds 4 and 5 for Panel 1, as well as Rounds 1 and 2 and the 1997 portion of Round 3 for Panel 2 (i.e., Rounds for MEPS panels covering calendar year 1997).

The following documentation offers a brief overview of the types and levels of data provided, the content and structure of the files and the codebook (provided as file H18CB.PDF). It contains the following sections:

Data File Information

Survey Sample Information

Merging MEPS Data Files

Appendices:

Variable to Source Crosswalk

Detailed ICD-9 Condition, Procedure, and Clinical Classification Code Frequencies

Clinical Classification Codes to ICD-9 Crosswalk

List of Priority Conditions

For more information on MEPS survey design see Cohen , 1997; Cohen, 1997; and Cohen 1996.

A copy of the survey instrument used to collect this information on this file is available on the

MEPS web site: <http://www.meps.ahrq.gov>.

2.0 Data File Information

This file contains 109,859 records. Each record represents one household-reported medical condition reported in the 1997 portion of Round 3 and Rounds 4 and 5 for Panel 1, as well as Rounds 1 and 2 and the 1997 portion of Round 3 for Panel 2 (i.e., Rounds for MEPS panels covering calendar year 1997). Records included on this file met criterion 1 below and one of criteria 2 - 5:

- 1) The condition is reported by a household survey respondent residing in an eligible responding household.
- 2) The condition is reported during Rounds 4 and 5 of Panel 1 or Rounds 1 and 2 of Panel 2; or
- 3) The condition was identified as a priority condition in Panel 1 Rounds 1 or 2 (limited data are available on this file for these records, see Section 2.5.2 for details); or
- 4) The condition is reported in Round 3 of Panel 1 and links to a 1997 medical provider visit or a medicine prescribed in 1997; or
- 5) The condition is reported in Round 3 of Panel 2 and links to a 1997 medical provider visit or a medicine prescribed in 1997; or
- 6) The condition is reported in Round 3 for either Panel 1 or Panel 2, does not link to a 1997 medical provider visit or a medication prescribed in 1997, and 50 percent or more of a respondent's reference period occurred in 1997.

For each variable on the file, both weighted and unweighted frequencies are provided in the codebook. Because the conditions identified in this file are derived from self-reports, these data cannot be used to make estimates of disease, prevalence of health conditions, or mortality/morbidity.

Data from this file can be merged with 1997 MEPS person-level data using DUPERSID to append person-level characteristics such as demographic or health insurance characteristics to each record (see Section 4.0 for details). Data from this file can also be merged to 1997 MEPS Medical Provider Event Files (HC-016A, HC-016B, HC-016D through HC-016H) by using the link files provided on HC-016I, File 1 (see HC-016I for details). Since each record represents a single condition reported by household respondents, some household respondents may have multiple medical conditions and thus will be represented in multiple records on this file. Other household respondents may have reported no medical conditions and thus will have no records on this file.

2.1 Codebook Structure

The codebook and data file sequence lists variables in the following order:

Unique person identifiers
Unique condition identifiers
Survey administration variables
Medical condition variables
Weight and variance estimation variables

2.2 Reserved Codes

The following reserved code values are used:

Value	Definition
-1 INAPPLICABLE	Question was not asked due to skip pattern.
-3 NO DATA IN ROUND	Person has no data in round.
-7 REFUSED	Question was asked and respondent refused to answer question.
-8 DK	Question was asked and respondent did not know answer.
-9 NOT ASCERTAINED	Interviewer did not record the data.
-11 NOT A PRIORITY/INJURY CONDITION	Condition was not a priority or injury condition (defined below). Consequently, questions targeted for priority conditions and injuries were not asked.
-12 CONDITION NOT REPORTED IN ROUND	Priority/injury condition not associated with medical event or disability day; specific questions for priority or injury conditions not asked in current round.

Generally, -1, -7, -8, and -9 have not been edited on this file. The values of -1 and -9 can be edited by analysts by following the skip patterns in the questionnaire. The -12 code is used for priority/injury conditions for rounds prior to the first mention of the condition, or for rounds after the one in which the condition was first mentioned.

2.3 Codebook Format

This codebook describes an ASCII data set and provides the following programming identifiers for each variable:

Identifier	Description
Name	Variable name (maximum of 8 characters)
Description	Variable descriptor (maximum 40 characters)
Format	Number of bytes
Type	Type of data: numeric (indicated by NUM) or character (indicated by CHAR)
Start	Beginning column position of variable in record
End	Ending column position of variable in record

2.4 Variable Naming

In general, variable names reflect the content of the variable, with an 8 character limitation. For questions asked in a specific Round, the end digit in the variable name reflects the Round in which the question was asked. Edited variables end in an “X” and are so noted in the variable label.

Variables contained in this delivery were derived either from the questionnaire itself or from the CAPI. The source of each variable is identified in Appendix 1 entitled “Variable to Source Crosswalk.” Sources for each variable are indicated in one of four ways: (1) variables which are derived from CAPI or assigned in sampling are so indicated; (2) variables derived from complex algorithms associated with re-enumeration are labeled “RE Section”; (3) variables which come from one or more specific questions have those numbers and questionnaire section indicated in the “Source” column; (4) variables constructed from multiple questions using complex algorithms are labeled “Constructed” in the “SOURCE” column.

2.5 File Contents

2.5.1 Identifier Variables (DUID-CONDNRN)

The definitions of Dwelling Units (DUs) and Group Quarters in the MEPS-HC is generally consistent with the definitions employed for the National Health Interview Survey (NHIS). The dwelling unit ID (DUID) is a five-digit random number assigned after the case was sampled for MEPS. The person number (PID) uniquely identifies each person within the dwelling unit. The variable DUPERSID uniquely identifies each person represented on the file, and is the combination of the variables DUID and PID. CONDRN indicates the condition number of each condition for an individual respondent (e.g., condition number 1, 2, 3, etc.) plus a control digit. The number of conditions for persons represented on this file ranges from 1 to 53. CONDIDX uniquely identifies each condition (i.e., each record on the file), and is the combination of DUPERSID and CONDRN.

CONDNRN indicates the round in which the condition was first reported. For a small number of cases, conditions that actually began in an earlier round were not reported by respondents until subsequent rounds of data collection. For these cases no editing was performed to reconcile the round in which a condition began and the round that the condition was first reported.

PANEL97 is a constructed variable used to specify the panel number for the interview. PANEL97 will indicate either Panel 1 or Panel 2.

2.5.2 Medical Condition Variables (PRIOLIST-CCCODEX)

This file contains variables describing medical conditions reported by respondents in several sections of the MEPS questionnaire, including the Condition Enumeration Section, Health Status Section, and all questionnaire sections collecting information about health provider visits, prescription medications, and disability days (see Variable-Source Crosswalk in Appendix 1 for details).

Priority Conditions and Injuries

Certain conditions were a priori designated as “priority conditions” (PRIOLIST=1) due to their prevalence, expense, or relevance to policy. Some were long-term life-threatening conditions, such as cancer, diabetes, emphysema, high cholesterol, HIV/AIDS, hypertension, ischemic heart disease, and stroke. Others were chronic manageable conditions, including arthritis, asthma, gall bladder disease, stomach ulcers, and back problems of any kind. In addition, Alzheimer’s disease or other dementias, as well as depression and anxiety disorders, were included in the priority list. For a complete listing of “priority conditions” see Appendix 4. Priority conditions were identified as such in the field by MEPS interviewers. Occasionally errors were made and not all priority conditions were identified. Consequently, these records are missing the follow-up questions described below. Likewise, some conditions were inaccurately identified as priority conditions. These records do have follow-up questions even though they are not priority conditions.

When a condition was first mentioned, respondents were asked whether it was due to an accident or an injury (INJURY= 1). Some injuries are also priority conditions (e.g. back pain).

Date Priority Condition Began/Accident Occurred

The date a priority condition began (CONDBEGD, CONDBEGM, CONDBEGY) is collected only for conditions that appear on the priority list. The date an accident or injury occurred (ACCDENTD, ACCDENTM, ACCDENTY) is collected only for accident/injury conditions. For 68 priority conditions and 53 injuries, respondents reported that the year the condition began or the accident occurred was 1998. These records were retained on the current file because they link to a 1997 medical event.

Round Specific Questions for Priority Conditions and Injuries

When a respondent first reported a condition on the priority list (PRIOLIST=1) or a condition caused by an injury (INJURY=1) a series of questions regarding health care utilization for that

condition and the effect of that condition on the person's overall health was asked. The names of these variables end in 1, 2, 3, 4 or 5 indicating the round in which they were asked. The following questions were asked in the round in which the respondent first reported a priority condition or a condition resulting from an injury:

- a. whether the respondent ever saw or talked to a doctor about the condition (SEEDREV1- SEEDREV5).
- b. whether the latest time a doctor was seen for this condition was before or after the beginning of the reference period for the interview Round (LSTSAW1X- LSTSAW3X). This question was asked **only** in Round 1 for Panel 2; it was asked **only** in Rounds 1-3 for Panel 1.
- c. whether the person was still being treated for the condition (STILTR1X- STILTR5X).
- d. how seriously the condition affected the person's overall health and well-being since it began (OVRALL1X- OVRALL5X).
- e. whether the person with the condition himself/herself provided the information, versus being reported by another household member (WHOTYP1X- WHOTYP5X).
- d. whether the health care provider recommended further treatment or consultation for the condition (FURTCA1X- FURTCA5X).
- e. how much follow-up care the person received for the condition (all; some; none; or still being treated) (FOLOCA1X- FOLOCA5X).
- f. whether the person saw or talked to a doctor about the condition during the reference period (SEEDREF1- SEEDREF5). This variable was constructed for priority conditions only.

When a respondent reported a condition that resulted from an accident or injury (INJURY=1) the following information was obtained from respondents during the round in which the injury was first reported:

- a. whether or not the accident/injury occurred at work (ACCDNWRK) – respondents aged 16 and younger were not asked this question and are coded ACCDNWRK = -1;
- b. where the accident happened (ACDNTLOC);
- c. if the accident/injury occurred at home, was it inside or outside the house (INOUTH);
- d. whether or not the accident involved a motor vehicle, gun, weapon other than gun, poison, fire, drowning or near-drowning, sports injury, a fall, something else

(VEHICLE, GUN, WEAPON, POISON, FIREBURN, DROWN, SPORTS, FALL, ACDNTOTH);

- e. whether or not the person has fully recovered from the injury (RECOVER);

For priority conditions only, additional information was obtained in rounds subsequent to the one in which the condition was first mentioned. This information was obtained only if there was an medical provider visit or a prescribed medication or a disability day associated with the condition in that round. If this occurred, the condition was “selected” for the round. The variables SELECTR2 - SELECT5 indicate whether or not a priority condition reported in a previous round was associated with a medical provider event or a disability day and therefore “selected” for follow-up questions for priority conditions in Rounds 3, 4 or 5 for Panel 1 or Rounds 2 or 3 for Panel 2. These variables are coded to -11 for non-priority conditions.

For priority conditions selected in rounds after they were first mentioned, the following questions were asked:

- a. whether the person saw or talked to a doctor about the condition during the reference period (SEEDREF1- SEEDREF5).
- b. whether the person was still being treated for the condition (STILTR1X- STILTR5X).
- c. how seriously the condition affected the person’s overall health and well-being since it began (OVRALL1X- OVRALL5X).
- d. whether the person with the condition himself/herself provided the information, versus being reported by another household member (WHOTYP1X- WHOTYP5X).

Treatment of Data from Rounds Not Occurring in 1997

For Panel 1, Rounds 1 and 2 occurred in 1996 and are not included in this file unless the condition was identified as a priority condition (see the discussion of PRIOFLG below). For Panel 2, Rounds 4 and 5 occurred in 1998 and are not included in these data. Therefore, round-specific variables for Rounds 1 and 2 are assigned an inapplicable code (-1) for members of Panel 1, and round-specific variables for Rounds 4 and 5 are assigned an inapplicable code (-1) for members of Panel 2. Data for rounds 4 and 5 thus pertain only to Panel 1; data for rounds 1 and 2 pertain only to Panel 2, and both panels provide data from round 3. (Note: PANEL97 must be used to identify whether round 3 variables were collected in Panel 1 or Panel 2.)

All priority conditions and conditions resulting from an injury that were first reported in Rounds 1 or 2 of Panel 1 have round-specific data for those rounds included on the 1996 Medical Conditions File (HC-006R). The variables PRIOFLG and INJURFLG indicate if the condition is “Not a priority/injury condition” (0), whether or not “Additional information is included on the 1996 Medical Condition File “ (1), or if “All priority/injury information is included on the current file” (2). Data collected in Rounds 1 and 2 of Panel 1 are included on the 1996 Medical

Conditions File (HC-006R) and can be merged to the current file using the unique condition identifier CONDIDX.

Note: Priority conditions are generally chronic conditions. Even though a respondent may not have reported a medical provider visit, a prescribed medicine or a disability in 1997 due to the condition, analysts should consider that the respondent is probably still experiencing the condition. If a Panel 1 respondent reported a priority condition in Rounds 1 or 2 and did not have a provider visit, a prescribed medicine, or a disability day for the condition in Rounds 3, 4 or 5 of Panel 1, round-specific variables for rounds 3, 4, and 5 are coded as -12.. The only information provided on the current 1997 file is the ICD9CODX, ICD9PROX, and CCCODEX. These records also can be identified if PRIOFLG=1.

Rounds in which conditions were reported/selected (CRND1 - CRND5)

A set of constructed variables (CRND1 - CRND5) indicate the round in which the condition was first reported, and for subsequent rounds, the round(s) in which a medical provider event, prescription medication, or disability day occurred due that condition. For example, consider a condition for which CRND1 = 0, CRND2=1, and CRND3 = 1; this sequence of CRND indicators implies that the condition was not present during Round 1 (CRND1=0), was first mentioned during Round 2, and was associated with a medical event during Round 3. These round indicators have not been reconciled with CONDRN. CRND1- CRND5 are not applicable for most pregnancies, prenatal visits, or deliveries due to the questionnaire design.

Disability Flag Variables

This file contains 3 flag variables indicating whether or not a condition is associated with a missed workday (MISSWORK), a missed school day (MISSSCHL), or a bed day (INBEDFLG).

Diagnosis and Procedure Codes

The medical conditions and procedures reported by the Household Component respondent were recorded by the interviewer as verbatim text, which were then coded to fully-specified 1996 ICD-9-CM codes, including medical condition and V codes (see Health Care Financing Administration, 1980), by professional coders. Although codes were verified and error rates did not exceed 2.5 percent for any coder, analysts should not presume this level of precision in the data; the ability of household respondents to report condition data that can be coded accurately should not be assumed (see Cox and Cohen, 1985; Cox and Iachan, 1987; Edwards, et al, 1994; and Johnson and Sanchez, 1993).

In order to preserve respondent confidentiality, nearly all of the condition codes provided on this file (ICD9CODX) have been collapsed from fully-specified codes to 3-digit code categories. Table 1 in Appendix 2 provides a table of unweighted and weighted frequencies for all ICD-9 condition code values reported on the file. In this table, values which reflect this collapsing have an asterisk in the label indicating that the 3-digit category includes all the subclassifications within that category. For example, the ICD9CODX value of 034 "Strep Throat /Scarlet Fev **" includes the fully-specified subclassifications 034.0 and 034.1; the value 296 "Affective Disorders **" includes the fully-specified subclassifications 296.0 through 296.99. Less than 1 percent of the records on this file were edited

further by collapsing two or more 3-digit codes into one 3-digit code; this second type of collapsing is also indicated in the labels in Table xx. For example, the label for the value 005 “Intestinal Infect 001-005” indicates that the ICD-9 3-digit code categories 001, 002, 003, 004, and 005 were collapsed and are represented by the single code “005”. ICD-9 V-codes are included in ICD9CODX and have been edited (i.e., collapsed) in a similar manner.

Similarly, most of the procedure codes (ICD9PROX) were collapsed from fully-specified codes to 2-digit category codes. Table 2 in Appendix 2 provides unweighted and weighted frequencies for ICD9PROX, and this type of collapsing is identified by an asterisk in the variable label. For example, the ICD9PROX value of 81 “Joint Repair*” includes subclassifications 81.0 through 81.99. Some records were further edited to combine 2 or more 2-digit categories, which is also indicated in the ICD9PROX value label - e.g., the label for the value 03 “Skull/Cord/Canal Ops (02,03)” indicates that this value includes the 2-digit categories 02 and 03.

Users should note that because of the design of the survey, most deliveries (i.e. births) are coded as pregnancies. For more accurate estimates for deliveries analysts should use RSINHOS “Reason Entered Hospital” found on the Hospital Inpatient Stays Public Use File (HC-016D).

Conditions and procedures were reported in the same sections of the HC questionnaire (see Variable-Source Crosswalk in Appendix 1). Labels for all values of the variables ICD9CODX and ICD9PROX, as shown in Tables 1 and 2, are provided in the SAS programming statements included in this release (see the HC018SU.TXT file).

Clinical Classification Codes

ICD-9-CM condition codes have been aggregated into clinically meaningful categories that group similar conditions (CCCODEX). CCCODEX was generated using Clinical Classification Software (formerly known as Clinical Classifications for Health Care Policy Research (CCHPR)), (Elixhauser, et al., 1998), which aggregates conditions and V-codes into 260 mutually exclusive categories, most of which are clinically homogeneous. Appendix 3 lists the ICD-9-CM codes that have been aggregated for each clinical classification category. Note that the reported ICD-9-CM code values were mapped to the appropriate clinical classification category prior to being collapsed to 3-digit ICD-9 codes. For confidentiality purposes a small number (less than 2 percent) of clinical classification codes have been edited. Table 3 in Appendix 2 provides weighted and unweighted frequencies for CCCODEX. Labels for all values of the variable CCCODEX, as shown in Table 3, are provided in the SAS programming statements included in this release (see the H18SU.TXT file).

2.5.3 Utilization Variables (OBNUM - RXNUM)

The variables are OBNUM, OPNUM, HHNUM, DVNUM, HSNUM, ERNUM, and RXNUM indicate the total number of 1997 medical provider events that can be linked to each condition record on the current file for each event type, i.e., office-based, outpatient, home health, dental, hospital stays, emergency room visits and prescribed medicines, respectively.

These counts of events were derived from Medical Provider Event Public Use Files (HC-016A, HC-016B, and HC-016D- HC-016H). Medical provider events associated with conditions include all utilization that occurred between January 1, 1997 and December 31, 1997.

Because persons can be seen for more than one condition per visit, these frequencies will not match the person- or event-level utilization counts. For example, if a person had one hospital stay and was treated for a fractured hip and a fractured shoulder and a concussion, each of these conditions has a unique record and HSNUM=1 for each record. If you sum HSNUM for these records, then the total hospital stays would be 3 when actually there was only 1 hospital stay for that person and 3 conditions were treated. These variables are useful if you wanted to know the number of hospital stays for head injuries, hip fractures, etc.

3.0 Sample Weights and Variance Estimation Variables (WTDPER97-VARPSU97)

3.1 Survey Sample Information

Sample Design and Response Rates

The MEPS is designed to produce estimates at the national and regional level over time for the civilian, noninstitutionalized population of the United States and some subpopulations of interest. The health care utilization data in this public use set pertain to calendar year 1997. The data were collected in Rounds 1, 2, and 3 for MEPS Panel 2 and Rounds 3, 4, and 5 for MEPS Panel 1. Note that Round 3 for a MEPS panel overlaps two calendar years. The reference period for Round 3 of Panel 1 covers the end of 1997 and the beginning of 1997 while the reference period for Round 3 of MEPS Panel 2 covers the end of 1997 and the beginning of 1998. The only utilization data that appear on the file are those associated with health care events occurring in calendar year 1997.

The households in this 1997 MEPS database are related to households participating in the National Health Interview Survey in 1995 and 1996. The households (occupied dwelling units) selected for MEPS Panel 1 were a subsample of 1995 NHIS respondents while those in MEPS Panel 2 were a subsample of 1996 NHIS respondents. A household may contain one or more family units, each consisting of one or more individuals. Analysis can be undertaken using either the individual or the family as the unit of analysis.

For MEPS Panel 2 several domains of interest were oversampled to provide increased precision for analytic purposes. These domains included households containing persons with one of the following characteristics based on NHIS data: adults with functional impairments, children with limitations in activity, individuals aged 18-64 with expected high medical expenditures, individuals with family incomes expected to be below 200% of the poverty level in 1996, and adults with other impairments. Because some households could be associated with more than one domain, a hierarchical sample selection procedure was employed. If a household could be associated with multiple domains, it was assigned to the domain given the highest priority in the hierarchy.

For detailed information on the MEPS sample design for Panel 1, see Cohen, S. Sample Design of the 1996 Medical Expenditure Panel Survey Household Component. Rockville (MD): Agency for Health Care Policy and Research; 1996. MEPS Methodology Report, No. 2. AHCPR Pub. No. 97-0027. For detailed information on the MEPS sample design for Panel 2, see Appendix 2: Cohen, S. Sample Design of the 1997 Medical Expenditure Panel Survey Household Component.

MEPS-Linked to the National Health Interview Survey

The sample of 10,639 households (occupied dwelling units) for the MEPS Panel 1 consisted of a nationally representative subsample of the households responding to the 1995 National Health Interview Survey (NHIS). A subsample of 6,300 households was selected for MEPS Panel 2 from among households responding to the 1996 NHIS.

The NHIS sample design has three stages of sample selection: an area sample of PSUs; a sample of segments (single or groups of blocks or block equivalents) within sampled PSUs; and a sample of housing units within segments. Among initially sampled households, those containing Hispanics and blacks were oversampled at rates of approximately 2 and 1.5 times the rate of remaining households. These same rates of oversampling are reflected in the MEPS sample of households. The only major difference in the definition of a household between NHIS and MEPS is that college aged students living away from home during the school year were interviewed at their place of residence for the NHIS but were identified by and linked to their parents' household for MEPS.

3.2 Sample Weights and Variance Estimation

In the HC-018 file, a weight variable is provided for estimation purposes. Procedures and considerations associated with the construction and interpretation of person estimates using this and other variables are discussed below.

Response Rates

In order to produce annual health care estimates for calendar year 1997 based on the full MEPS sample, data will also need to be pooled across the first two MEPS national samples. More specifically, full calendar year 1997 data collected in Rounds 3 through 5 for the MEPS Panel 1 sample are pooled with data from the first three rounds of data collection for the MEPS Panel 2 sample (for details, see H-020, Survey Sample Information, Section 3.0). Overall, the full 1997 MEPS household sample will consist of approximately 13,000 reporting units which include 32,636 individuals that completed the full series of MEPS interviews for their entire period of eligibility, providing the necessary information to produce national use and expenditure estimates for calendar year 1997.

Panel 1

Conditioned on response to Rounds 1-3 of the Panel 1 MEPS, of 21,696 key and inscope individuals eligible for data collection in 1997, 19,622 (90.44 percent) provided data for their entire period of

eligibility. Consequently, after factoring in the impact of survey attrition, the overall Panel 1 MEPS person level response rate for deriving annual estimates was 63.5 percent (.702 x .9044). Of these full year respondents for calendar year 1997, 19,407 were in scope on December 31, 1997.

Panel 2

Conditioned on response to Round 1 of the Panel 2 MEPS, of 14, 644 key and inscope individuals eligible for data collection in 1997, 13,014 (88.87 percent) provided data for their entire period of eligibility. Consequently, after factoring in the impact of survey attrition, the overall Panel 2 MEPS person level response rate for deriving annual estimates was 69.2 percent (.779 x .8887). Of these full year respondents for calendar year 1997, 12,819 were in scope on December 31, 1997.

Combined MEPS Panels: Response Rate for Annual 1997 Estimates

For each independent MEPS sample, the estimation weights were further adjusted for survey attrition over time. Each panel was then given equal weight in the development of sampling weights to produce annual national estimates. Therefore, a pooled response rate for the survey respondents in this data set can be obtained by taking an average of the panel specific response rates. This pooled response rate for the combined panels is 66.4 percent, consisting of a total of 32,636 survey participants. The weighted MEPS population estimate for the civilian non-institutionalized population as of December 31, 1997 was 267,704,802, based on poststratification to population estimates produced from the December 1997 Current Population Survey. Future analyses will examine the impact of survey attrition on health care utilization and expenditure estimates covering calendar year 1997.

3.3 Person Level Estimation using this MEPS PUF

Overview

There is a single person level weight variable called WTDPER97. However, care should be taken in its application as it permits both “point-in-time” and “range of time” estimates, depending on the variables used to define the set of persons of interest for analysis. A person level weight was assigned to each key, inscope person who responded to MEPS for the full period of time that he or she was inscope during the MEPS survey. For Panel 2 this requirement pertained only to 1997, but for Panel 1 it pertained to both 1996 and 1997. (Recall that a person is inscope whenever he or she is a member of the civilian, noninstitutionalized portion of the U.S. population.)

Developing Person Level MEPS Estimates

The data in this file can be used to develop estimates on persons in the civilian, noninstitutionalized population on December 31, 1997 and for the slightly larger population of persons in the civilian, noninstitutionalized population at any time during 1997. To obtain a cross-sectional (point-in-time) estimate for all inscope persons living in the country on December 31, 1997, include cases with both WTDPER97>0 (a positive person level weight) and INSC1231=1 (the person is inscope on December 31, 1997). (INSC1231 is included on HC-020 and can be merged to this file using DUPERSID.) To

obtain an estimate for all persons who were inscope at some time in 1997, include all cases with WTDPER97>0. After selecting the appropriate cases, apply the weight variable WTDPER97 to the analytic variable(s) of interest to obtain national estimates. The following table contains a summary of cases to include and sample sizes for these two populations (for shorthand purposes the term “general” is used to indicate the “civilian, noninstitutionalized” component of the U.S. population).

Population of Interest	Cases to Include	Sample Size
General Population on December 31, 1997	WTDPER97>0 and INSC1231=1	32,226
General Population over the course of 1997	WTDPER97>0	32,636

3.4 Details on Person Weights Construction

Overview

The person level weight WTDPER97 was developed in three stages. A person level weight for Panel 2 was created, including both an adjustment for nonresponse over time and poststratification, controlling to Current Population Survey (CPS) population estimates based on five different variables. Poverty status was not included since income data for assigning persons to a poverty status was yet to be established. Then a person level weight for Panel 1 was created, again including an adjustment for nonresponse over time and poststratification, controlling to CPS population estimates based on the same five variables. In the meantime work proceeded on the MEPS income data and the assignment of MEPS families to CPS-like family units, since the assignment of poverty status is based on CPS family structures. When poverty status information derived from income variables became available, a 1997 average annual weight was formed from the Panel 1 and Panel 2 weights by multiplying the Panel weights by .5. Then a final poststratification was done on this composite weight variable, including poverty status as well as the original five poststratification variables in the establishment of the final 1997 person level weight.

MEPS Panel 1

The person level weight for MEPS Panel 1 was developed using the 1996 full year weight for an individual as a “base” weight for survey participants present in 1996. For key, inscope respondents who joined an RU some time in 1997 after being out-of-scope in 1996, the 1996 family weight associated with the family the person joined served as a “base” weight. The weighting process included an adjustment for nonresponse over Rounds 4 and 5 as well as poststratification to population control totals from the CPS for December, 1997. These control totals were derived by scaling back the population totals obtained from the March 1998 CPS to reflect the December, 1997 CPS estimated population distribution across age and sex categories as of December, 1997.

Variables used in the establishment of person level poststratification control figures included: census region (Northeast, Midwest, South, West); MSA status (MSA, non-MSA); race/ethnicity (Hispanic, black but non-Hispanic, and other); sex, and age.

Overall, the weighted population estimate for the civilian, noninstitutionalized population on December 31, 1997 is 267,704,802. Key, responding persons not inscope on December 31, 1997 but inscope earlier in the year retained, as their final Panel 1 weight, the weight after the nonresponse adjustment.

MEPS Panel 2

The person level weight for MEPS Panel 2 was developed using the MEPS Round 1 person-level weight as a “base” weight. For key, inscope respondents who joined an RU after Round 1, the Round 1 family weight served as a “base” weight. The weighting process included an adjustment for nonresponse over Round 2 and the 1997 portion of Round 3 as well as poststratification to the same population control figures for December 1997 used for the MEPS Panel 1 weights. The same five variables employed for Panel 1 poststratification (census region, MSA status, race/ethnicity, sex, and age) were used for Panel 2 poststratification. As with Panel 1, Panel 2 key, responding persons not inscope on December 31, 1997 but inscope earlier in the year retained the weight after the nonresponse adjustment as their final Panel 2 weight.

Note that the MEPS round 1 weights (for both panels with one exception as noted below) incorporated the following components: the original household probability of selection for the NHIS; ratio-adjustment to NHIS-based national population estimates at the household (occupied dwelling unit) level; the probability of selection of dwelling units associated with the oversampling of five population domains of analytic interest (for Panel 2 only); adjustment for nonresponse at the dwelling unit level for Round 1; and poststratification to figures at the family and person level obtained from the March 1997 CPS data base. The five oversampled domains for Panel 2 were households with: persons with functional impairments; children with limitations in activity; individuals 18-64 expected to incur high medical expenditures based on a statistical model; persons with family incomes expected to be below 200 percent of poverty, based on a statistical model; and adults with other impairments.

The Final Weight for 1997

Variables used in the establishment of person level poststratification control totals included: poverty status (below poverty, from 100 to 125 percent of poverty, from 125 to 200 percent of poverty, from 200 to 400 percent of poverty, at least 400 percent of poverty); census region (Northeast, Midwest, South, West); MSA status (MSA, non-MSA); race/ethnicity (Hispanic, black but non-Hispanic, and other); sex, and age. Overall, the weighted population estimate for the civilian, noninstitutionalized population for December 31, 1997 is 267,704,802 ($WTDPER97>0$ and $INSC1231=1$). The inclusion of key, inscope persons who were not inscope on December 31, 1997 brings the estimated total number of persons represented by the MEPS respondents over the course of the year, to 270,965,010 ($WTDPER97>0$).

The weights for persons who died while members of the civilian, noninstitutionalized population in 1997 were adjusted separately for persons under age 65 and those age 65 and older. Control figures

were derived from Vital Statistics death registries, the Nursing Home Component of the 1996 MEPS, and the annual Medicare Beneficiary Survey (MCBS).

The weights for persons ascertained to be living in nursing homes for at least one day in 1997 and who were not inscope on December 31, 1997 were adjusted to a control figure derived from the Nursing Home Component of the 1996 MEPS.

Coverage

The target population for MEPS is the 1997 U.S. civilian, noninstitutionalized population. However, the MEPS sampled households are a subsample of the NHIS households interviewed in 1995 (Panel 1) and 1996 (Panel 2). New households created after the NHIS interviews for the respective Panels and consisting exclusively of persons who entered the target population after 1995 (Panel 1) or after 1996 (Panel 2) are not covered by MEPS. These would include families consisting solely of: immigrants; persons leaving the military; U.S. citizens returning from residence in another country; and persons leaving institutions. It should be noted that this set of uncovered persons constitutes only a tiny proportion of the MEPS target population.

3.5 Variance Estimation

To obtain estimates of variability (such as the standard error of sample estimates or corresponding confidence intervals) for estimates based on MEPS survey data, the complex sample design of MEPS for both person and family level analyses must be taken into account. Various approaches can be used to develop such estimates of variance including use of the Taylor series or replication methodologies. Replicate weights have not been developed for the MEPS 1997 data.

Using a Taylor Series approach, variance estimation strata and the variance estimation PSUs within these strata must be specified. The corresponding variables on the 1997 MEPS full year utilization database are VARSTR97 and VARPSU97, respectively. Specifying a “with replacement” design in a computer software package, such as SUDAAN, should provide standard errors appropriate for assessing the variability of MEPS survey estimates. It should be noted that the number of degrees of freedom associated with estimates of variability indicated by such a package may not appropriately reflect the actual number available. For MEPS sample estimates for characteristics generally distributed throughout the country (and thus the sample PSUs), there are over 100 degrees of freedom for the 1997 full year data associated with the corresponding estimates of variance.

4.0 Merging MEPS Data Files

Data from the current file can be used alone or in conjunction with other files. Merging characteristics of interest from person-level files expands the scope of potential estimates. See HC-016I (forthcoming) for instructions on merging the condition file to the Medical Event Files Person-level characteristics can be merged to the condition file using the following procedure:

1. Sort the person-level file by person identifier, DUPERSID. Keep only variables to be merged on to the conditions file and DUPERSID.
2. Sort the conditions file by person identifier, DUPERSID.
3. Merge both files by DUPERSID, and output all records in the conditions file.
4. If PERS contains the person-level variables, and COND is the conditions file, the following code can be used to add person-level variables to the person's conditions in condition-level file.

```
PROC SORT DATA=PERS(KEEP=DUPERSID AGE SEX EDUC)
OUT=PERSX; BY DUPERSID;
RUN;
```

```
PROC SORT DATA=COND; BY DUPERSID;
RUN;
```

```
DATA COND;
MERGE COND (IN=A) PERSX(IN=B); BY DUPERSID;
IF A;
RUN;
```

References

- Cohen, S. B. (1997). A Sample Design of the 1996 Medical Expenditure Panel Survey Household Component. Rockville (MD): Agency for Healthcare Research and Quality; 1997. *MEPS Methodology Report, No. 2.* AHCPR Pub. No. 97-0027.
- Cohen, J. W. (1997). A Design and Methods of the Medical Expenditure Panel Survey Household Component. Rockville (MD): Agency for Healthcare Research and Quality; 1997. *MEPS Methodology Report, No. 1.* AHCPR Pub. No. 97-0026.
- Cohen, S. B. (1996). The Redesign of the Medical Expenditure Panel Survey: A Component of the DHHS Survey Integration Plan. *Proceedings of the COPAFS Seminar on Statistical Methodology in the Public Service.*
- Cox, B. and Iachan, R. (1987). A Comparison of Household and Provider Reports of Medical Conditions. *Journal of the American Statistical Association* 82(400):1013-18.
- Edwards, W.S. Winn, D.M., Kurlantzick V., et al. Evaluation of National Health Interview Survey Diagnostic Reporting. *National Center for Health Statistics, Vital Health* 2(120). 1994.
- Elixhauser A., Steiner CA, Whittington CA, and McCarthy E. Clinical Classifications for health policy research: Hospital inpatient statistics, 1995. *Healthcare Cost and Utilization project, HCUP-3 research Note.* Rockville, MD: Agency for Healthcare Research and Quality; 1998. AHCPR Pub. No. 98-0049
- Health Care Financing Administration (1980). International Classification of Diseases, 9th Revision, Clinical Modification (ICD-CM). Vol. 1. (DHHS Pub. No. (PHS) 80-1260). DHHS: U.S. Public Health Services.
- Shah, B.V., B. G. Barnwell, G.S. Bieler, K.E. Boyle, R.E. Folsom, L. Lavange, S.C. Wheless, and R. Williams (1996). *Technical Manual: Statistical Methods and Algorithms Used in SUDAAN Release 7.0,* Research Triangle Park, NC: Research Triangle Institute.

**Appendix 1:
Variable to Source Crosswalk**

**VARIABLE TO SOURCE CROSSWALK
FOR MEPS PUBLIC USE RELEASE HC-018**

SURVEY ADMINISTRATION VARIABLES

VARIABLE	LABEL	SOURCE¹
DUID	Dwelling Unit ID	Assigned in Sampling
PID	Person Number (PN)	Assigned in Sampling
DUPERSID	Sample person ID (DU + PN)	Assigned in Sampling
CONDN	Condition Number	CAPI Derived
CONDIDX	Cond ID Key: Persid + Counter (3) + CONDN	CAPI Derived
PANEL97	Panel Number	Constructed
CONDRN	Round Number	CAPI Derived

MEDICAL CONDITION VARIABLES

VARIABLE	LABEL	SOURCE
PRIOLIST	Is Condition On Priority List	CN02
CONDBEGD	Date Condition Started --Day	CN05
CONDBEGM	Date Condition Started –Month	CN05
CONDBEGY	Date Condition Started --Year	CN05
SEEDREV1	RD1: Ever See/Talk to Dr. About Condition	CN03, CN07
SEEDREV2	RD2: Ever See/Talk to Dr. About Condition	CN03, CN07
SEEDREV3	RD3: Ever See/Talk to Dr. About Condition	CN03, CN07
SEEDREV4	RD4: Ever See/Talk to Dr. About Condition	CN03, CN07
SEEDREV5	RD5: Ever See/Talk to Dr. About Condition	CN03, CN07
LSTSAW1X	RD1: When Was Last Time Dr. Was Seen	CN04 (Edited)
LSTSAW3X	RD3: When Was Last Time Dr. Was Seen	CN04 (Edited)
STILTR1X	RD1: Is Person Still Treated For Condition	CN11, CN18 (Edited)
STILTR2X	RD2: Is Person Still Treated For Condition	CN11, CN18 (Edited)
STILTR3X	RD3: Is Person Still Treated For Condition	CN11, CN18 (Edited)
STILTR4X	RD4: Is Person Still Treated For Condition	CN11, CN18 (Edited)
STILTR5X	RD5: Is Person Still Treated For Condition	CN11, CN18 (Edited)
OVRALL1X	RD1: How Did Condition Affect Overall Health	CN13, CN19 (Edited)
OVRALL2X	RD2: How Did Condition Affect Overall Health	CN13, CN19 (Edited)
OVRALL3X	RD3: How Did Condition Affect Overall Health	CN13, CN19 (Edited)
OVRALL4X	RD4: How Did Condition Affect Overall Health	CN13, CN19 (Edited)
OVRALL5X	RD5: How Did Condition Affect Overall Health	CN13, CN19 (Edited)
WHOTYP1X	RD1: Who Reported Affect	CN13OV, CN19OV (Edited)
WHOTYP2X	RD2: Who Reported Affect	CN13OV, CN19OV (Edited)
WHOTYP3X	RD3: Who Reported Affect	CN13OV, CN19OV (Edited)
WHOTYP4X	RD4: Who Reported Affect	CN13OV, CN19OV (Edited)

¹See the README file in the Survey Instruments section of the MEPS home page, for information on the MEPS HC questionnaire sections (e.g., RE, CN) shown in the Source column.

WHOTYP5X	RD5: Who Reported Affect	CN13OV, CN19OV (Edited)
FURTCA1X	RD1: Was Future Treatment Recommended	CN14 (Edited)
FURTCA2X	RD2: Was Future Treatment Recommended	CN14 (Edited)
FURTCA3X	RD3: Was Future Treatment Recommended	CN14 (Edited)
FURTCA4X	RD4: Was Future Treatment Recommended	CN14 (Edited)
FURTCA5X	RD5: Was Future Treatment Recommended	CN14 (Edited)
FOLOCA1X	RD1: Receive Follow-Up Care for Condition	CN15 (Edited)
FOLOCA2X	RD2: Receive Follow-Up Care for Condition	CN15 (Edited)
FOLOCA3X	RD3: Receive Follow-Up Care for Condition	CN15 (Edited)
FOLOCA4X	RD4: Receive Follow-Up Care for Condition	CN15 (Edited)
FOLOCA5X	RD5: Receive Follow-Up Care for Condition	CN15 (Edited)
SEEDREF1	RD1: Saw Doctor in Reference Period	CN17
SEEDREF2	RD2: Saw Doctor in Reference Period	CN17
SEEDREF3	RD3: Saw Doctor in Reference Period	CN17
SEEDREF4	RD4: Saw Doctor in Reference Period	CN17
SEEDREF5	RD5: Saw Doctor in Reference Period	CN17
CRND1	RD 1: Has Condition Round Information	Constructed
CRND2	RD 2: Has Condition Round Information	Constructed
CRND3	RD 3: Has Condition Round Information	Constructed
CRND4	RD 4: Has Condition Round Information	Constructed
CRND5	RD 5: Has Condition Round Information	Constructed
SELECTR2	Previously Reported Priority Condition Selected in Round 2	Constructed
SELECTR3	Previously Reported Priority Condition Selected in Round 3	Constructed
SELECTR4	Previously Reported Priority Condition Selected in Round 4	Constructed
SELECTR5	Previously Reported Priority Condition Selected in Round 5	Constructed
PRIORFLG	1 = Initial Priority Information on 1996 File	
INJURY	Was Condition Due To Accident/Injury	CN02
ACCDENTD	Date Of Accident -- Day	CN06
ACCDENTM	Date Of Accident – Month	CN06
ACCDENTY	Date Of Accident – Year	CN06
ACCDNWRK	Did Accident Occur At Work	CN07
ACDNTLOC	Where Did Accident Happen	CN08
INOUTH	Was Accident inside/Outside House	CN09
VEHICLE	Was A Motor Vehicle Involved	CN10
GUN	Was A Gun Involved	CN10
WEAPON	Was Some Other Weapon Involved	CN10
POISON	Was Poison/Poisonous Substance Involved	CN10
FIREBURN	Was Fire/Burning Involved	CN10
DROWN	Was Drowning/Near Drowning Involved	CN10
SPORTS	Was It A Sports Injury	CN10
FALL	Was It A Fall	CN10
ACDNTOTH	Was Something Else Involved	CN10
RECOVER	Fully Recovered From Condition	CN12
INJURFLG	1 = Initial Injury Information on 1996 File	
MISSWORK	Flag Associated With Missed Work days	DD04
MISSSCHL	Flag Associated With Missed School Days	DD08
INBEDFLG	Flag Associated With Bed Days	DD12

ICD9CODX	ICD-9 Code for Condition	CE05, HS03, ER04, OP09, MV09, DN02, HH05, PM09 (Edited)
ICD9PROX	ICD-9 Code for Procedure	CE05, HS03, ER04, OP09, MV09, DN02, HH05, PM09 (Edited)
CCCODEX	Clinical Classification Code	Constructed/Edited
HHNUM	# Home Health Events Assoc. w/ Condition	Constructed
DNNUM	# Dental Events Assoc. w/ Condition	Constructed
HSNUM	# Hospital Stays Assoc. w/ Condition	Constructed
OPNUM	# Out-Patient Events Assoc. w/ Condition	Constructed
OBNUM	# Office-Based Events Assoc. w/ Condition	Constructed
ERNUM	# ER Assoc. w/ Condition	Constructed
RXNUM	# Prescribed Medicines Associations W/ Condition	Constructed

WEIGHTS AND VARIANCE ESTIMATION VARIABLES

VARIABLE	LABEL	SOURCE
WTDPER97	Poverty/Mortality Adjusted Person-Level	Constructed
VARPSU97	Variance Estimation PSU 1996	Constructed
VARSTR97	Variance Estimation Stratum	Constructed

Appendix 2:
Condition, Procedure and Clinical Classification Code
Frequencies

TABLE 1
UNWEIGHTED AND WEIGHTED COUNT OF RECORDS FOR EACH VALUE OF ICD9CODX

ICD9CODX VALUE	LABEL	UNWEIGHTED	WEIGHTED BY WTDPER97
-1	INAPPLICABLE	2,534	21,438,885
-8	DK	881	7,325,082
003	OTH SALMONELLA INFECTION*	6	46,387
004	SHIGELLOSIS*	5	17,343
005	OTHER FOOD POISONING*	141	1,265,331
006	AMEBIASIS*	4	16,211
007	OTH PROTOZOAL INTEST DIS*	6	48,132
008	INTESTINAL INFECTION NEC*	4,297	36,776,883
009	ILL-DEFINED INTEST INF*	23	168,742
011	PULMONARY TUBERCULOSIS*	24	132,158
015	TB OF BONE AND JOINT*	1	8,078
033	WHOOPING COUGH*	2	10,518
034	STREP THROAT/SCARLET FEV*	1,002	8,624,214
038	SEPTICEMIA*	23	136,412
039	ACTINOMYCOTIC INFECTIONS*	1	9,308
041	BACT INF IN OTH DIS/NOS*	183	1,700,032
042	HUMAN IMMUNO VIRUS DIS	17	103,800
045	ACUTE POLIOMYELITIS*	6	30,035
046	CNS SLOW VIRUS INFECTION*	1	9,492
052	CHICKENPOX*	281	2,212,066
053	HERPES ZOSTER*	133	1,296,894
054	HERPES SIMPLEX*	107	982,258
057	OTHER VIRAL EXANTHEMATA*	43	409,567
070	VIRAL HEPATITIS*	24	134,716
074	COXSACKIE VIRAL DISEASE*	8	107,336
075	INFECTIOUS MONONUCLEOSIS	47	437,331
077	OTH VIRAL CONJUNCTIVITIS*	2	14,631
078	OTHER VIRAL DISEASE*	265	2,470,771
079	VIRAL INF IN OTH DIS/NOS*	808	7,328,338
084	MALARIA*	3	36,563
088	OTH ARTHROPOD-BORNE DIS*	12	103,160
095	OTH LATE SYMPT SYPHILIS*	1	2,181
097	OTH & UNSPEC SYPHILIS*	3	13,009
098	GONOCOCCAL INFECTIONS*	5	16,888
099	OTHER VENEREAL DISEASE*	6	31,047
110	DERMATOPHYTOSIS*	343	2,724,686
111	DERMATOMYCOSIS NEC/NOS*	28	171,521
112	CANDIDIASIS*	435	3,630,173
117	OTHER MYCOSES*	44	395,031
127	OTH INTEST HELMINTHIASES*	14	140,373
128	HELMINTHIASES NEC & NOS*	6	30,990
129	INTESTIN PARASITISM NOS	2	30,013
131	TRICHOMONIASIS*	7	48,823
132	PEDICULOSIS AND PHTHIRUS*	52	388,033
133	ACARIASIS*	18	108,601
135	SARCOIDOSIS	14	95,780
136	INF/PARASITE DIS NEC/NOS*	150	1,207,661
138	LATE EFFECT ACUTE POLIO	9	74,413
140	MALIGNANT NEOPLASM LIP*	5	41,000
141	MALIG NEO TONGUE*	1	7,901
142	MAL NEO MAJOR SALIVARY*	1	9,759
145	MALIG NEO MOUTH NEC/NOS*	1	7,172
146	MALIG NEO OROPHARYNX*	1	6,675
149	OTH MALIG NEO OROPHARYNX*	4	21,225
150	MALIGNANT NEO ESOPHAGUS*	2	7,073
151	MALIGNANT NEO STOMACH*	9	76,396
153	MALIGNANT NEOPLASM COLON*	40	324,149
154	MALIG NEO RECTUM/ANUS*	2	6,036
155	MALIGNANT NEOPLASM LIVER*	9	95,765
156	MAL NEO GB/EXTRAHEPATIC*	1	12,650
157	MALIGNANT NEO PANCREAS*	6	72,207
159	OTH MALIG NEO GI/PERITON*	1	8,633
160	MAL NEO NASAL CAV/SINUS*	1	7,961
161	MALIGNANT NEO LARYNX*	1	15,398
162	MAL NEO TRACHEA/LUNG*	39	328,524
170	MAL NEO BONE/ARTIC CART*	12	94,864
171	MAL NEO SOFT TISSUE*	3	36,414
172	MALIGNANT MELANOMA SKIN*	35	320,338
173	OTHER MALIG NEOPL SKIN*	296	2,933,666
174	MALIG NEO FEMALE BREAST*	90	951,228
179	MALIG NEOPL UTERUS NOS	14	108,987
180	MALIG NEOPL CERVIX UTERI*	26	179,678
182	MALIG NEOPL UTERUS BODY*	2	19,718

Note: "*" indicates collapsing of fully specified codes to 3-digit code categories. See Section 2.5.2 for additional information.

TABLE 1
UNWEIGHTED AND WEIGHTED COUNT OF RECORDS FOR EACH VALUE OF ICD9CODX

ICD9CODX VALUE	LABEL	UNWEIGHTED	WEIGHTED BY WTDPER97
183	MAL NEO UTERINE ADNEXA*	16	118,741
184	MAL NEO FEM GEN NEC/NOS*	3	11,014
185	MALIGN NEOPL PROSTATE	112	935,614
186	MALIGN NEOPL TESTIS*	4	74,271
187	MAL NEO MALE GENITAL NEC*	1	4,582
188	MALIGN NEOPL BLADDER*	20	221,987
189	MAL NEO URINARY NEC/NOS*	6	83,432
191	MALIGNANT NEOPLASM BRAIN*	6	73,217
193	MALIGN NEOPL THYROID	10	94,392
194	MAL NEO OTHER ENDOCRINE*	1	8,802
195	MAL NEO OTH/ILL-DEF SITE*	15	114,764
198	SEC MALIGN NEO OTH SITES*	2	12,305
199	MALIGNANT NEOPLASM NOS*	96	748,030
201	HODGKIN'S DISEASE*	3	29,235
202	OTH MAL NEO LYMPH/HISTIO*	35	306,325
203	MULTIPLE MYELOMA ET AL*	5	50,011
204	LYMPHOID LEUKEMIA*	3	52,755
205	MYELOID LEUKEMIA*	1	3,964
208	LEUKEMIA-UNSPECIF CELL*	19	152,838
210	BEN NEO ORAL CAV/PHARYNX*	1	5,270
211	OTH BENIGN NEOPLASM GI*	55	489,185
212	BEN NEO RESP SYST/THORAX*	2	32,484
213	BEN NEO BONE/ARTIC CART*	2	15,431
214	LIPOMA*	18	183,685
215	OTH BEN NEO SOFT TISSUE*	59	548,386
216	BENIGN NEOPLASM OF SKIN*	289	2,893,448
217	BENIGN NEOPLASM BREAST	17	125,305
218	UTERINE LEIOMYOMA*	23	215,270
219	OTH BENIGN NEO UTERUS*	1	3,499
220	BENIGN NEOPLASM OVARY	7	37,163
222	BENIGN NEO MALE GENITAL*	2	12,828
224	BENIGN NEOPLASM OF EYE*	1	7,520
225	BENIGN NEO NERVOUS SYST*	1	22,893
227	BEN NEO OTH ENDOCRINE*	4	18,006
228	HEMANGIOMA/LYMPHANGIOMA*	7	66,185
229	BENIGN NEOPLASM NEC/NOS*	13	112,842
234	CA IN SITU NEC/NOS*	2	50,865
235	UNC BEHAV NEO GI/RESP*	2	16,917
236	UNC BEHAV NEO GU*	2	20,301
237	UNCER NEO ENDOCRINE/NERV*	4	31,827
238	UNC BEHAV NEO NEC/NOS*	23	178,618
239	UNSPECIFIED NEOPLASM*	344	2,747,595
240	GOITER, SIMPLE/NOS*	23	203,790
241	NONTOXIC NODULAR GOITER*	7	70,372
242	THYROTOXICOSIS*	82	655,631
243	CONGENITAL HYPOTHYROIDISM	1	7,042
244	ACQUIRED HYPOTHYROIDISM*	390	3,560,484
245	THYROIDITIS*	3	26,916
246	OTH DISORDERS OF THYROID*	517	4,307,178
250	DIABETES MELLITUS*	1,564	11,201,856
251	OTH PANCREATIC DISORDER*	46	416,511
252	PARATHYROID DISORDER*	3	47,286
253	PITUITARY/HYPOTHALM DIS*	9	81,543
255	ADRENAL GLAND DISORDERS*	12	105,368
256	OVARIAN DYSFUNCTION*	34	320,707
257	TESTICULAR DYSFUNCTION*	5	35,276
259	OTH ENDORINE DISORDERS*	365	2,850,801
263	PROT-CAL MALNUTR NEC/NOS*	10	57,207
266	B-COMPLEX DEFICIENCIES*	15	150,173
268	VITAMIN D DEFICIENCY*	4	33,889
269	OTH NUTRITION DEFICIENCY*	17	150,626
270	DIS AMIN-ACID METABOLISM*	1	1,133
271	DIS CARBOHYDRATE METABOL*	16	109,641
272	DIS OF LIPOID METABOLISM*	1,206	10,496,882
273	DIS PLASMA PROTEIN METAB*	4	46,666
274	GOUT*	237	2,031,617
275	DIS MINERAL METABOLISM*	27	235,648
276	FLUID/ELECTROLYTE DIS*	717	5,901,104
277	METABOLISM DIS NEC/NOS*	20	167,153
278	OBESITY/HYPERALIMENT*	172	1,413,211
279	DIS IMMUNE MECHANISM*	15	99,641
280	IRON DEFICIENCY ANEMIAS*	61	442,945
281	OTHER DEFICIENCY ANEMIA*	11	89,787

Note: "*" indicates collapsing of fully specified codes to 3-digit code categories. See Section 2.5.2 for additional information.

TABLE 1
UNWEIGHTED AND WEIGHTED COUNT OF RECORDS FOR EACH VALUE OF ICD9CODX

ICD9CODX VALUE	LABEL	UNWEIGHTED	WEIGHTED BY WTDPER97
282	HEREDIT HEMOLYTIC ANEMIA*	15	94,162
284	APLASTIC ANEMIA*	2	27,736
285	ANEMIA NEC/NOS*	267	1,759,685
286	COAGULATION DEFECTS*	16	140,671
287	PURPURA & OTH HEMOR COND*	8	65,755
288	WBC DISORDERS*	15	109,289
289	OTHER BLOOD DISEASE*	76	556,954
290	SENIILE/PRESENIILE PSYCHOS*	5	48,701
291	ALCOHOLIC PSYCHOSES*	2	18,081
292	DRUG PSYCHOSES*	5	35,870
293	TRANSIENT ORG MENTAL DIS*	2	30,095
294	OTHER ORGANIC PSYCH COND*	25	192,232
295	SCHIZOPHRENIC DISORDERS*	68	506,833
296	AFFECTIVE PSYCHOSES*	138	1,073,279
297	PARANOID STATES*	6	49,265
298	OTH NONORGANIC PSYCHOSES*	23	133,736
299	PSYCHOSES OF CHILDHOOD*	10	69,993
300	NEUROTIC DISORDERS*	911	7,315,301
301	PERSONALITY DISORDERS*	9	72,739
302	SEXUAL DISORDERS*	14	77,885
303	ALCOHOL DEPENDENCE SYNDR*	41	333,520
304	DRUG DEPENDENCE*	28	224,222
305	NONDEPENDENT DRUG ABUSE*	50	382,980
306	PSYCHOPHYSIOLOGIC DIS*	38	278,483
307	SPECIAL SYMPTOM NEC*	76	544,256
308	ACUTE REACTION TO STRESS*	636	5,389,509
309	ADJUSTMENT REACTION*	89	603,841
310	NONPSYCHOTIC BRAIN SYND*	3	36,380
311	DEPRESSIVE DISORDER NEC	1,910	15,332,742
312	CONDUCT DISTURBANCE NEC*	34	214,405
313	EMOTIONAL DIS CHILD/ADOL*	9	60,767
314	HYPERKINETIC SYNDROME*	450	3,382,719
315	SPECIFIC DEVELOP DELAYS*	94	507,353
317	MILD MENTAL RETARDATION	3	18,336
319	MENTAL RETARDATION NOS	41	255,082
322	MENINGITIS, UNSPECIFIED*	12	61,895
323	ENCEPHALOMYELITIS*	3	16,711
324	CNS ABSCESS*	1	5,100
331	CEREBRAL DEGENERATION*	59	407,131
332	PARKINSON'S DISEASE*	58	416,532
333	EXTRAPYRAMIDAL DIS NEC*	21	151,735
336	SPINAL CORD DISEASE NEC*	12	75,716
337	AUTONOMIC NERVE DISORDER*	3	16,526
340	MULTIPLE SCLEROSIS	37	299,445
343	INFANTILE CEREBRAL PALSY*	38	253,065
344	OTH PARALYTIC SYNDROMES*	38	218,874
345	EPILEPSY*	109	807,813
346	MIGRAINE*	633	5,247,555
347	CATAPLEXY AND NARCOLEPSY	9	61,728
348	OTHER BRAIN CONDITIONS*	41	261,403
349	CNS DISORDER NEC/NOS*	31	223,712
350	TRIGEMINAL NERV DISORDER*	8	74,151
351	FACIAL NERVE DISORDERS*	20	197,571
352	DISORDER CRAN NERVE NEC*	2	46,765
353	NERVE ROOT/PLEXUS DIS*	18	169,747
354	MONONEURITIS UPPER LIMB*	255	2,140,285
355	MONONEURITIS LEG*	272	2,074,745
356	HERED PERIPH NEUROPATHY*	21	202,653
357	INFLAM/TOXIC NEUROPATHY*	2	9,236
358	MYONEURAL DISORDERS*	3	17,244
359	MUSCULAR DYSTROPHIES*	4	36,188
360	DISORDERS OF THE GLOBE*	337	2,864,918
361	RETINAL DETACHMENT*	34	336,005
362	RETINAL DISORDERS NEC*	137	1,228,445
363	CHOROIDAL DISORDERS*	12	119,144
364	IRIS/CILIARY BODY DIS*	18	224,179
365	GLAUCOMA*	404	3,416,207
366	CATARACT*	566	4,709,414
367	DISORDERS OF REFRACTION*	663	6,215,281
368	VISUAL DISTURBANCES*	173	1,374,171
369	BLINDNESS AND LOW VISION*	147	1,142,552
370	KERATITIS*	8	84,095
371	CORNEAL OPACITY/DISORDER*	22	172,201

Note: "*" indicates collapsing of fully specified codes to 3-digit code categories. See Section 2.5.2 for additional information.

TABLE 1
UNWEIGHTED AND WEIGHTED COUNT OF RECORDS FOR EACH VALUE OF ICD9CODX

ICD9CODX VALUE	LABEL	UNWEIGHTED	WEIGHTED BY WTDPER97
372	DISORDERS OF CONJUNCTIVA*	362	3,543,468
373	INFLAMMATION OF EYELIDS*	65	558,557
374	DISORDERS OF EYELIDS NEC*	32	382,640
375	LACRIMAL SYSTEM DISORDER*	79	642,966
377	DISORDERS OF OPTIC NERVE*	7	76,468
378	STRABISMUS*	43	330,984
379	EYE DISORDERS NEC*	303	2,547,911
380	DISORDER OF EXTERNAL EAR*	137	1,361,870
381	NONSUPPUR OTITIS MEDIA*	44	406,500
382	OTITIS MEDIA, SUPPUR/NOS*	2,544	21,145,164
383	MASTOIDITIS ET AL*	3	80,163
384	DISORD TYMPANIC MEMB NEC*	45	367,097
385	DIS MID EAR/MASTOID NEC*	3	33,635
386	VERTIGINOUS SYNDROMES*	140	1,434,011
387	OTOSCLEROSIS*	2	74,477
388	DISORDERS OF EAR NEC*	328	2,989,108
389	HEARING LOSS*	216	1,766,286
390	RHEUM FEV W/O HRT INVOLV	6	28,991
394	DISEASES OF MITRAL VALVE*	2	8,572
397	ENDOCARDIAL DISEASE NEC*	1	10,244
398	OTH RHEUMATIC HEART DIS*	3	52,893
401	ESSENTIAL HYPERTENSION*	3,810	30,379,451
410	ACUTE MYOCARDIAL INFARCT*	235	1,892,113
411	OTH AC ISCHEMIC HRT DIS*	18	185,632
412	OLD MYOCARDIAL INFARCT	8	63,786
413	ANGINA PECTORIS*	169	1,346,873
414	OTH CHR ISCHEMIC HRT DIS*	129	960,084
415	ACUTE PULMONARY HRT DIS*	13	112,011
416	CHR PULMONARY HEART DIS*	4	39,974
423	OTH PERICARDIAL DISEASE*	4	19,539
424	OTH ENDOCARDIAL DISEASE*	147	1,204,546
425	CARDIOMYOPATHY*	7	75,866
426	CONDUCTION DISORDERS*	21	192,703
427	CARDIAC DYSRHYTHMIAS*	396	3,493,099
428	HEART FAILURE*	209	1,537,019
429	ILL-DEFINED HEART DIS*	821	6,523,376
430	SUBARACHNOID HEMORRHAGE	1	10,937
431	INTRACEREBRAL HEMORRHAGE	5	40,172
432	INTRACRANIAL HEM NEC/NOS*	1	3,605
433	PRECEREBRAL OCCLUSION*	22	199,263
434	CEREBRAL ARTERY OCCLUS*	11	66,193
435	TRANSIENT CEREB ISCHEMIA*	23	232,723
436	CVA	328	2,373,247
437	OTH CEREBROVASC DISEASE*	8	45,669
438	LATE EFF CEREBROVASC DIS*	19	162,463
440	ATHEROSCLEROSIS*	50	418,006
441	AORTIC ANEURYSM*	20	236,120
442	OTHER ANEURYSM*	31	239,644
443	OTH PERIPH VASCULAR DIS*	25	177,202
444	ARTERIAL EMBOLISM*	119	978,286
446	POLYARTERIT NODOSA ET AL*	9	107,395
447	OTHER ARTERIAL DISEASE*	54	468,014
448	DISEASE OF CAPILLARIES*	17	130,411
451	THROMBOPHLEBITIS*	27	237,325
453	OTH VENOUS THROMBOSIS*	79	590,602
454	VARICOSE VEINS, LEG*	36	259,977
455	HEMORRHOIDS*	145	1,287,663
456	VARICOSE VEINS NEC*	2	10,851
457	NONINFECT LYMPHATIC DIS*	4	27,126
458	HYPOTENSION NEC	52	358,333
459	OTH CIRCULATORY DISEASE*	268	2,082,934
460	ACUTE NASOPHARYNGITIS	6,390	52,523,271
461	ACUTE SINUSITIS*	22	155,151
462	ACUTE PHARYNGITIS	1,070	9,000,121
463	ACUTE TONSILLITIS	232	1,673,253
464	AC LARYNGITIS/TRACHEITIS*	151	1,448,256
465	AC URI MULT SITES/NOS*	457	4,098,040
466	AC BRONCHITIS/BRONCHIOL*	62	452,149
470	DEVIATED NASAL SEPTUM	23	254,134
471	NASAL POLYP*	13	135,488
472	CHR PHARYNG/NASOPHARYNG*	17	136,736
473	CHRONIC SINUSITIS*	2,177	19,573,850
474	CHR T & A DIS*	71	436,577

Note: "*" indicates collapsing of fully specified codes to 3-digit code categories. See Section 2.5.2 for additional information.

TABLE 1
UNWEIGHTED AND WEIGHTED COUNT OF RECORDS FOR EACH VALUE OF ICD9CODX

ICD9CODX VALUE	LABEL	UNWEIGHTED	WEIGHTED BY WTDPER97
475	PERITONSILLAR ABSCESS	2	16,635
477	ALLERGIC RHINITIS*	2,198	19,274,179
478	OTH UPPR RESPIRATORY DIS*	1,098	8,526,269
480	VIRAL PNEUMONIA*	18	181,307
482	OTH BACTERIAL PNEUMONIA*	2	12,597
485	BRONCHOPNEUMONIA ORG NOS	27	221,652
486	PNEUMONIA, ORGANISM NOS	626	5,098,844
487	INFLUENZA*	1,891	15,627,717
490	BRONCHITIS NOS	1,717	14,707,536
491	CHRONIC BRONCHITIS*	72	540,964
492	EMPHYSEMA*	201	1,495,883
493	ASTHMA*	1,763	12,440,198
494	BRONCHIECTASIS*	5	35,434
496	CHR AIRWAY OBSTRUCT NEC	32	270,813
500	COAL WORKERS' PNEUMOCON	8	62,399
505	PNEUMOCONIOSIS NOS	7	51,657
507	SOLID/LIQ PNEUMONITIS*	1	3,141
510	EMPYEMA*	1	5,242
511	PLEURISY*	55	424,201
512	PNEUMOTHORAX*	1	18,453
514	PULM CONGEST/HYPOSTASIS	119	990,335
515	POSTINFLAM PULM FIBROSIS	6	37,046
518	OTHER LUNG DISEASES*	163	1,391,619
519	OTH RESP SYSTEM DISEASES*	320	2,447,415
520	TOOTH DEVELOP/ERUPT DIS*	78	655,094
521	HARD TISSUE DIS OF TEETH*	115	778,017
522	PULP & PERIAPICAL DIS*	438	3,724,156
523	GINGIVAL/PERIODONTAL DIS*	242	2,131,231
524	DENTOFACIAL ANOMALIES*	78	618,396
525	OTHER DENTAL DISORDER*	491	3,867,141
526	JAW DISEASES*	44	346,601
527	SALIVARY GLAND DISEASES*	16	148,313
528	ORAL SOFT TISSUE DISEASE*	163	1,320,955
529	TONGUE DISORDERS*	10	65,569
530	DISEASES OF ESOPHAGUS*	227	2,213,870
531	GASTRIC ULCER*	237	1,795,437
532	DUODENAL ULCER*	20	114,308
533	PEPTIC ULCER, SITE NOS*	29	186,741
534	GASTROJEJUNAL ULCER*	1	12,651
535	GASTRITIS AND DUODENITIS*	171	1,105,371
536	STOMACH FUNCTION DISORD*	1,162	9,562,539
537	OTH GASTRODUODENAL DIS*	255	1,920,241
540	ACUTE APPENDICITIS*	8	82,583
541	APPENDICITIS NOS	34	204,611
543	OTH DISEASES OF APPENDIX*	8	54,412
550	INGUINAL HERNIA*	37	404,938
552	OTH ABDOM HERNIA W OBSTR*	1	9,182
553	OTHER ABDOMINAL HERNIA*	427	3,269,969
555	REGIONAL ENTERITIS*	32	211,587
556	IDIOPATHIC PROCTOCOLITIS*	20	139,537
557	VASC INSUFF INTESTINE*	2	13,929
558	OTH NONINF GASTROENTERIT*	93	732,827
560	INTESTINAL OBSTRUCTION*	31	199,897
562	DIVERTICULA OF INTESTINE*	103	843,898
564	FUNCT DIGESTIVE DIS NEC*	263	2,045,249
565	ANAL FISSURE & FISTULA*	7	55,567
566	ANAL & RECTAL ABSCESS	4	24,883
567	PERITONITIS*	2	10,904
568	OTH PERITONEAL DISORDERS*	4	30,878
569	OTH INTESTINAL DISORDERS*	168	1,335,440
571	CHR LIVER DIS/CIRRHOsis*	20	126,003
572	SEQUELA OF CHR LIVER DIS*	1	13,762
573	OTH LIVER DISORDERS*	63	478,615
574	CHOLELI THIASIS*	93	605,852
575	OTH GALLBLADDER DISORDER*	146	1,078,680
576	OTH DIS OF BILIARY TRACT*	7	79,257
577	DISEASES OF PANCREAS*	42	296,345
578	GASTROINTESTINAL HEMORR*	64	563,098
579	INTESTINAL MALABSORPTION*	10	88,990
580	ACUTE NEPHRITIS*	2	2,892
581	NEPHROTIC SYNDROME*	3	32,017
582	CHRONIC NEPHRITIS*	2	15,862
583	NEPHRITIS NOS*	7	48,809

Note: "*" indicates collapsing of fully specified codes to 3-digit code categories. See Section 2.5.2 for additional information.

TABLE 1
UNWEIGHTED AND WEIGHTED COUNT OF RECORDS FOR EACH VALUE OF ICD9CODX

ICD9CODX VALUE	LABEL	UNWEIGHTED	WEIGHTED BY WTDPER97
584	ACUTE RENAL FAILURE*	2	9,558
585	CHRONIC RENAL FAILURE	3	18,311
586	RENAL FAILURE NOS	48	431,261
587	RENAL SCLEROSIS NOS	5	19,671
588	IMPAIRED RENAL FUNCTION*	2	38,812
590	KIDNEY INFECTION*	236	1,674,297
592	RENAL/URETERAL CALCULUS*	164	1,358,332
593	OTH RENAL & URETERAL DIS*	138	923,745
594	LOWER URIN TRACT CALCUL*	3	12,131
595	CYSTITIS*	520	4,254,742
596	OTHER BLADDER DISORDERS*	136	1,161,342
597	URETHRITIS/URETHRAL SYND*	3	27,540
598	URETHRAL STRICTURE*	3	22,495
599	OTH URINARY TRACT DISOR*	629	5,638,164
600	HYPERPLASIA OF PROSTATE*	119	1,153,377
601	PROSTATIC INFLAMMATION*	46	377,084
602	OTH PROSTATIC DISORDERS*	160	1,320,355
603	HYDROCELE*	9	84,330
604	ORCHITIS & EPIDIDYMITIS*	6	86,410
606	MALE INFERTILITY*	1	6,672
607	DISORDERS OF PENIS*	31	224,756
608	MALE GENITAL DIS NEC*	31	308,164
610	BENIGN MAMMARY DYSPLASIA*	66	570,411
611	OTHER BREAST DISORDERS*	266	2,399,617
614	FEMALE PELVIC INFLAM DIS*	36	338,322
615	UTERINE INFLAMMATORY DIS*	16	93,042
616	OTH FEMALE GEN INFLAM*	153	1,240,890
617	ENDOMETRIOSIS*	50	427,902
618	GENITAL PROLAPSE*	29	212,832
620	NONINFLAM DIS OVAR/ADNEX*	125	1,219,680
621	DISORDERS OF UTERUS NEC*	34	303,423
622	NONINFLAMM DIS CERVIX*	38	363,521
623	NONINFLAMM DIS VAGINA*	108	1,013,722
624	NONINFLAMM DIS VULVA*	3	31,644
625	FEMALE GENITAL SYMPTOMS*	307	2,545,452
626	DISORDER OF MENSTRUATION*	241	1,956,104
627	MENOPAUSAL DISORDERS*	635	5,316,318
628	FEMALE INFERTILITY*	10	52,208
629	OTH FEMALE GENITAL DIS*	91	652,630
633	ECTOPIC PREGNANCY*	1	10,357
634	SPONTANEOUS ABORTION*	74	472,267
637	UNSPECIFIED ABORTION*	6	61,153
640	HEMORRHAGE IN EARLY PREG*	1	8,303
641	ANTEPART HEM & PLAC PREV*	8	67,010
642	HYPERTENSION COMPL PREG*	5	40,469
643	EXCESS VOMITING IN PREG*	10	53,373
644	EARLY/THREATENED LABOR*	39	264,166
646	OTHER COMPL OF PREGNANCY*	8	66,320
648	OTH CURRENT COND IN PREG*	34	292,235
650	NORMAL DELIVERY	116	812,231
652	MALPOSITION OF FETUS*	1	6,782
656	OTH FETAL PROB AFF MOTH*	4	18,438
658	OTH AMNIOTIC CAVITY PROB*	2	26,365
666	POSTPARTUM HEMORRHAGE*	1	7,402
669	OTH COMPL LABOR/DELIVERY*	4	40,996
674	PUERPERAL COMPL NEC/NOS*	6	45,322
676	OTH BREAST/LACT DIS PREG*	4	70,870
680	CARBUNCLE AND FURUNCLE*	48	363,492
681	CELLULITIS, FINGER/TOE*	33	339,719
682	OTHER CELLULITIS/ABSCESS*	60	464,339
683	ACUTE LYMPHADENITIS	19	152,061
684	IMPETIGO	37	331,927
685	PILONAL CYST*	7	77,852
686	OTH LOCAL SKIN INFECTION*	272	2,081,553
690	ERYTHEMATOSQUAMOUS DERM*	22	211,555
691	ATOPIC DERMATITIS*	50	335,301
692	CONTACT DERMATITIS*	565	5,283,910
693	DERMAT D/T INTERN AGENT*	42	421,696
694	BULLOUS DERMATOSES*	2	15,148
695	ERYTHEMATOUS CONDITIONS*	51	477,875
696	PSORIASIS/LIKE DISORDERS*	126	1,082,963
698	PRURITUS & LIKE COND*	80	538,144
700	CORNS AND CALLOSITIES	124	1,130,786

Note: "*" indicates collapsing of fully specified codes to 3-digit code categories. See Section 2.5.2 for additional information.

TABLE 1
UNWEIGHTED AND WEIGHTED COUNT OF RECORDS FOR EACH VALUE OF ICD9CODX

ICD9CODX VALUE	LABEL	UNWEIGHTED	WEIGHTED BY WTDPER97
701	OTH SKIN HYPERTRO/ATROPH*	126	1,140,379
702	OTHER DERMATOSES*	15	133,851
703	DISEASES OF NAIL*	197	1,390,871
704	HAIR & FOLLICLE DISEASE*	63	530,675
705	DISORDERS OF SWEAT GLAND*	17	168,420
706	SEBACEOUS GLAND DISEASE*	568	5,247,895
707	CHRONIC ULCER OF SKIN*	345	2,368,982
708	URTICARIA*	79	828,164
709	OTHER SKIN DISORDERS*	459	4,169,239
710	DIFF CONNECTIVE TISS DIS*	87	671,187
711	ARTHROPATHY W INFECTION*	8	50,862
712	CRYSTAL ARTHROPATHIES*	2	10,502
714	OTH INFLAMM POLYARTHROP*	155	1,102,913
715	OSTEOARTHROSIS ET AL*	209	1,774,451
716	ARTHROPATHIES NEC/NOS*	1,987	14,740,163
717	INTERNAL DERANGEMNT KNEE*	56	519,640
718	OTHER JOINT DERANGEMENT*	41	356,065
719	JOINT DISORDER NEC & NOS*	1,073	8,918,439
720	INFLAM Spondylopathies*	20	133,185
721	SPONDYLOYSIS ET AL*	114	922,211
722	INTERVERTEBRAL DISC DIS*	452	3,805,178
723	OTHER CERVICAL SPINE DIS*	300	2,597,698
724	BACK DISORDER NEC & NOS*	2,101	17,072,707
725	POLYMYALGIA RHEUMATICA	12	107,023
726	PERIPH ENTHESOPATHIES*	441	4,074,141
727	OTH DIS SYNOV/TEND/BURSA*	319	2,771,961
728	DIS OF MUSCLE/LIG/FASCIA*	290	2,498,228
729	OTHER SOFT TISSUE DIS*	1,078	8,045,869
730	OSTEOMYELITIS*	15	117,782
731	OSTEITIS DEFORMANS*	4	68,579
732	OSTEOCHONDROPATHIES*	15	167,800
733	OTH BONE & CARTILAGE DIS*	415	3,374,622
734	FLAT FOOT	35	320,971
735	ACQ DEFORMITIES OF TOE*	30	263,912
736	OTH ACQ LIMB DEFORMITIES*	30	250,309
737	CURVATURE OF SPINE*	111	980,305
738	OTHER ACQUIRED DEFORMITY*	5	44,056
739	SOMATIC DYSFUNCTION*	1	7,117
741	SPINA BIFIDA*	12	81,853
742	OTH NERVOUS SYSTEM ANOM*	10	60,784
743	CONGENITAL EYE ANOMALY*	6	59,303
744	CONG ANOM EAR/FACE/NECK*	5	93,105
745	CARDIAC SEPTAL CLOS ANOM*	9	70,728
746	OTHER CONGEN HEART ANOM*	23	140,864
747	OTH CONG CIRC SYST ANOM*	8	56,951
748	RESPIRATORY SYST ANOMALY*	3	18,964
749	CLEFT PALATE & CLEFT LIP*	12	75,799
750	OTHER UPPER GI ANOMALY*	6	49,737
751	OTH ANOM DIGESTIVE SYST*	2	27,583
752	GENITAL ORGAN ANOMALIES*	17	163,434
753	URINARY SYSTEM ANOMALIES*	15	124,113
754	CONG MUSCULOSKEL DEFORM*	12	72,125
755	OTH CONGEN LIMB ANOMALY*	11	94,386
756	OTH MUSCULOSKELET ANOMAL*	37	258,564
757	CONGEN SKIN ANOMALIES*	14	146,778
758	CHROMOSOMAL ANOMALIES*	27	164,108
759	CONGEN ANOMALIES NEC/NOS*	30	241,710
760	MATERN COND AFF FETUS/NB*	3	17,694
764	LT-FOR-DATES W/O FET MAL*	2	35,339
765	EXTREME IMMATURITY*	14	93,934
767	BIRTH TRAUMA*	6	58,407
768	INTRAUTERINE ASPHYXIA*	1	0
769	RESPIRATORY DISTRESS SYN	1	5,112
770	OTH NB RESPIRATORY COND*	2	13,080
771	PERINATAL INFECTION*	1	2,539
774	OTHER PERINATAL JAUNDICE*	2	12,957
780	GENERAL SYMPTOMS*	2,685	20,490,156
781	NERV/MUSCULSKEL SYS SYMP*	91	808,587
782	SKIN/OTH INTEGUMENT SYMP*	1,028	8,085,594
783	NUTRIT/METAB/DEVEL SYMP*	147	1,147,771
784	SYMPTOMS INVOL HEAD/NECK*	1,347	10,139,000
785	CARDIOVASCULAR SYS SYMP*	371	3,119,660
786	RESP SYS/OTH CHEST SYMP*	1,482	10,915,026

Note: "*" indicates collapsing of fully specified codes to 3-digit code categories. See Section 2.5.2 for additional information.

TABLE 1
UNWEIGHTED AND WEIGHTED COUNT OF RECORDS FOR EACH VALUE OF ICD9CODX

ICD9CODX VALUE	LABEL	UNWEIGHTED	WEIGHTED BY WTDPER97
787	GI SYSTEM SYMPTOMS*	787	5,738,151
788	URINARY SYSTEM SYMPTOMS*	171	1,348,104
789	OTH ABDOMEN/PELVIS SYMP*	291	2,250,738
790	ABNORMAL BLOOD FINDINGS*	137	1,195,905
791	ABNORMAL URINE FINDINGS*	16	132,365
792	ABN FIND-OTH BODY SUBST*	1	8,113
793	ABN FIND-BODY STRUCT NOS*	13	124,055
794	ABNORMAL FUNCTION STUDY*	9	94,933
795	ABN HISTOLOG/IMMUNO FIND*	87	746,762
796	OTHER ABNORMAL FINDINGS*	255	2,012,399
797	SENILITY W/O PSYCHOSIS	180	1,195,157
799	OTH ILL-DEF MORBID/MORTL*	661	4,733,083
802	FRACTURE OF FACE BONES*	45	316,907
803	OTHER SKULL FRACTURE*	5	41,764
805	VERTEBRL FX W/O CORD INJ*	76	705,378
806	VERTEBRAL FX W CORD INJ*	2	9,749
807	FX RIB/STERN/LARYN/TRACH*	99	818,411
808	PELVIC FRACTURE*	17	144,947
810	CLAVICLE FRACTURE*	27	243,368
811	SCAPULA FRACTURE*	3	23,431
812	HUMERUS FRACTURE*	56	418,252
813	RADIUS & Ulna FRACTURE*	18	112,799
814	CARPAL FRACTURE*	76	669,938
815	METACARPAL FRACTURE*	51	428,847
816	FRACTURE PHALANGES, HAND*	115	921,645
817	MULTIPLE HAND FRACTURES*	4	25,035
818	FRACTURE ARM MULT/NOS*	91	804,101
819	FX ARMS W RIB/STERNUM*	4	20,643
820	FRACTURE NECK OF FEMUR*	57	391,949
821	OTHER FEMORAL FRACTURE*	13	87,891
822	PATELLA FRACTURE*	30	234,868
823	TIBIA & FIBULA FRACTURE*	21	174,373
824	ANKLE FRACTURE*	90	715,907
825	FX OF TARSAL/METATARSAL*	86	744,602
826	FRACTURE PHALANGES, FOOT*	72	645,083
827	LOWER LIMB FRACTURE NEC*	39	252,381
829	FRACTURE NOS*	6	26,415
830	JAW DISLOCATION*	2	15,324
831	SHOULDER DISLOCATION*	45	384,920
832	ELBOW DISLOCATION*	7	57,869
833	WRIST DISLOCATION*	1	11,387
834	DISLOCATION OF FINGER*	23	202,416
835	DISLOCATION OF HIP*	23	150,083
836	DISLOCATION OF KNEE*	70	676,789
837	DISLOCATION OF ANKLE*	4	19,899
838	DISLOCATION OF FOOT*	3	31,687
839	DISLOCATION NEC*	88	709,285
840	SPRAIN SHOULDER & ARM*	189	1,644,828
841	SPRAIN ELBOW & FOREARM*	15	127,684
842	SPRAIN WRIST & HAND*	170	1,561,973
843	SPRAIN OF HIP & THIGH*	26	240,128
844	SPRAIN OF KNEE & LEG*	229	1,956,862
845	SPRAIN OF ANKLE & FOOT*	448	3,916,700
846	SPRAIN SACROILIAC REGION*	62	631,888
847	SPRAIN OF BACK NEC/NOS*	571	5,324,830
848	SPRAIN NEC*	169	1,613,120
850	CONCUSSION*	57	548,546
853	OTH TRAUMATIC BRAIN HEM*	1	6,816
854	OTHER BRAIN INJURY*	128	878,067
861	HEART & LUNG INJURY*	9	94,905
862	INTRATHORACIC INJURY NEC*	2	10,018
863	GI TRACT INJURY*	16	89,774
866	KIDNEY INJURY*	7	65,142
867	PELVIC ORGAN INJURY*	5	26,961
869	INTERNAL INJURY NOS*	5	29,765
870	OCULAR ADNEXA OPEN WOUND*	2	19,131
871	EYEBALL OPEN WOUND*	26	194,677
872	OPEN WOUND OF EAR*	13	131,961
873	OTHER OPEN WOUND OF HEAD*	530	4,765,000
875	OPEN WOUND OF CHEST*	2	20,681
876	OPEN WOUND OF BACK*	9	55,031
877	OPEN WOUND OF BUTTOCK*	3	15,748
878	OPEN WOUND GENITAL ORGAN*	5	58,390

Note: "*" indicates collapsing of fully specified codes to 3-digit code categories. See Section 2.5.2 for additional information.

TABLE 1
UNWEIGHTED AND WEIGHTED COUNT OF RECORDS FOR EACH VALUE OF ICD9CODX

ICD9CODX VALUE	LABEL	UNWEIGHTED	WEIGHTED BY WTDPER97
879	OPEN WOUND SITE NEC*	83	693,065
880	OPN WND SHOULDR/UPT ARM*	5	32,121
881	OPEN WOUND OF LOWER ARM*	37	334,912
882	OPEN WOUND OF HAND*	98	823,010
883	OPEN WOUND OF FINGER*	229	1,990,751
884	OPEN WOUND ARM MULT/NOS*	32	199,717
885	TRAUM AMPUTATION THUMB*	2	20,255
886	TRAUM AMPUTATION FINGER*	12	123,512
890	OPEN WOUND OF HIP/THIGH*	9	60,068
891	OPEN WND KNEE/LEG/ANKLE*	100	758,734
892	OPEN WOUND OF FOOT*	57	344,545
893	OPEN WOUND OF TOE*	21	155,036
894	OPEN WOUND OF LEG NEC*	1	14,643
895	TRAUMATIC AMPUTATION TOE*	1	8,780
900	HEAD/NECK VESSEL INJURY*	1	4,595
902	ABDOM/PELVIS VESSEL INJ*	1	3,732
903	ARM BLOOD VESSEL INJURY*	4	22,035
904	BLOOD VESSEL INJURY NEC*	4	22,089
905	LATE EFF MUSCULOSKEL INJ*	1	11,589
906	LATE EFF SKIN/SUBCUT INJ*	1	11,230
910	SUPERFICIAL INJURY HEAD*	29	238,304
911	SUPERFICIAL INJURY TRUNK*	4	34,516
912	SUPERFIC INJ SHOULDR/ARM*	2	28,715
913	SUPERFICIAL INJ FOREARM*	14	80,223
914	SUPERFICIAL INJ OF HAND*	11	118,079
915	SUPERFICIAL INJ FINGER*	14	120,021
916	SUPERFICIAL INJ HIP/LEG*	42	331,206
917	SUPERFICIAL INJ FOOT/TOE*	29	205,429
918	SUPERFIC INJ EYE/ADNEXA*	61	575,336
919	SUPERFICIAL INJ OTH SITE*	92	752,715
920	CONTUSION FACE/SCALP/NCK	68	550,967
921	CONTUSION EYE & ADNEXA*	87	778,783
922	CONTUSION OF TRUNK*	84	734,794
923	CONTUSION OF UPPER LIMB*	89	781,099
924	CONTUSION LEG & OTH SITE*	236	2,123,823
926	CRUSHING INJURY OF TRUNK*	4	19,437
927	CRUSHING INJ UPPER LIMB*	20	153,850
928	CRUSHING INJURY OF LEG*	8	57,905
929	CRUSH INJ MULT/UNSP SITE*	1	2,665
930	FOREIGN BODY EXTERN EYE*	58	659,769
931	FOREIGN BODY IN EAR	11	96,717
932	FOREIGN BODY IN NOSE	1	10,110
933	FB PHARYNX & LARYNX*	12	101,439
934	FB TRACHEA/BRONCHUS/LUNG*	2	25,603
935	FB MOUTH/ESOPHAG/STOMACH*	7	48,651
938	FOREIGN BODY GI NOS	12	97,568
939	FOREIGN BODY GU TRACT*	1	8,102
940	BURN OF EYE & ADNEXA*	17	122,572
941	BURN OF HEAD/FACE/NECK*	11	79,995
942	BURN OF TRUNK*	12	89,532
943	BURN OF ARM*	31	254,774
944	BURN OF HAND & WRIST*	53	458,501
945	BURN OF LEG*	21	163,944
946	BURN OF MULTIPLE SITE*	3	24,270
947	BURN OF INTERNAL ORGANS*	3	23,034
949	BURN UNSPECIFIED*	16	140,509
952	SPINAL CORD INJ W/O FX*	29	203,672
954	INJURY OTH TRUNK NERVE*	1	9,481
955	INJ PERIPH NERV SHLD/ARM*	5	42,274
956	INJ PERIPH NERV PELV/LEG*	5	36,602
957	INJURY TO NERVE NEC/NOS*	1	9,732
958	EARLY COMPLIC OF TRAUMA*	2	13,568
959	INJURY NEC/NOS*	1,525	12,707,901
962	POISONING BY HORMONES*	3	10,074
963	POISONING-SYSTEMIC AGENT*	1	10,293
964	POIS-BLOOD AFFECTING AGT*	1	10,574
965	POIS-ANALGESIC/ANTIPYRET*	5	56,302
966	POISON-ANTICONVULSANTS*	1	7,475
969	POISON-PSYCHOTROPIC AGT*	2	17,464
974	POIS-WATER/MIN/METAB AGT*	1	16,826
977	POIS-MEDICINAL NEC/NOS*	24	158,811
978	POISONING-BACT VACCINES*	1	1,977
980	ALCOHOL TOXICITY*	3	22,436

Note: "*" indicates collapsing of fully specified codes to 3-digit code categories. See Section 2.5.2 for additional information.

TABLE 1
UNWEIGHTED AND WEIGHTED COUNT OF RECORDS FOR EACH VALUE OF ICD9CODX

ICD9CODX VALUE	LABEL	UNWEIGHTED	WEIGHTED BY WTDPER97
983	TOXIC EFFECT CAUSTICS*	1	8,375
984	TOXIC EFF LEAD & COMPND*	19	107,132
985	TOXIC EFFECT OTH METALS*	4	65,970
986	TOX EFF CARBON MONOXIDE	6	66,503
987	TOXIDE EFF GAS/VAPOR NEC*	9	55,195
988	TOXIC EFF NOXIOUS FOOD*	2	9,946
989	TOX EFF OTH NONMED SUBST*	142	1,269,651
990	EFFECTS RADIATION NOS	1	14,058
991	EFF REDUCED TEMPERATURE*	4	39,568
992	EFFECT OF HEAT/LIGHT*	9	62,838
993	EFFECTS OF AIR PRESSURE*	6	77,896
994	EFFECT EXTERNAL CAUS NEC*	17	170,050
995	CERTAIN ADVERSE EFF NEC*	360	3,042,043
996	REPLACE & GRAFT COMPLIC*	106	898,741
997	SURG COMPL-BODY SYST NEC*	5	40,389
998	OTH SURGICAL COMPL NEC*	75	597,460
999	COMPLIC MEDICAL CARE NEC*	16	120,291
V01	COMMUNICABLE DIS CONTACT*	27	208,993
V02	INFECTIOUS DIS CARRIER*	1	4,681
V03	VACCIN FOR BACTERIAL DIS*	5	22,208
V04	VACCIN FOR VIRAL DISEASE*	32	223,162
V05	OTH VACCIN FOR SINGL DIS*	28	173,239
V06	VAC FOR DIS COMBINATION*	10	40,965
V07	PROPHYLACTIC MEASURES*	37	264,592
V08	ASYMP HIV INFECTN STATUS	10	109,793
V10	HX OF MALIGNANT NEOPLASM*	17	117,034
V12	HX OF DISEASE NEC*	41	288,202
V13	HX OF OTHER DISEASES*	3	13,539
V15	OTH HX OF HEALTH HAZARDS*	20	154,367
V16	FAMILY HX-MALIGNANCY*	3	24,377
V17	FAM HX-CHR DISABLING DIS*	1	2,441
V20	HEALTH SUPERVISION CHILD*	104	943,483
V22	NORMAL PREGNANCY*	1,025	6,875,528
V24	POSTPARTUM CARE/EXAM*	31	221,637
V25	CONTRACEPTIVE MANAGEMENT*	448	4,339,482
V26	PROCRAETIVE MANAGEMENT*	15	132,099
V30	SINGLE LIVEBORN*	38	343,387
V40	MENTAL/BEHAVIORAL PROB*	102	661,065
V41	PROB W SPECIAL FUNCTIONS*	224	1,664,350
V42	ORGAN TRANSPLANT STATUS*	11	90,746
V43	ORGAN REPLACEMENT NEC*	11	74,211
V44	ARTIFICIAL OPNING STATUS*	4	22,928
V45	OTH POSTSURGICAL STATES*	56	541,834
V46	OTHER MACHINE DEPENDENCE*	1	2,169
V47	OTH PROBL W INTERNAL ORG*	139	1,136,703
V48	HEAD/NECK/TRUNK PROBLEMS*	107	974,681
V49	LIMB PROBLEM/PROBLEM NEC*	94	942,590
V50	OTHER ELECTIVE SURGERY*	4	27,147
V52	FITTING OF PROSTHESIS*	9	90,757
V53	ADJUSTMENT OF OTH DEVICE*	68	725,478
V54	OTH ORTHOPEDIC AFTERCARE*	13	90,990
V55	ATTEN TO ARTIFICIAL OPEN*	11	87,219
V56	DIALYSIS ENCOUNTER*	3	20,027
V57	REHABILITATION PROCEDURE*	17	121,447
V58	ENCOUNTR PROC/AFTRCR NEC*	20	131,181
V59	DONOR*	2	12,574
V60	HOUSEHOLD CIRCUMSTANCES*	1	4,569
V61	OTH FAMILY CIRCUMSTANCES*	50	425,262
V62	OTH PSYCHOSOCIAL CIRCUM*	68	677,396
V63	NO MED FACILITY FOR CARE*	1	8,292
V65	OTHER REASON FOR CONSULT*	151	1,205,959
V66	CONVALESCENCE*	5	31,140
V67	FOLLOW-UP EXAMINATION*	222	1,859,572
V68	ADMINISTRATIVE ENCOUNTER*	1,309	11,660,897
V69	LACK OF PHYSICAL EXERCSE	40	320,011
V70	GENERAL MEDICAL EXAM*	533	3,930,977
V71	OBSERVATION-SUSPECT COND*	91	807,492
V72	SPECIAL EXAMINATIONS*	1,347	12,134,641
V73	SCREENING FOR VIRAL DIS*	3	24,061
V74	SCREENING-BACTERIAL DIS*	21	129,859
V75	SCREEN-OTH INFECTIVE DIS*	3	21,018
V76	SCREEN-MALIG NEOPLASM*	155	1,242,402
V77	SCREEN-ENDO/NUTR/METAB*	8	77,909

Note: "*" indicates collapsing of fully specified codes to 3-digit code categories. See Section 2.5.2 for additional information.

TABLE 1
UNWEIGHTED AND WEIGHTED COUNT OF RECORDS FOR EACH VALUE OF ICD9CODX

ICD9CODX VALUE	LABEL	UNWEIGHTED	WEIGHTED BY WTDPER97
V78	SCREENING FOR BLOOD DIS*	1	8,746
V79	SCREENING-MENTAL DISORD*	2	14,216
V80	SCREEN-NEURO/EYE/EAR DIS*	5	31,360
V81	SCREEN-HEART/RESP/GU DIS*	4	29,961
V82	SCREEN-OTHER CONDITIONS*	11	64,350
	TOTAL	109,859	903,264,921

Note: "*" indicates collapsing of fully specified codes to 3-digit code categories. See Section 2.5.2 for additional information.

TABLE 2
UNWEIGHTED AND WEIGHTED COUNT OF RECORDS FOR EACH VALUE OF ICD9PROX

ICD9PROX VALUE	LABEL	UNWEIGHTED	WEIGHTED BY WTDPER97
-1	INAPPLICABLE	106,488	874,731,954
01	INCISE-EXCIS BRAIN/SKULL*	1	4,300
02	OTHER SKULL/BRAIN OPS*	4	35,954
03	SPINAL CORD & CANAL OPS*	31	283,218
04	CRAN & PERIPH NERVE OPS*	9	90,955
05	SYMPATHETIC NERVE OPS*	2	18,210
06	THYROID/PARATHYROID OPS*	24	184,794
07	OTH ENDOCRINE GLND OPS*	3	29,383
08	EYELID OPERATIONS*	14	125,262
11	OPERATIONS ON CORNEA*	15	136,964
13	OPERATIONS ON LENS*	91	765,966
14	POSTERIOR SEGMENT OPS*	7	69,553
15	EXTRAOCULAR MUSCLE OPS*	1	2,080
16	ORBIT/EYEBALL OPS*	55	508,712
18	EXTERNAL EAR OPERATIONS*	10	72,349
19	MIDDLE EAR RECONSTRUCT*	5	47,500
20	OTHER MID & INNER EAR OP*	36	373,522
21	OPERATIONS ON NOSE*	19	155,857
22	NASAL SINUS OPERATIONS*	26	191,126
23	TOOTH REMOVAL & RESTORAT*	699	5,943,087
24	OTH OPS ON TEETH & GUMS*	68	516,522
27	OTHER MOUTH & FACE OPS*	30	215,263
28	TONSIL & ADENOID OPS*	45	413,327
29	OPERATIONS ON PHARYNX*	1	16,014
31	LARYNX TRACHEA OPS NEC*	4	32,196
32	LUNG & BRONCHUS EXCISION*	5	42,060
33	OTHER BRONCHIAL/LUNG OPS*	1	6,540
34	THORAX OPS EXCEPT LUNG*	2	15,513
35	HEART VALVES & SEPTA OPS*	15	151,412
36	OPS ON HEART VESSELS*	44	351,262
37	OTHER HEART/PERICARD OPS*	47	412,265
38	VESSEL INC/EXCIS/OCCLUS*	8	60,165
39	OTHER OPS ON VESSELS*	40	322,904
40	LYMPHATIC SYSTEM OPS*	5	48,695
41	BONE MARROW & SPLEEN OPS*	3	31,562
42	OPERATIONS ON ESOPHAGUS*	2	18,124
43	GASTRIC INCISION/EXCIS*	5	52,846
44	OTHER GASTRIC OPERATIONS*	11	86,508
45	INTEST INCIS/EXCIS/ANAST*	55	532,214
46	OTHER INTESTINAL OPS*	30	239,785
47	OPERATIONS ON APPENDIX*	11	86,340
48	RECTAL & PERIRECTAL OPS*	15	129,146
49	OPERATIONS ON ANUS*	4	35,723
50	OPERATIONS ON LIVER*	2	6,651
51	BILIARY TRACT OPERATION*	71	526,004
52	OPERATIONS ON PANCREAS*	1	3,346
53	REPAIR OF HERNIA*	53	485,962
54	OTHER ABDOMEN REGION OPS*	9	96,547
55	OPERATIONS ON KIDNEY*	24	160,495
56	OPERATIONS ON URETER*	1	2,333
57	URINARY BLADDER OPS*	27	214,440
59	OTHER URINARY TRACT OPS*	3	19,788
60	PROSTATE & SEMIN VES OPS*	17	167,997
62	OPERATIONS ON TESTES*	2	27,140
63	SPERM CORD/EPID/VAS OPS*	26	260,096
64	OPERATIONS ON PENIS*	17	121,397
65	OPERATIONS ON OVARY*	2	16,286
66	FALLOPIAN TUBE OPERATION*	29	193,884
67	OPERATIONS ON CERVIX*	14	90,712
68	OTHER UTERINE INCIS/EXC*	148	1,162,385
69	OTHER UTERUS/SUPPORT OPS*	23	185,063
70	VAGINA & CUL-DE-SAC OPS*	8	80,619
71	VULVAR & PERINEAL OPS*	1	18,211
73	ASSIST/INDUCE DELIV NEC*	2	12,239
74	C-SECTION/REMOVAL FETUS*	13	99,088
75	OTHER OBSTETRIC OPS*	2	11,653
76	FACIAL BONE & JOINT OPS*	3	21,346
77	INCIS/EXCIS/DIV BONE NEC*	19	146,648
78	OTH BONE OPS EXCPT FACE*	29	260,260
79	REDUCTION FX/DISLOCATION*	4	31,013
80	INCISION/EXCISION JOINT*	18	170,112
81	JOINT REPAIR*	180	1,520,004
82	HAND MUSCL/TEND/FASC OPS*	5	36,680

Note: "*" indicates collapsing of fully specified codes to 2-digit code categories. See Section 2.5.2 for additional information.

TABLE 2
UNWEIGHTED AND WEIGHTED COUNT OF RECORDS FOR EACH VALUE OF ICD9PROX

ICD9PROX VALUE	LABEL	UNWEIGHTED	WEIGHTED BY WTDPER97
83	OTHER MUS/TEN/FAS/BUR OP*	17	157,194
84	OTHER MUSCULOSKELET PROC*	63	398,726
85	OPERATIONS ON THE BREAST*	58	490,675
86	SKIN & SUBQ OPERATIONS*	400	3,986,319
87	DIAGNOSTIC RADIOLOGY*	68	535,221
88	OTHER DX RADIOLOGY*	21	155,834
89	INTERVIEW/CONSULT/EXAM*	39	342,627
90	MICROSCOPIC EXAM--I*	3	16,885
91	MICROSCOPIC EXAM--II*	19	165,023
92	NUCLEAR MEDICINE*	6	74,290
93	PT, REHAB & RELATED PROC*	27	201,433
94	PSYCHE RELATED PROCEDURE*	58	435,630
95	EYE & EAR DX/TREATMENT*	20	176,455
96	NON-OP INTUBAT & IRRIGAT*	76	717,530
97	REPLACE & REMOV DEVICES*	13	92,506
98	NONOP REMOVE FOREIGN BOD*	12	91,485
99	OTHER NONOPERATIVE PROC*	215	1,491,554
	TOTAL	109,859	903,264,921

Note: "*" indicates collapsing of fully specified codes to 2-digit code categories. See Section 2.5.2 for additional information.

TABLE 3
UNWEIGHTED AND WEIGHTED COUNT OF RECORDS FOR EACH VALUE OF CCCODEX

CCCODEX VALUE	LABEL	UNWEIGHTED	WEIGHTED BY WTDPER97
-1	INAPPLICABLE	2,534	21,438,885
-8	DK	881	7,325,082
001	TUBERCULOSIS	26	140,236
002	SEPTICEMIA (EXCEPT IN LABOR)	26	145,881
003	BACTERIAL INFECTION, UNSPECIFIED SITE	224	1,990,493
004	MYCOSES	848	6,908,187
005	HIV INFECTION	27	213,593
006	HEPATITIS	49	301,614
007	VIRAL INFECTION	1,684	15,195,026
008	OTHER INFECTIONS, INCLUDING PARASITI	278	2,189,997
009	SEXUALLY TRANSMITTED INFECTIONS (NOT	15	63,125
010	IMMUNIZATIONS AND SCREENING FOR INFE	142	935,044
011	CANCER OF HEAD AND NECK	26	188,467
012	CANCER OF ESOPHAGUS	2	7,073
013	CANCER OF STOMACH	9	76,396
014	CANCER OF COLON	43	337,609
015	CANCER OF RECTUM AND ANUS	2	6,036
016	CANCER OF LIVER AND INTRAHEPATIC BILI	9	95,765
017	CANCER OF PANCREAS	6	72,207
018	CANCER OF OTHER GI ORGANS, PERITONEU	1	12,650
019	CANCER OF BRONCHUS, LUNG	39	328,524
020	CANCER, OTHER RESPIRATORY AND INTRATH	1	1,836
021	CANCER OF BONE AND CONNECTIVE TISSUE	15	131,278
022	MELANOMAS OF SKIN	35	320,338
023	OTHER NON-EPITHELIAL CANCER OF SKIN	297	2,948,099
024	CANCER OF BREAST	94	984,785
025	CANCER OF UTERUS	16	128,706
026	CANCER OF CERVIX	41	303,512
027	CANCER OF OVARY	15	116,577
028	CANCER OF OTHER FEMALE GENITAL ORGAN	4	13,177
029	CANCER OF PROSTATE	116	963,213
030	CANCER OF TESTIS	4	74,271
031	CANCER OF OTHER MALE GENITAL ORGANS	1	4,582
032	CANCER OF BLADDER	20	221,987
033	CANCER OF KIDNEY AND RENAL PELVIS	5	59,932
034	CANCER OF OTHER URINARY ORGANS	1	23,500
035	CANCER OF BRAIN AND NERVOUS SYSTEM	6	73,217
036	CANCER OF THYROID	11	97,111
037	HODGKIN'S DISEASE	3	29,235
038	NON-HODGKIN'S LYMPHOMA	34	295,554
039	LEUKEMIAS	24	220,327
040	MULTIPLE MYELOMA	5	50,011
041	CANCER, OTHER AND UNSPECIFIED PRIMAR	73	684,525
042	SECONDARY MALIGNANCIES	2	12,305
043	MALIGNANT NEOPLASM WITHOUT SPECIFICA	96	748,030
044	NEOPLASMS OF UNSPECIFIED NATURE OR U	375	2,995,258
045	MAINTENANCE CHEMOTHERAPY, RADIOTHERA	1	4,301
046	BENIGN NEOPLASM OF UTERUS	24	218,769
047	OTHER AND UNSPECIFIED BENIGN NEOPLAS	478	4,570,630
048	THYROID DISORDERS	1,023	8,831,414
049	DIABETES MELLITUS WITHOUT COMPLICATI	1,535	11,011,493
050	DIABETES MELLITUS WITH COMPLICATIONS	55	400,158
051	OTHER ENDOCRINE DISORDERS	474	3,857,492
052	NUTRITIONAL DEFICIENCIES	46	391,896
053	DISORDERS OF LIPID METABOLISM	1,180	10,268,825
054	GOUT AND OTHER CRYSTAL ARTHROPATHIES	239	2,042,120
055	FLUID AND ELECTROLYTE DISORDERS	717	5,901,104
056	CYSTIC FIBROSIS	11	103,441
057	IMMUNITY DISORDERS	15	99,641
058	OTHER NUTRITIONAL, ENDOCRINE, AND ME	367	3,054,588
059	DEFICIENCY AND OTHER ANEMIA	343	2,338,202
060	ACUTE POSTHEMORRHAGIC ANEMIA	1	4,803
061	SICKLE CELL ANEMIA	12	71,310
062	COAGULATION AND HEMORRHAGIC DISORDER	24	206,426
063	DISEASES OF WHITE BLOOD CELLS	15	109,289
064	OTHER HEMATOLOGIC CONDITIONS	69	517,756
065	MENTAL RETARDATION	44	273,418
066	ALCOHOL-RELATED MENTAL DISORDERS	71	557,619
067	SUBSTANCE-RELATED MENTAL DISORDERS	55	437,054
068	SENILITY AND ORGANIC MENTAL DISORDER	263	1,812,444
069	AFFECTIVE DISORDERS	202	1,584,692
070	SCHIZOPHRENIA AND RELATED DISORDERS	78	576,826
071	OTHER PSYCHOSES	29	183,001

TABLE 3
UNWEIGHTED AND WEIGHTED COUNT OF RECORDS FOR EACH VALUE OF CCCODEX

CCCODEX VALUE	LABEL	UNWEIGHTED	WEIGHTED BY WTDPER97
072	ANXIETY, SOMATOFORM, DISSOCIATIVE, A	1,422	11,793,102
073	PREADULT DISORDERS	476	3,540,081
074	OTHER MENTAL CONDITIONS	2,310	17,953,038
075	PERSONAL HISTORY OF MENTAL DISORDER,	120	794,691
076	MENINGITIS (EXCEPT THAT CAUSED BY TU	12	61,895
077	ENCEPHALITIS (EXCEPT THAT CAUSED BY	3	16,711
078	OTHER CNS INFECTION AND POLIOMYELITI	17	119,041
079	PARKINSON'S DISEASE	58	416,532
080	MULTIPLE SCLEROSIS	37	299,445
081	OTHER HEREDITARY AND DEGENERATIVE NE	44	324,702
082	PARALYSIS	76	471,939
083	EPILEPSY, CONVULSIONS	348	2,649,613
084	HEADACHE, INCLUDING MIGRAINE	1,712	13,340,485
085	COMA, STUPOR, AND BRAIN DAMAGE	18	145,000
086	CATARACT	567	4,715,983
087	RETINAL DETACHMENTS, DEFECTS, VASCUL	171	1,564,449
088	GLAUCOMA	404	3,416,207
089	BLINDNESS AND VISION DEFECTS	1,001	8,882,347
090	INFLAMMATION, INFECTION OF EYE (EXCE	746	6,918,977
091	OTHER EYE DISORDERS	811	7,076,226
092	OTITIS MEDIA AND RELATED CONDITIONS	2,638	22,073,401
093	CONDITIONS ASSOCIATED WITH DIZZINESS	511	4,521,497
094	OTHER EAR AND SENSE ORGAN DISORDERS	821	7,237,761
095	OTHER NERVOUS SYSTEM DISORDERS	980	7,920,542
096	HEART VALVE DISORDERS	303	2,413,489
097	PERI-, ENDO-, AND MYOCARDITIS, CARDI	14	148,299
098	ESSENTIAL HYPERTENSION	3,809	30,376,184
099	HYPERTENSION WITH COMPLICATIONS AND	1	3,266
100	ACUTE MYOCARDIAL INFARCTION	235	1,892,113
101	CORONARY ATHEROSCLEROSIS AND OTHER H	323	2,583,088
102	NONSPECIFIC CHEST PAIN	496	3,825,300
103	PULMONARY HEART DISEASE	17	151,984
104	OTHER AND ILL-DEFINED HEART DISEASE	825	6,562,768
105	CONDUCTION DISORDERS	78	776,806
106	CARDIAC DYSRHYTHMIAS	512	4,483,511
107	CARDIAC ARREST AND VENTRICULAR FIBRI	20	167,988
108	CONGESTIVE HEART FAILURE, NONHYPERTEN	209	1,537,019
109	ACUTE CEREBROVASCULAR DISEASE	346	2,494,154
110	OCCLUSION OR STENOSIS OF PRECEREBRAL	22	199,263
111	OTHER AND ILL-DEFINED CEREBROVASCULA	8	45,669
112	TRANSIENT CEREBRAL ISCHEMIA	23	232,723
113	LATE EFFECTS OF CEREBROVASCULAR DISE	19	162,463
114	PERIPHERAL AND VISCELAR ATHEROSCLERO	65	517,662
115	AORTIC, PERIPHERAL, AND VISCELAR ART	51	475,764
116	AORTIC AND PERIPHERAL ARTERIAL EMBOL	119	978,286
117	OTHER CIRCULATORY DISEASE	469	3,691,893
118	PHLEBITIS, THROMBOPHLEBITIS AND THRO	106	827,927
119	VARICOSE VEINS OF LOWER EXTREMITY	36	259,977
120	HEMORRHOIDS	145	1,287,663
121	OTHER DISEASES OF VEINS AND LYMPHATI	12	86,909
122	PNEUMONIA (EXCEPT THAT CAUSED BY TUB	674	5,519,534
123	INFLUENZA	1,891	15,627,717
124	ACUTE AND CHRONIC TONSILLITIS	305	2,126,466
125	ACUTE BRONCHITIS	62	452,149
126	OTHER UPPER RESPIRATORY INFECTIONS	11,236	95,171,951
127	CHRONIC OBSTRUCTIVE PULMONARY DISEAS	2,027	17,050,630
128	ASTHMA	1,763	12,440,198
129	ASPIRATION PNEUMONITIS, FOOD/VOMITUS	1	3,141
130	PLEURISY, PNEUMOTHORAX, PULMONARY CO	68	583,205
131	RESPIRATORY FAILURE, INSUFFICIENCY,	14	100,295
132	LUNG DISEASE DUE TO EXTERNAL AGENTS	15	114,056
133	OTHER LOWER RESPIRATORY DISEASE	1,542	11,465,620
134	OTHER UPPER RESPIRATORY DISEASE	3,510	29,662,163
135	INTESTINAL INFECTION	4,482	38,339,030
136	DISORDERS OF TEETH AND JAW	1,788	14,977,409
137	DISEASES OF MOUTH, EXCLUDING DENTAL	189	1,534,837
138	ESOPHAGEAL DISORDERS	225	2,199,292
139	GASTRODUODENAL ULCER (EXCEPT HEMORRH	248	1,781,008
140	GASTRITIS AND DUODENITIS	171	1,105,371
141	OTHER DISORDERS OF STOMACH AND DUODE	1,417	11,482,780
142	APPENDICITIS AND OTHER APPENDICEAL C	50	341,606
143	ABDOMINAL HERNIA	465	3,684,090
144	REGIONAL ENTERITIS AND ULCERATIVE CO	52	351,125

TABLE 3
UNWEIGHTED AND WEIGHTED COUNT OF RECORDS FOR EACH VALUE OF CCCODEX

CCCODEX VALUE	LABEL	UNWEIGHTED	WEIGHTED BY WTDPER97
145	INTESTINAL OBSTRUCTION WITHOUT HERNIA	31	199,897
146	DIVERTICULOSIS AND DIVERTICULITIS	103	843,898
147	ANAL AND RECTAL CONDITIONS	35	296,915
148	PERITONITIS AND INTESTINAL ABSCESS	3	15,112
149	BILIARY TRACT DISEASE	246	1,763,789
151	OTHER LIVER DISEASES	114	1,036,456
152	PANCREATIC DISORDERS (NOT DIABETES)	42	296,345
153	GASTROINTESTINAL HEMORRHAGE	144	1,253,359
154	NONINFECTIOUS GASTROENTERITIS	93	732,827
155	OTHER GASTROINTESTINAL DISORDERS	1,080	8,116,755
156	NEPHRITIS, NEPHROSIS, RENAL SCLEROSIS	19	119,250
157	ACUTE AND UNSPECIFIED RENAL FAILURE	50	440,819
158	CHRONIC RENAL FAILURE	11	68,311
159	URINARY TRACT INFECTIONS	1,302	10,874,667
160	CALCULUS OF URINARY TRACT	177	1,428,113
161	OTHER DISEASES OF KIDNEY AND URETERS	140	962,557
162	OTHER DISEASES OF BLADDER AND URETHRA	142	1,199,468
163	GENITOURINARY SYMPTOMS AND ILL-DEFIN	288	2,292,216
164	HYPERPLASIA OF PROSTATE	119	1,153,377
165	INFLAMMATORY CONDITIONS OF MALE GENITALIA	63	510,155
166	OTHER MALE GENITAL DISORDERS	221	1,897,616
167	NORMALIGNANT BREAST CONDITIONS	332	2,970,027
168	INFLAMMATORY DISEASES OF FEMALE PELVIS	205	1,672,255
169	ENDOMETRIOSIS	50	427,902
170	PROLAPSE OF FEMALE GENITAL ORGANS	29	212,832
171	MENSTRUAL DISORDERS	428	3,594,102
172	OVARIAN CYST	105	1,042,082
173	MENOPAUSAL DISORDERS	643	5,355,682
174	FEMALE INFERTILITY	10	52,208
175	OTHER FEMALE GENITAL DISORDERS	469	4,023,215
176	CONTRACEPTIVE AND PROCREATIVE MANAGEMENT	463	4,471,580
177	SPONTANEOUS ABORTION	74	472,267
178	INDUCED ABORTION	6	61,153
180	ECTOPIC PREGNANCY	1	10,357
181	OTHER COMPLICATIONS OF PREGNANCY	38	297,427
182	HEMORRHAGE DURING PREGNANCY, ABRUPTO	9	75,314
183	HYPERTENSION COMPLICATING PREGNANCY,	5	40,469
184	EARLY OR THREATENED LABOR	39	264,166
186	DIABETES OR ABNORMAL GLUCOSE TOLERANCE	14	114,501
187	MALPOSITION, MALPRESENTATION	1	6,782
190	FETAL DISTRESS AND ABNORMAL FORCES OF DELIVERY	1	0
191	POLYHYDRAMNIOS AND OTHER PROBLEMS OF DELIVERY	2	26,365
195	OTHER COMPLICATIONS OF BIRTH, PUERPE	18	183,028
196	NORMAL PREGNANCY AND/OR DELIVERY	1,180	7,991,573
197	SKIN AND SUBCUTANEOUS TISSUE INFECTION	458	3,668,190
198	OTHER INFLAMMATORY CONDITION OF SKIN	281	2,325,684
199	CHRONIC ULCER OF SKIN	345	2,368,982
200	OTHER SKIN DISORDERS	2,318	19,707,548
201	INFECTIVE ARTHRITIS AND OSTEOMYELITIS	23	168,643
202	RHEUMATOID ARTHRITIS AND RELATED DISEASES	165	1,174,810
203	OSTEOARTHRITIS	209	1,774,451
204	OTHER NON-TRAUMATIC JOINT DISORDERS	3,086	23,902,700
205	Spondylosis, intervertebral disc disease	2,977	24,459,082
206	OSTEOPOROSIS	241	2,054,284
207	PATHOLOGICAL FRACTURE	12	85,978
208	ACQUIRED FOOT DEFORMITIES	118	1,006,819
209	OTHER ACQUIRED DEFORMITIES	49	411,968
210	SYSTEMIC LUPUS ERYTHEMATOSUS AND CONNECTIVE TISSUE DISEASE	87	671,187
211	OTHER CONNECTIVE TISSUE DISEASE	2,150	17,608,048
212	OTHER BONE DISEASE AND MUSCULOSKELETAL DISEASE	266	2,245,911
213	CARDIAC AND CIRCULATORY CONGENITAL ANOMALIES	40	268,543
214	DIGESTIVE CONGENITAL ANOMALIES	8	77,320
215	GENITOURINARY CONGENITAL ANOMALIES	32	287,547
216	NERVOUS SYSTEM CONGENITAL ANOMALIES	22	142,638
217	OTHER CONGENITAL ANOMALIES	157	1,224,840
218	LIVEBORN	38	343,387
219	SHORT GESTATION, LOW BIRTH WEIGHT, AND NEONATAL MORBIDITY	16	129,274
220	INTRAMATERNAL HYPOXIA AND BIRTH ASPHYXIA	1	0
221	RESPIRATORY DISTRESS SYNDROME	1	5,112
222	HEMOLYTIC JAUNDICE AND PERINATAL JAUNDICE	2	12,957
223	BIRTH TRAUMA	6	58,407
224	OTHER PERINATAL CONDITIONS	6	33,314
225	JOINT DISORDERS AND DISLOCATIONS, TRAUMA	336	2,888,401
	TOTAL	109,859	903,264,921

TABLE 3
UNWEIGHTED AND WEIGHTED COUNT OF RECORDS FOR EACH VALUE OF CCCODEX

CCCODEX VALUE	LABEL	UNWEIGHTED	WEIGHTED BY WTDPER97
226	FRACTURE OF NECK OF FEMUR (HIP)	57	391,949
227	SPINAL CORD INJURY	31	213,421
228	SKULL AND FACE FRACTURES	50	358,671
229	FRACTURE OF UPPER LIMB	445	3,668,059
230	FRACTURE OF LOWER LIMB	351	2,855,105
231	OTHER FRACTURES	210	1,782,006
232	SPRAINS AND STRAINS	1,879	17,018,014
233	INTRACRANIAL INJURY	186	1,433,429
234	CRUSHING INJURY OR INTERNAL INJURY	88	614,102
235	OPEN WOUNDS OF HEAD, NECK, AND TRUNK	673	5,953,683
236	OPEN WOUNDS OF EXTREMITIES	604	4,866,086
237	COMPLICATION OF DEVICE, IMPLANT OR G	109	916,712
238	COMPLICATIONS OF SURGICAL PROCEDURES	101	789,663
239	SUPERFICIAL INJURY, CONTUSION	862	7,454,008
240	BURNS	167	1,357,131
241	POISONING BY PSYCHOTROPIC AGENTS	2	17,464
242	POISONING BY OTHER MEDICATIONS AND D	226	1,823,641
243	POISONING BY NONMEDICINAL SUBSTANCES	186	1,605,208
244	OTHER INJURIES AND CONDITIONS DUE TO	1,789	15,157,274
245	SYNCOPE	65	547,225
246	FEVER OF UNKNOWN ORIGIN	655	4,445,557
247	LYMPHADENITIS	106	935,887
248	GANGRENE	7	59,170
249	SHOCK	1	8,630
250	NAUSEA AND VOMITING	193	1,399,735
251	ABDOMINAL PAIN	278	2,163,609
252	MALAISE AND FATIGUE	352	3,100,266
253	ALLERGIC REACTIONS	906	8,458,883
254	REHABILITATION CARE, FITTING OF PROS	22	164,016
255	ADMINISTRATIVE/SOCIAL ADMISSION	1,684	14,925,858
256	MEDICAL EXAMINATION/EVALUATION	1,339	10,718,270
257	OTHER AFTERCARE	240	1,965,504
258	OTHER SCREENING FOR SUSPECTED CONDIT	184	1,454,728
259	RESIDUAL CODES, UNCLASSIFIED	2,519	19,217,269

**Appendix 3:
Clinical Classification Code to
ICD-9 Code Crosswalk**

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 1999)

Diagnosis category ICD-9-CM codes														
1 Tuberculosis														
V1201	01000	01001	01002	01003	01004	01005	01006	01010	01011	01012	01013			
01014	01015	01016	01080	01081	01082	01083	01084	01085	01086	01090	01091			
01092	01093	01094	01095	01096	01100	01101	01102	01103	01104	01105	01106			
01110	01111	01112	01113	01114	01115	01116	01120	01121	01122	01123	01124			
01125	01126	01130	01131	01132	01133	01134	01135	01136	01140	01141	01142			
01143	01144	01145	01146	01150	01151	01152	01153	01154	01155	01156	01160			
01161	01162	01163	01164	01165	01166	01170	01171	01172	01173	01174	01175			
01176	01180	01181	01182	01183	01184	01185	01186	01190	01191	01192	01193			
01194	01195	01196	01200	01201	01202	01203	01204	01205	01206	01210	01211			
01212	01213	01214	01215	01216	01220	01221	01222	01223	01224	01225	01226			
01230	01231	01232	01233	01234	01235	01236	01280	01281	01282	01283	01284			
01285	01286	01300	01301	01302	01303	01304	01305	01306	01310	01311	01312			
01313	01314	01315	01316	01320	01321	01322	01323	01324	01325	01326	01330			
01331	01332	01333	01334	01335	01336	01340	01341	01342	01343	01344	01345			
01346	01350	01351	01352	01353	01354	01355	01356	01360	01361	01362	01363			
01364	01365	01366	01380	01381	01382	01383	01384	01385	01386	01390	01391			
01392	01393	01394	01395	01396	01400	01401	01402	01403	01404	01405	01406			
01480	01481	01482	01483	01484	01485	01486	01500	01501	01502	01503	01504			
01505	01506	01510	01511	01512	01513	01514	01515	01516	01520	01521	01522			
01523	01524	01525	01526	01550	01551	01552	01553	01554	01555	01556	01560			
01561	01562	01563	01564	01565	01566	01570	01571	01572	01573	01574	01575			
01576	01580	01581	01582	01583	01584	01585	01586	01590	01591	01592	01593			
01594	01595	01596	01600	01601	01602	01603	01604	01605	01606	01610	01611			
01612	01613	01614	01615	01616	01620	01621	01622	01623	01624	01625	01626			
01630	01631	01632	01633	01634	01635	01636	01640	01641	01642	01643	01644			
01645	01646	01650	01651	01652	01653	01654	01655	01656	01660	01661	01662			
01663	01664	01665	01666	01670	01671	01672	01673	01674	01675	01676	01690			
01691	01692	01693	01694	01695	01696	01700	01701	01702	01703	01704	01705			
01706	01710	01711	01712	01713	01714	01715	01716	01720	01721	01722	01723			
01724	01725	01726	01730	01731	01732	01733	01734	01735	01736	01740	01741			
01742	01743	01744	01745	01746	01750	01751	01752	01753	01754	01755	01756			
01760	01761	01762	01763	01764	01765	01766	01770	01771	01772	01773	01774			
01775	01776	01780	01781	01782	01783	01784	01785	01786	01790	01791	01792			
01793	01794	01795	01796	01800	01801	01802	01803	01804	01805	01806	01880			
01881	01882	01883	01884	01885	01886	01890	01891	01892	01893	01894	01895			
01896	1370	1371	1372	1373	1374									

NOTE: All ICD-9-CM coding changes from January 1980 through September 1999 are included in this appendix. However, special treatment is required for code 2510 (Hypoglycemic coma) which resides in diagnosis category 50 Diabetes mellitus, if data prior to October 1993 are used. After October 1993, code 2510 resides in diagnosis category 51 Other endocrine disorders (as depicted in this appendix).

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 1999)

Diagnosis category ICD-9-CM codes													
2	Septicemia (except in labor)												
	0031	0202	0223	0362	0380	0381	03810	03811	03819	0382	0383	03840	
	03841	03842	03843	03844	03849	0388	0389	0545	7907				
3	Bacterial infection, unspecified site												
	V090	V091	V092	V093	V094	V0950	V0951	V096	V0970	V0971	V0980	V0981	
	V0990	V0991	0200	0208	0209	0218	0219	0228	0229	0230	0231	0232	
	0233	0238	0239	024	025	0260	0269	0270	0271	0272	0278	0279	
	0300	0301	0302	0303	0308	0309	0312	0318	0319	03289	0329	0330	
	0331	0338	0339	0341	0363	03681	03689	0369	037	0392	0393	0394	
	0398	0399	0400	0401	0402	0403	04081	04089	0410	04100	04101	04102	
	04103	04104	04105	04109	0411	04110	04111	04119	0412	0413	0414	0415	
	0416	0417	0418	04181	04182	04183	04184	04185	04186	04189	0419	390	
	3929	7953											
4	Mycoses												
	1100	1101	1102	1103	1104	1105	1106	1108	1109	1110	1111	1112	
	1113	1118	1119	1120	1121	1122	1123	1125	11282	11284	11285	11289	
	1129	1141	1143	1149	11500	11509	11510	11519	11590	11599	1160	1161	
	1162	1170	1171	1172	1173	1174	1175	1176	1177	1178	1179	118	
5	HIV infection												
	V08	042	0420	0421	0422	0429	0430	0431	0432	0433	0439	0440	
	0449	07953	27910	27919	79571	7958							
6	Hepatitis												
	0700	0701	0702	07020	07021	07022	07023	0703	07030	07031	07032	07033	
	0704	07041	07042	07043	07044	07049	0705	07051	07052	07053	07054	07059	
	0706	0709	57140	57141	57149	5731	5732	5733					
7	Viral infection												
	0500	0501	0502	0509	0510	0511	0512	0519	0527	0528	0529	05310	
	05311	05312	05313	05319	05371	05379	0538	0539	0540	05410	05411	05412	
	05413	05419	0542	0546	05471	05473	05479	0548	0549	05579	0558	0559	
	05600	05609	05679	0568	0569	0570	0578	0579	0600	0601	0609	061	
	0650	0651	0652	0653	0654	0658	0659	0660	0661	0663	0668	0669	
	071	0720	0723	07271	07272	07279	0728	0729	0737	0738	0739	0740	
	0741	0743	0748	075	0780	0781	07810	07811	07819	0782	0783	0784	
	0785	0786	0787	07881	07882	07888	07889	0790	0791	0792	0793	0794	
	07950	07951	07952	07959	0796	0798	07981	07988	07989	0799	07998	07999	07999
	7908												
8	Other infections, including parasitic												

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 1999)

Diagnosis category ICD-9-CM codes													
V120	V1200	V1203	V1209	080	0810	0811	0812	0819	0820	0821	0822		
0823	0828	0829	0831	0832	0838	0839	0840	0841	0842	0843	0844		
0845	0846	0847	0848	0849	0850	0851	0852	0853	0854	0855	0859		
0860	0861	0862	0863	0864	0865	0869	0870	0871	0879	0880	0888		
08881	08882	08889	0889	1000	10089	1009	101	1020	1021	1022	1023		
1024	1025	1026	1027	1028	1029	1030	1031	1032	1033	1039	1040		
1048	1049	1200	1201	1202	1203	1208	1209	1210	1211	1212	1213		
1214	1215	1216	1218	1219	1220	1221	1222	1223	1224	1225	1226		
1227	1228	1229	1230	1231	1232	1233	1234	1235	1236	1238	1239		
124	1250	1251	1252	1253	1254	1255	1256	1257	1259	1260	1261		
1262	1263	1268	1269	1270	1271	1272	1273	1274	1275	1276	1277		
1278	1279	1280	1281	1288	1289	129	1305	1307	1308	1309	13100		
13101	13102	13103	13109	1318	1319	1320	1321	1322	1323	1329	1330		
1338	1339	1340	1341	1342	1348	1349	135	1360	1361	1362	1364		
1365	1368	1369	1398										
9	Sexually transmitted infections (not HIV or hepatitis)												
0900	0901	0902	0903	09040	09041	09042	09049	0905	0906	0907	0909		
0910	0911	0912	0913	0914	09150	09151	09152	09161	09162	09169	0917		
09181	09182	09189	0919	0920	0929	0930	0931	09320	09321	09322	09323		
09324	09381	09382	09389	0939	0940	0941	0942	0943	09481	09482	09483		
09484	09485	09486	09487	09489	0949	0950	0951	0952	0953	0954	0955		
0956	0957	0958	0959	096	0970	0971	0979	0980	09810	09811	09812		
09813	09814	09815	09816	09817	09819	0982	09830	09831	09832	09833	09834		
09835	09836	09837	09839	09840	09841	09842	09843	09849	09850	09851	09852		
09853	09859	0986	0987	09881	09882	09883	09884	09885	09886	09889	0990		
0991	0992	0993	0994	09940	09941	09949	09950	09951	09952	09953	09954		
09955	09956	09959	0998	0999									
10	Immunizations and screening for infectious disease												
V010	V011	V012	V013	V014	V015	V016	V017	V018	V019	V020	V021		
V022	V023	V024	V025	V0251	V0252	V0259	V026	V0260	V0261	V0262	V0269		
V027	V028	V029	V030	V031	V032	V033	V034	V035	V036	V037	V038		
V0381	V0382	V0389	V039	V040	V041	V042	V043	V044	V045	V046	V047		
V048	V050	V051	V052	V053	V054	V058	V059	V060	V061	V062	V063		
V064	V065	V066	V068	V069	V286	V712	V730	V731	V732	V733	V734		
V735	V736	V738	V7388	V7389	V739	V7398	V7399	V740	V741	V742	V743		
V744	V745	V746	V748	V749	V750	V751	V752	V753	V754	V755	V756		
V757	V758	V759	7955	7956									
11	Cancer of head and neck												
V1001	V1002	V1021	1400	1401	1403	1404	1405	1406	1408	1409	1410		
1411	1412	1413	1414	1415	1416	1418	1419	1420	1421	1422	1428		
1429	1430	1431	1438	1439	1440	1441	1448	1449	1450	1451	1452		
1453	1454	1455	1456	1458	1459	1460	1461	1462	1463	1464	1465		
1466	1467	1468	1469	1470	1471	1472	1473	1478	1479	1480	1481		
1482	1483	1488	1489	1490	1491	1498	1499	1600	1601	1602	1603		

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 1999)

Diagnosis category ICD-9-CM codes												
	1604 2310	1605	1608	1609	1610	1611	1612	1613	1618	1619	1950	2300
12	Cancer of esophagus											
	V1003	1500	1501	1502	1503	1504	1505	1508	1509	2301		
13	Cancer of stomach											
	V1004	1510	1511	1512	1513	1514	1515	1516	1518	1519	2302	
14	Cancer of colon											
	V1005 2303	1530	1531	1532	1533	1534	1535	1536	1537	1538	1539	1590
15	Cancer of rectum and anus											
	V1006	1540	1541	1542	1543	1548	2304	2305	2306			
16	Cancer of liver and intrahepatic bile duct											
	V1007	1550	1551	1552	2308							
17	Cancer of pancreas											
	1570	1571	1572	1573	1574	1578	1579					
18	Cancer of other GI organs, peritoneum											
	V1000 1569	V1009 1580	1520 1588	1521 1589	1522 1591	1523 1598	1528 1599	1529 2307	1560 2309	1561	1562	1568
19	Cancer of bronchus, lung											
	V1011	1622	1623	1624	1625	1628	1629	2312				
20	Cancer, other respiratory and intrathoracic											
	V1012 2318	V1020 2319	V1022	1620	1630	1631	1638	1639	1650	1658	1659	2311
21	Cancer of bone and connective tissue											
	1700 1713	1701 1714	1702 1715	1703 1716	1704 1717	1705 1718	1706 1719	1707	1708	1709	1710	1712
22	Melanomas of skin											
	V1082	1720	1721	1722	1723	1724	1725	1726	1727	1728	1729	

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 1999)

Diagnosis category ICD-9-CM codes												
23	Other non-epithelial cancer of skin											
	V1083	1730	1731	1732	1733	1734	1735	1736	1737	1738	1739	2320
	2321	2322	2323	2324	2325	2326	2327	2328	2329			
24	Cancer of breast											
	V103	1740	1741	1742	1743	1744	1745	1746	1748	1749	1750	1759
	2330											
25	Cancer of uterus											
	V1042	179	1820	1821	1828	2332						
26	Cancer of cervix											
	V1041	1800	1801	1808	1809	2331	7950					
27	Cancer of ovary											
	V1043	1830										
28	Cancer of other female genital organs											
	V1040	V1044	181	1832	1833	1834	1835	1838	1839	1840	1841	1842
	1843	1844	1848	1849	2333							
29	Cancer of prostate											
	V1046	185	2334									
30	Cancer of testis											
	V1047	1860	1869									
31	Cancer of other male genital organs											
	V1045	V1048	V1049	1871	1872	1873	1874	1875	1876	1877	1878	1879
	2335	2336										
32	Cancer of bladder											
	V1051	1880	1881	1882	1883	1884	1885	1886	1887	1888	1889	2337
33	Cancer of kidney and renal pelvis											
	V1052	1890	1891									
34	Cancer of other urinary organs											

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 1999)

Diagnosis category ICD-9-CM codes												
	V1050	V1059	1892	1893	1894	1898	1899	2339				
35	Cancer of brain and nervous system											
	V1085	V1086	1910	1911	1912	1913	1914	1915	1916	1917	1918	1919
	1920	1921	1922	1923	1928	1929						
36	Cancer of thyroid											
	V1087	193										
37	Hodgkin's disease											
	V1072	20100	20101	20102	20103	20104	20105	20106	20107	20108	20110	20111
	20112	20113	20114	20115	20116	20117	20118	20120	20121	20122	20123	20124
	20125	20126	20127	20128	20140	20141	20142	20143	20144	20145	20146	20147
	20148	20150	20151	20152	20153	20154	20155	20156	20157	20158	20160	20161
	20162	20163	20164	20165	20166	20167	20168	20170	20171	20172	20173	20174
	20175	20176	20177	20178	20190	20191	20192	20193	20194	20195	20196	20197
	20198											
38	Non-Hodgkin's lymphoma											
	V1071	V1079	20000	20001	20002	20003	20004	20005	20006	20007	20008	20010
	20011	20012	20013	20014	20015	20016	20017	20018	20020	20021	20022	20023
	20024	20025	20026	20027	20028	20080	20081	20082	20083	20084	20085	20086
	20087	20088	20200	20201	20202	20203	20204	20205	20206	20207	20208	20210
	20211	20212	20213	20214	20215	20216	20217	20218	20220	20221	20222	20223
	20224	20225	20226	20227	20228	20280	20281	20282	20283	20284	20285	20286
	20287	20288	20290	20291	20292	20293	20294	20295	20296	20297	20298	
39	Leukemias											
	V1060	V1061	V1062	V1063	V1069	20240	20241	20242	20243	20244	20245	20246
	20247	20248	2031	20310	20311	2040	20400	20401	2041	20410	20411	2042
	20420	20421	2048	20480	20481	2049	20490	20491	2050	20500	20501	2051
	20510	20511	2052	20520	20521	2053	20530	20531	2058	20580	20581	2059
	20590	20591	2060	20600	20601	2061	20610	20611	2062	20620	20621	2068
	20680	20681	2069	20690	20691	2070	20700	20701	2071	20710	20711	2072
	20720	20721	2078	20780	20781	2080	20800	20801	2081	20810	20811	2082
	20820	20821	2088	20880	20881	2089	20890	20891				
40	Multiple myeloma											
	2030	20300	20301	2038	20380	20381						

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 1999)

Diagnosis category ICD-9-CM codes												
41	Cancer, other and unspecified primary											
	V1029	V1081	V1084	V1088	V1089	V109	V711	1640	1641	1642	1643	1648
	1649	1760	1761	1762	1763	1764	1765	1768	1769	1900	1901	1902
	1903	1904	1905	1906	1907	1908	1909	1940	1941	1943	1944	1945
	1946	1948	1949	1951	1952	1953	1954	1955	1958	20230	20231	20232
	20233	20234	20235	20236	20237	20238	20250	20251	20252	20253	20254	20255
	20256	20257	20258	20260	20261	20262	20263	20264	20265	20266	20267	20268
	2340	2348	2349	7951								
42	Secondary malignancies											
	1960	1961	1962	1963	1965	1966	1968	1969	1970	1971	1972	1973
	1974	1975	1976	1977	1978	1980	1981	1982	1983	1984	1985	1986
	1987	19881	19882	19889								
43	Malignant neoplasm without specification of site											
	1990	1991										
44	Neoplasms of unspecified nature or uncertain behavior											
	2350	2351	2352	2353	2354	2355	2356	2357	2358	2359	2360	2361
	2362	2363	2364	2365	2366	2367	23690	23691	23699	2370	2371	2372
	2373	2374	2375	2376	2377	23770	23771	23772	2379	2380	2381	2382
	2383	2384	2385	2386	2387	2388	2389	2390	2391	2392	2393	2394
	2395	2396	2397	2398	2399							
45	Maintenance chemotherapy, radiotherapy											
	V580	V581	V661	V662	V671	V672						
46	Benign neoplasm of uterus											
	2180	2181	2182	2189	2190	2191	2198	2199				
47	Other and unspecified benign neoplasm											
	V1272	2100	2101	2102	2103	2104	2105	2106	2107	2108	2109	2110
	2111	2112	2113	2114	2115	2116	2117	2118	2119	2120	2121	2122
	2123	2124	2125	2126	2127	2128	2129	2130	2131	2132	2133	2134
	2135	2136	2137	2138	2139	2140	2141	2142	2143	2144	2148	2149
	2150	2152	2153	2154	2155	2156	2157	2158	2159	2160	2161	2162
	2163	2164	2165	2166	2167	2168	2169	217	220	2210	2211	2212
	2218	2219	2220	2221	2222	2223	2224	2228	2229	2230	2231	2232
	2233	22381	22389	2239	2240	2241	2242	2243	2244	2245	2246	2247
	2248	2249	2250	2251	2252	2253	2254	2258	2259	226	2270	2271
	2273	2274	2275	2276	2278	2279	22800	22801	22802	22803	22804	22809
	2281	2290	2298	2299								

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 1999)

Diagnosis category ICD-9-CM codes													
48	Thyroid disorders												
	2400	2409	2410	2411	2419	24200	24201	24210	24211	24220	24221	24230	
	24231	24240	24241	24280	24281	24290	24291	243	2440	2441	2442	2443	
	2448	2449	2450	2451	2452	2453	2454	2458	2459	2460	2461	2462	
	2463	2468	2469	7945									
49	Diabetes mellitus without complication												
	25000	25001	7902	7915	7916								
50	Diabetes mellitus with complications												
	25002	25003	25010	25011	25012	25013	25020	25021	25022	25023	25030	25031	
	25032	25033	25040	25041	25042	25043	25050	25051	25052	25053	25060	25061	
	25062	25063	25070	25071	25072	25073	25080	25081	25082	25083	25090	25091	
	25092	25093											
51	Other endocrine disorders												
	2510	2511	2512	2513	2514	2515	2518	2519	2520	2521	2528	2529	
	2530	2531	2532	2533	2534	2535	2536	2537	2538	2539	2540	2541	
	2548	2549	2550	2551	2552	2553	2554	2555	2556	2558	2559	2560	
	2561	2562	2563	2564	2568	2569	2570	2571	2572	2578	2579	2580	
	2581	2588	2589	2590	2591	2592	2593	2594	2598	2599	7946		
52	Nutritional deficiencies												
	V121	260	261	262	2630	2631	2632	2638	2639	2640	2641	2642	
	2643	2644	2645	2646	2647	2648	2649	2650	2651	2652	2660	2661	
	2662	2669	267	2680	2681	2682	2689	2690	2691	2692	2693	2698	
	2699	7994											
53	Disorders of lipid metabolism												
	2720	2721	2722	2723	2724								
54	Gout and other crystal arthropathies												
	2740	27410	27411	27419	27481	27482	27489	2749	71210	71211	71212	71213	
	71214	71215	71216	71217	71218	71219	71220	71221	71222	71223	71224	71225	
	71226	71227	71228	71229	71230	71231	71232	71233	71234	71235	71236	71237	
	71238	71239	71280	71281	71282	71283	71284	71285	71286	71287	71288	71289	
	71290	71291	71292	71293	71294	71295	71296	71297	71298	71299			
55	Fluid and electrolyte disorders												
	2760	2761	2762	2763	2764	2765	2766	2767	2768	2769			
56	Cystic fibrosis												

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 1999)

Diagnosis category ICD-9-CM codes													
27700 27701													
57	Immunity disorders												
	27900	27901	27902	27903	27904	27905	27906	27909	27911	27912	27913	2792	
	2793	2794	2798	2799									
58	Other nutritional, endocrine, and metabolic disorders												
	V122	2700	2701	2702	2703	2704	2705	2706	2707	2708	2709	2710	
	2711	2712	2713	2714	2718	2719	2725	2726	2727	2728	2729	2730	
	2731	2732	2733	2738	2739	2750	2751	2752	2753	2754	27540	27541	
	27542	27549	2758	2759	2771	2772	2773	2774	2775	2776	2778	2779	
	2780	27800	27801	2781	2782	2783	2784	2788	7831	7832	7833	7834	
	7835	7839	7947	7957	79579								
59	Deficiency and other anemia												
	2800	2801	2808	2809	2810	2811	2812	2813	2814	2818	2819	2820	
	2821	2822	2823	2824	2827	2828	2829	2830	2831	28310	28311	28319	
60	Acute posthemorrhagic anemia												
	2851												
61	Sickle cell anemia												
	2825	28260	28261	28262	28263	28269							
62	Coagulation and hemorrhagic disorders												
	2860	2861	2862	2863	2864	2865	2866	2867	2869	2870	2871	2872	
	2873	2874	2875	2878	2879	7827							
63	Diseases of white blood cells												
	2880	2881	2882	2883	2888	2889							
64	Other hematologic conditions												
	V123	V582	2890	2894	28950	28951	28959	2896	2897	2898	2899	7900	
65	Mental retardation												
	317	3180	3181	3182	319								
66	Alcohol-related mental disorders												

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 1999)

Diagnosis category ICD-9-CM codes													
	2910 30302	2911 30303	2912 30390	2913 30391	2914 30392	2915 30393	2918 30500	29181 30501	29189 30502	2919 30503	30300	30301	
67	Substance-related mental disorders												
	V1582 30401 30431 30461 30491 30530 30560	2920 30402 30432 30462 30492 30531 30561	29211 30403 30433 30463 30493 30532 30562	29212 30410 30440 30470 30510 30533 30563	2922 30411 30441 30471 30511 30540 30570	29281 30412 30442 30472 30512 30541 30571	29282 30413 30443 30473 30513 30542 30572	29283 30420 30450 30480 30520 30543 30573	29284 30421 30451 30481 30521 30550 30580	29289 30422 30452 30482 30522 30551 30581	2929 30423 30453 30483 30523 30552 30582	30400 30430 30460 30490 30523 30553	
68	Senility and organic mental disorders												
	2900 2908 2948	29010 2909 2949	29011 2930 3100	29012 2931 3101	29013 29381 3102	29020 29382 3108	29021 29383 3109	2903 29384 3310	29040 29389 3311	29041 2939 3312	29042 2940 797	29043 2941	
69	Affective disorders												
	29600 29615 29633 29651 29666	29601 29616 29634 29652 2967	29602 29620 29635 29653 29680	29603 29621 29636 29654 29681	29604 29622 29640 29655 29682	29605 29623 29641 29656 29689	29606 29624 29642 29656 29690	29610 29625 29643 29660 29699	29611 29626 29644 29661 29699	29612 29630 29645 29662 2980	29613 29631 29646 29663 3004	29614 29632 29650 29665 30111	
70	Schizophrenia and related disorders												
	29500 29520 29540 29560 29580 29900	29501 29521 29541 29561 29581 29901	29502 29522 29542 29562 29582 29910	29503 29523 29543 29563 29583 29911	29504 29524 29544 29564 29584 29980	29505 29525 29545 29565 29585 29981	29510 29530 29550 29570 29590 29990	29511 29531 29551 29571 29591 29991	29512 29532 29552 29572 29592 29991	29513 29533 29553 29573 29593 29991	29514 29534 29554 29574 29594 29991	29515 29535 29555 29575 29595	
71	Other psychoses												
	2970	2971	2972	2973	2978	2979	2981	2982	2983	2984	2988	2989	
72	Anxiety, somatoform, dissociative, and personality disorders												
	30000 30020 30110 30181 30747 3089	30001 30021 30112 30182 30748 30981	30002 30022 30120 30183 30749 31230	30009 30023 30121 30184 30780 31231	30010 30029 30122 30189 30781 31232	30011 3003 3013 3019 30789 31233	30012 3005 3014 30740 3079 31234	30013 3006 3014 30741 3079 31235	30014 3007 30150 30742 3080 3081	30015 30081 30151 30743 3082 3083	30016 30082 3016 30744 3084	30019 3010 3017 30745	

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 1999)

Diagnosis category ICD-9-CM codes													
73	Preadult disorders												
	30921	31200	31201	31202	31203	31210	31211	31212	31213	31220	31221	31222	
	31223	3124	3128	31281	31282	31289	3129	3130	31321	31400	31401	3141	
	3142	3148	3149										
74	Other mental conditions												
	30089	3009	3021	3022	3023	3024	30250	30251	30252	30253	3026	30270	
	30271	30272	30273	30274	30275	30276	30279	30281	30282	30283	30284	30285	
	30289	3029	3060	3061	3062	3063	3064	30650	30651	30652	30653	30659	
	3066	3067	3068	3069	3070	3071	30720	30721	30722	30723	3073	30746	
	30750	30751	30752	30753	30754	30759	3076	3077	3090	3091	30922	30923	
	30924	30928	30929	3093	3094	30982	30983	30989	3099	311	3131	31322	
	31323	3133	31381	31382	31383	31389	3139	31500	31501	31502	31509	3151	
	3152	31531	31532	31539	3154	3155	3158	3159	316	7801			
75	Personal history of mental disorder, mental and behavioral problems, observation and screening for mental condition												
	V110	V111	V112	V113	V118	V119	V154	V1541	V1542	V1549	V400	V401	
	V402	V403	V409	V663	V673	V701	V702	V7101	V7102	V7109	V790	V791	
	V792	V793	V798	V799									
76	Meningitis (except that caused by tuberculosis or sexually transmitted disease)												
	00321	0360	0470	0471	0478	0479	0490	0491	0530	05472	0721	10081	
	11283	1142	11501	11511	11591	3200	3201	3202	3203	3207	3208	32081	
	32082	32089	3209	3210	3211	3212	3213	3214	3218	3220	3221	3222	
	3229												
77	Encephalitis (except that caused by tuberculosis or sexually transmitted disease)												
	0361	0462	0498	0499	0520	0543	0550	05601	0620	0621	0622	0623	
	0624	0625	0628	0629	0630	0631	0632	0638	0639	064	0662	0722	
	1300	1390	3230	3231	3232	3234	3235	3236	3237	3238	3239		
78	Other CNS infection and poliomyelitis												
	V1202	04500	04501	04502	04503	04510	04511	04512	04513	04520	04521	04522	
	04523	04590	04591	04592	04593	0460	0461	0463	0468	0469	048	138	
	3240	3241	3249	326									
79	Parkinson's disease												
	3320												

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 1999)

Diagnosis category ICD-9-CM codes													
80	Multiple sclerosis												
	340												
81	Other hereditary and degenerative nervous system conditions												
	3300	3301	3302	3303	3308	3309	3313	3314	3317	33181	33189	3319	
	3330	3331	3332	3333	3334	3335	3336	3337	33381	33382	33383	33384	
	33389	33390	33391	33392	33393	33399	3340	3341	3342	3343	3344	3348	
	3349	3350	33510	33511	33519	33520	33521	33522	33523	33524	33529	3358	
	3359	3360	3361	3362	3363	3368	3369	3370	3371	3373	3379		
82	Paralysis												
	3420	34200	34201	34202	3421	34210	34211	34212	34280	34281	34282	3429	
	34290	34291	34292	3430	3431	3432	3433	3434	3438	3439	3440	34400	
	34401	34402	34403	34404	34409	3441	3442	3443	34430	34431	34432	3444	
	34440	34441	34442	3445	34460	3448	34481	34489	3449	7814			
83	Epilepsy, convulsions												
	3450	34500	34501	3451	34510	34511	3452	3453	3454	34540	34541	3455	
	34550	34551	3456	34560	34561	3457	34570	34571	3458	34580	34581	3459	
	34590	34591	7803	78031	78039								
84	Headache, including migraine												
	3460	34600	34601	3461	34610	34611	3462	34620	34621	3468	34680	34681	
	3469	34690	34691	7840									
85	Coma, stupor, and brain damage												
	3481	7800	78001	78003	78009								
86	Cataract												
	V431	36600	36601	36602	36603	36604	36609	36610	36611	36612	36613	36614	
	36615	36616	36617	36618	36619	36620	36621	36622	36623	36630	36631	36632	
	36633	36634	36641	36642	36643	36644	36645	36646	36647	36650	36651	36652	36653
	3668	3669											
87	Retinal detachments, defects, vascular occlusion, and retinopathy												
	36100	36101	36102	36103	36104	36105	36106	36107	36110	36111	36112	36113	
	36114	36119	3612	36130	36131	36132	36133	36181	36189	3619	36201	36202	
	36210	36211	36212	36213	36214	36215	36216	36217	36218	36221	36229	36230	
	36231	36232	36233	36234	36235	36236	36237	36240	36241	36242	36243	36250	
	36251	36252	36253	36254	36255	36256	36257	36260	36261	36262	36263	36264	
	36265	36266	36270	36271	36272	36273	36274	36275	36276	36277	36281	36282	
	36283	36284	36285	36289	3629								

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 1999)

Diagnosis category ICD-9-CM codes														
88	Glaucoma													
	36500	36501	36502	36503	36504	36510	36511	36512	36513	36514	36515	36520		
	36521	36522	36523	36524	36531	36532	36541	36542	36543	36544	36551	36552		
	36559	36560	36561	36562	36563	36564	36565	36581	36582	36589	3659			
89	Blindness and vision defects													
	V410	3670	3671	36720	36721	36722	36731	36732	3674	36751	36752	36753		
	36781	36789	3679	36800	36801	36802	36803	36810	36811	36812	36813	36814		
	36815	36816	3682	36830	36831	36832	36833	36834	36840	36841	36842	36843		
	36844	36845	36846	36847	36851	36852	36853	36854	36855	36859	36860	36861		
	36862	36863	36869	3688	3689	36900	36901	36902	36903	36904	36905	36906		
	36907	36908	36910	36911	36912	36913	36914	36915	36916	36917	36918	36920		
	36921	36922	36923	36924	36925	3693	3694	36960	36961	36962	36963	36964		
	36965	36966	36967	36968	36969	36970	36971	36972	36973	36974	36975	36976		
	3698	3699												
90	Inflammation, infection of eye (except that caused by tuberculosis or sexually transmitted disease)													
	0213	03281	05320	05321	05322	05329	05440	05441	05442	05443	05444	05449		
	05571	0760	0761	0769	0770	0771	0772	0773	0774	0778	0779	07798		
	07799	11502	11512	11592	1301	1302	1391	36000	36001	36002	36003	36004		
	36011	36012	36013	36014	36019	36300	36301	36303	36304	36305	36306	36307		
	36308	36310	36311	36312	36313	36314	36315	36320	36321	36322	36400	36401		
	36402	36403	36404	36405	36410	36411	36421	36422	36423	36424	3643	37020		
	37021	37022	37023	37024	37031	37032	37033	37034	37035	37040	37044	37049		
	37050	37052	37054	37055	37059	3708	3709	37200	37201	37202	37203	37204		
	37205	37210	37211	37212	37213	37214	37215	37220	37221	37222	37230	37231		
	37233	37239	37300	37301	37302	37311	37312	37313	37331	37332	37333	37334		
	3734	3735	3736	3738	3739	37500	37501	37502	37503	37530	37531	37532		
	37533	37541	37542	37543	37600	37601	37602	37603	37604	37610	37611	37612		
	37613	37730	37731	37732	37733	37734	37739	37900	37901	37902	37903	37904		
	37905	37906	37907	37909										
91	Other eye disorders													
	V411	V425	V430	V456	V4561	V4569	V522	V531	V720	36020	36021	36023		
	36024	36029	36030	36031	36032	36033	36034	36040	36041	36042	36043	36044		
	36050	36051	36052	36053	36054	36055	36059	36060	36061	36062	36063	36064		
	36065	36069	36081	36089	3609	36330	36331	36332	36333	36334	36335	36340		
	36341	36342	36343	36350	36351	36352	36353	36354	36355	36356	36357	36361		
	36362	36363	36370	36371	36372	3638	3639	36441	36442	36451	36452	36453		
	36454	36455	36456	36457	36459	36460	36461	36462	36463	36464	36470	36471		
	36472	36473	36474	36475	36476	36477	3648	3649	37000	37001	37002	37003		
	37004	37005	37006	37007	37060	37061	37062	37063	37064	37100	37101	37102		
	37103	37104	37105	37110	37111	37112	37113	37114	37115	37116	37120	37121		
	37122	37123	37124	37130	37131	37132	37133	37140	37141	37142	37143	37144		
	37145	37146	37148	37149	37150	37151	37152	37153	37154	37155	37156	37157		
	37158	37160	37161	37162	37170	37171	37172	37173	37181	37182	37189	3719		

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 1999)

Diagnosis category ICD-9-CM codes														
37240	37241	37242	37243	37244	37245	37250	37251	37252	37253	37254	37255			
37256	37261	37262	37263	37264	37271	37272	37273	37274	37275	3728	3729			
3732	37400	37401	37402	37403	37404	37405	37410	37411	37412	37413	37414			
37420	37421	37422	37423	37430	37431	37432	37433	37434	37441	37443	37444			
37445	37446	37450	37451	37452	37453	37454	37455	37456	37481	37482	37483			
37484	37485	37486	37487	37489	3749	37511	37512	37513	37514	37515	37516			
37520	37521	37522	37551	37552	37553	37554	37555	37556	37557	37561	37569			
37581	37589	3759	37621	37622	37630	37631	37632	37633	37634	37635	37636			
37640	37641	37642	37643	37644	37645	37646	37647	37650	37651	37652	3766			
37681	37682	37689	3769	37700	37701	37702	37703	37704	37710	37711	37712			
37713	37714	37715	37716	37721	37722	37723	37724	37741	37742	37749	37751			
37752	37753	37754	37761	37762	37763	37771	37772	37773	37775	3779	37800			
37801	37802	37803	37804	37805	37806	37807	37808	37810	37811	37812	37813			
37814	37815	37816	37817	37818	37820	37821	37822	37823	37824	37830	37831			
37832	37833	37834	37835	37840	37841	37842	37843	37844	37845	37850	37851			
37852	37853	37854	37855	37856	37860	37861	37862	37863	37871	37872	37873			
37881	37882	37883	37884	37885	37886	37887	3789	37911	37912	37913	37914			
37915	37916	37919	37921	37922	37923	37924	37925	37926	37929	37931	37932			
37933	37934	37939	37940	37941	37942	37943	37945	37946	37949	37950	37951			
37952	37953	37954	37955	37956	37957	37958	37959	3798	37990	37991	37992			
37993	37999													
92	Otitis media and related conditions													
	0552	38100	38101	38102	38103	38104	38105	38106	38110	38119	38120	38129		
	3813	3814	38150	38151	38152	38160	38161	38162	38163	3817	38181	38189		
	3819	38200	38201	38202	3821	3822	3823	3824	3829	38300	38301	38302		
	3831	38320	38321	38322	38330	38331	38332	38333	38381	38389	3839	38420		
	38421	38422	38423	38424	38425	38481	38482	3849	38500	38501	38502	38503		
	38509	38510	38511	38512	38513	38519	38521	38522	38523	38524	3870	3871		
	3872	3878	3879											
93	Conditions associated with dizziness or vertigo													
	38600	38601	38602	38603	38604	38610	38611	38612	38619	3862	38630	38631		
	38632	38633	38634	38635	38640	38641	38642	38643	38648	38650	38651	38652		
	38653	38654	38655	38656	38658	3868	3869	7804						
94	Other ear and sense organ disorders													
	V412	V413	V532	V721	38000	38001	38002	38010	38011	38012	38013	38014		
	38015	38016	38021	38022	38023	38030	38031	38032	38039	3804	38050	38051		
	38052	38053	38081	38089	3809	38400	38401	38409	3841	38530	38531	38532		
	38533	38535	38582	38583	38589	3859	38800	38801	38802	38810	38811	38812		
	3882	38830	38831	38832	38840	38841	38842	38843	38844	3885	38860	38861		
	38869	38870	38871	38872	3888	3889	38900	38901	38902	38903	38904	38908		
	38910	38911	38912	38914	38918	3892	3897	3898	3899					
95	Other nervous system disorders													

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 1999)

Diagnosis category ICD-9-CM codes													
V124	V1240	V1241	V1249	V415	V452	V484	V485	V493	V530	V5301	V5302		
V5309	325	3321	33720	33721	33722	33729	3410	3411	3418	3419	34461		
347	3480	3482	3483	3484	3485	3488	3489	3492	34981	34982	34989		
3499	3501	3502	3508	3509	3510	3511	3518	3519	3520	3521	3522		
3523	3524	3525	3526	3529	3530	3531	3532	3533	3534	3535	3536		
3538	3539	3540	3541	3542	3543	3544	3545	3548	3549	3550	3551		
3552	3553	3554	3555	3556	3557	35571	35579	3558	3559	3560	3561		
3562	3563	3564	3568	3569	3570	3571	3572	3573	3574	3575	3576		
3577	3578	3579	3580	3581	3582	3588	3589	3590	3591	3592	3593		
3594	3595	3596	3598	3599	7810	7811	7812	7813	7817	7818	7820		
7843	7845	78460	78461	78469	7920	7930	79400	79401	79402	79409	79410		
79411	79412	79413	79414	79415	79416	79417	79419	7961					
96	Heart valve disorders												
	V422	V433	3940	3941	3942	3949	3950	3951	3952	3959	3960	3961	
	3962	3963	3968	3969	3970	3971	3979	4240	4241	4242	4243	42490	
42491	42499	7852	7853										
97	Peri-, endo-, and myocarditis, cardiomyopathy (except that caused by tuberculosis or sexually transmitted disease)												
	03282	03640	03641	03642	03643	07420	07421	07422	07423	11281	11503	11504	
	11513	11514	11593	11594	1303	3910	3911	3912	3918	3919	3920	393	
	3980	39890	39899	4200	42090	42091	42099	4210	4211	4219	4220	42290	
	42291	42292	42293	42299	4230	4231	4232	4238	4239	4250	4251	4252	
	4253	4254	4255	4257	4258	4259	4290						
98	Essential hypertension												
	4011	4019											
99	Hypertension with complications and secondary hypertension												
	4010	40200	40201	40210	40211	40290	40291	4030	40300	40301	4031	40310	
	40311	4039	40390	40391	4040	40400	40401	40402	40403	4041	40410	40411	
					40412	40413	4049	40490	40491	40492	40493	40501	
					40509	40511	40519	40591	40599	4372			
100	Acute myocardial infarction												
	4100	41000	41001	41002	4101	41010	41011	41012	4102	41020	41021	41022	
	4103	41030	41031	41032	4104	41040	41041	41042	4105	41050	41051	41052	
	4106	41060	41061	41062	4107	41070	41071	41072	4108	41080	41081	41082	
	4109	41090	41091	41092									
101	Coronary atherosclerosis and other heart disease												
	V4581	V4582	4110	4111	4118	41181	41189	412	4130	4131	4139	4140	
	41400	41401	4148	4149									

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 1999)

Diagnosis category ICD-9-CM codes												
102	Nonspecific chest pain											
	78650	78651	78659									
103	Pulmonary heart disease											
	4150	4151	41519	4160	4161	4168	4169	4170	4171	4178	4179	
104	Other and ill-defined heart disease											
	41410	41411	41419	4291	4292	4293	4295	4296	42971	42979	42981	42982
	42989	4299										
105	Conduction disorders											
	V450	V4500	V4501	V4502	V4509	V533	V5331	V5332	V5339	4260	42610	42611
	42612	42613	4262	4263	4264	42650	42651	42652	42653	42654	4266	4267
	42681	42689	4269									
106	Cardiac dysrhythmias											
	4270	4271	4272	42731	42732	42760	42761	42769	42781	42789	4279	7850
	7851											
107	Cardiac arrest and ventricular fibrillation											
	42741	42742	4275									
108	Congestive heart failure, nonhypertensive											
	39891	4280	4281	4289								
109	Acute cerebrovascular disease											
	430	431	4320	4321	4329	43301	43311	43321	43331	43381	43391	4340
	43400	43401	4341	43410	43411	4349	43490	43491	436			
110	Occlusion or stenosis of precerebral arteries											
	4330	43300	4331	43310	4332	43320	4333	43330	4338	43380	4339	43390
111	Other and ill-defined cerebrovascular disease											
	4370	4371	4373	4374	4375	4376	4377	4378	4379			
112	Transient cerebral ischemia											
	4350	4351	4352	4353	4358	4359						
113	Late effects of cerebrovascular disease											

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 1999)

Diagnosis category ICD-9-CM codes													
	438	4380	43810	43811	43812	43819	43820	43821	43822	43830	43831	43832	
	43840	43841	43842	43850	43851	43852	43853	43881	43882	43889	4389		
114	Peripheral and visceral atherosclerosis												
	4400	4401	4402	44020	44021	44022	44023	44029	4408	4409	4439	5570	
	5571	5579											
115	Aortic, peripheral, and visceral artery aneurysms												
	4410	44100	44101	44102	44103	4411	4412	4413	4414	4415	4416	4417	
	4419	4420	4421	4422	4423	44281	44282	44283	44284	44289	4429		
116	Aortic and peripheral arterial embolism or thrombosis												
	4440	4441	44421	44422	44481	44489	4449						
117	Other circulatory disease												
	V125	V1250	V1259	V151	V421	V432	V434	V717	4430	4431	44381	44389	
	4460	4461	4462	44620	44621	44629	4463	4464	4465	4466	4467	4470	
	4471	4472	4473	4474	4475	4476	4478	4479	4480	4481	4489	4580	
	4581	4588	4589	4590	45989	4599	7859	79430	79431	79439	7962		
118	Phlebitis, thrombophlebitis and thromboembolism												
	V1251	V1252	4510	45111	45119	4512	45181	45182	45183	45184	45189	4519	
	452	4530	4531	4532	4533	4538	4539						
119	Varicose veins of lower extremity												
	4540	4541	4542	4549									
120	Hemorrhoids												
	4550	4551	4552	4553	4554	4555	4556	4557	4558	4559			
121	Other diseases of veins and lymphatics												
	4563	4564	4565	4566	4568	4570	4571	4572	4578	4579	4591	4592	
	45981												
122	Pneumonia (except that caused by tuberculosis or sexually transmitted disease)												
	00322	0203	0204	0205	0212	0221	0310	0391	0521	0551	0730	0830	
	1124	1140	1144	1145	11505	11515	11595	1304	1363	4800	4801	4802	
	4808	4809	481	4820	4821	4822	4823	48230	48231	48232	48239	4824	
	48240	48241	48249	4828	48281	48282	48283	48284	48289	4829	483	4830	
	4831	4838	4841	4843	4845	4846	4847	4848	485	486	5130	5171	

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 1999)

Diagnosis category ICD-9-CM codes													
123	Influenza												
	4870	4871	4878										
124	Acute and chronic tonsillitis												
	463	4740	47400	47401	47402	47410	47411	47412	4742	4748	4749	475	
125	Acute bronchitis												
	4660	4661	46611	46619									
126	Other upper respiratory infections												
	0320	0321	0322	0323	0340	460	4610	4611	4612	4613	4618	4619	
	462	4640	46410	46411	46420	46421	46430	46431	4644	4650	4658	4659	
	4730	4731	4732	4733	4738	4739							
127	Chronic obstructive pulmonary disease and bronchiectasis												
	490	4910	4911	4912	49120	49121	4918	4919	4920	4928	494	496	
128	Asthma												
	49300	49301	49310	49311	49320	49321	49390	49391					
129	Aspiration pneumonitis, food/vomitus												
	5070												
130	Pleurisy, pneumothorax, pulmonary collapse												
	5100	5109	5110	5111	5118	5119	5120	5128	5180	5181	5182		
131	Respiratory failure, insufficiency, arrest (adult)												
	V461	5185	51881	51882	51883	51884	7991						
132	Lung disease due to external agents												
	4950	4951	4952	4953	4954	4955	4956	4957	4958	4959	500	501	
	502	503	504	505	5060	5061	5062	5063	5064	5069	5071	5078	
	5080	5081	5088	5089									
133	Other lower respiratory disease												
	V126	V426	5131	514	515	5160	5161	5162	5163	5168	5169	5172	
	5178	5183	5184	51889	5194	5198	5199	7825	78600	78601	78602	78603	
	78604	78605	78606	78607	78609	7862	7863	7864	78652	7866	7867	7868	
	7869	7931	7942										

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 1999)

Diagnosis category ICD-9-CM codes													
134	Other upper respiratory disease												
	V414	V440	V550	470	4710	4711	4718	4719	4720	4721	4722	4760	
	4761	4770	4778	4779	4780	4781	47820	47821	47822	47824	47825	47826	
	47829	47830	47831	47832	47833	47834	4784	4785	4786	47870	47871	47874	
	47875	47879	4788	4789	5191	5192	5193	7841	78440	78441	78449	7847	
	7848	7849	7861										
135	Intestinal infection												
	0010	0011	0019	0020	0021	0022	0023	0029	0030	00320	00329	0038	
	0039	0040	0041	0042	0043	0048	0049	0050	0051	0052	0053	0054	
	0058	00581	00589	0059	0060	0061	0062	0063	0064	0065	0066	0068	
	0069	0070	0071	0072	0073	0074	0078	0079	0080	00800	00801	00802	
	00803	00804	00809	0081	0082	0083	00841	00842	00843	00844	00845	00846	
	00847	00849	0085	0086	00861	00862	00863	00864	00865	00866	00867	00869	
	0088	0090	0091	0092	0093	0211	0222						
136	Disorders of teeth and jaw												
	V523	V534	V585	V722	5200	5201	5202	5203	5204	5205	5206	5207	
	5208	5209	5210	5211	5212	5213	5214	5215	5216	5217	5218	5219	
	5220	5221	5222	5223	5224	5225	5226	5227	5228	5229	5230	5231	
	5232	5233	5234	5235	5236	5238	5239	5240	52400	52401	52402	52403	
	52404	52405	52406	52409	5241	52410	52411	52412	52419	5242	5243	5244	
	5245	5246	52460	52461	52462	52463	52469	52470	52471	52472	52473	52474	
	52479	5248	5249	5250	5251	5252	5253	5258	5259	5260	5261	5262	
	5263	5264	5265	52681	52689	5269							
137	Diseases of mouth, excluding dental												
	5270	5271	5272	5273	5274	5275	5276	5277	5278	5279	5280	5281	
	5282	5283	5284	5285	5286	5287	5288	5289	5290	5291	5292	5293	
	5294	5295	5296	5298	5299	7924							
138	Esophageal disorders												
	4561	45621	5300	5301	53010	53011	53019	5302	5303	5304	5305	5306	
	5308	53081	53083	53084	53089	5309							
139	Gastroduodenal ulcer (except hemorrhage)												
	V1271	53110	53111	53130	53131	53150	53151	53170	53171	53190	53191	53210	
	53211	53230	53231	53250	53251	53270	53271	53290	53291	53310	53311	53330	
	53331	53350	53351	53370	53371	53390	53391	53410	53411	53430	53431	53450	
	53451	53470	53471	53490	53491								
140	Gastritis and duodenitis												
	5350	53500	53501	5351	53510	53511	5352	53520	53521	5353	53530	53531	

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 1999)

Diagnosis category ICD-9-CM codes												
	5354	53540	53541	5355	53550	53551	5356	53560	53561			
141	Other disorders of stomach and duodenum											
	5360	5361	5362	5363	5368	5369	5370	5371	5372	5373	5374	5375
	5376	53781	53782	53783	53789	5379						
142	Appendicitis and other appendiceal conditions											
	5400	5401	5409	541	542	5430	5439					
143	Abdominal hernia											
	55000	55001	55002	55003	55010	55011	55012	55013	55090	55091	55092	55093
	55100	55101	55102	55103	5511	55120	55121	55129	5513	5518	5519	55200
	55201	55202	55203	5521	55220	55221	55229	5523	5528	5529	55300	55301
	55302	55303	5531	55320	55321	55329	5533	5538	5539			
144	Regional enteritis and ulcerative colitis											
	5550	5551	5552	5559	556	5560	5561	5562	5563	5564	5565	5566
	5568	5569										
145	Intestinal obstruction without hernia											
	5600	5601	5602	56030	56031	56039	56081	56089	5609			
146	Diverticulosis and diverticulitis											
	56200	56201	56202	56203	56210	56211	56212	56213				
147	Anal and rectal conditions											
	5646	5650	5651	566		5690	5691	5692	56941	56942	56949	
148	Peritonitis and intestinal abscess											
	03283	5670	5671	5672	5678	5679	5695					
149	Biliary tract disease											
	57400	57401	57410	57411	57420	57421	57430	57431	57440	57441	57450	57451
	57460	57461	57470	57471	57480	57481	57490	57491	5750	5751	57510	57511
	57512	5752	5753	5754	5755	5756	5758	5759	5760	5761	5762	5763
	5764	5765	5768	5769	7933							
150	Liver disease, alcohol-related											
	5710	5711	5712	5713								

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 1999)

Diagnosis category ICD-9-CM codes													
151	Other liver diseases												
	V427	570	5715	5716	5718	5719	5720	5721	5722	5723	5724	5728	
	5730	5734	5738	5739	7824	7891	7895	7904	7905	7948			
152	Pancreatic disorders (not diabetes)												
	5770	5771	5772	5778	5779	5794							
153	Gastrointestinal hemorrhage												
	4560	45620	5307	53082	53100	53101	53120	53121	53140	53141	53160	53161	
	53200	53201	53220	53221	53240	53241	53260	53261	53300	53301	53320	53321	
	53340	53341	53360	53361	53400	53401	53420	53421	53440	53441	53460	53461	
	5693	5780	5781	5789									
154	Noninfectious gastroenteritis												
	5589												
155	Other gastrointestinal disorders												
	V127	V1270	V1279	V416	V441	V442	V443	V444	V453	V473	V535	V551	
	V552	V553	V554	5581	5582	5640	5641	5645	5647	5648	56481	56489	
	5649	5680	56881	56882	56889	5689	56981	56982	56983	56984	56985	56989	
	5699	5790	5791	5792	5798	5799	7871	7872	7873	7874	7875	7876	
	7877	7879	78791	78799	7892	7893	78930	78931	78932	78933	78934	78935	
	78936	78937	78939	7894	78940	78941	78942	78943	78944	78945	78946	78947	
	78949	7899	7921	7934	7936								
156	Nephritis, nephrosis, renal sclerosis												
	5800	5804	58081	58089	5809	5810	5811	5812	5813	58181	58189	5819	
	5820	5821	5822	5824	58281	58289	5829	5830	5831	5832	5834	5836	
	5837	58381	58389	5839	587								
157	Acute and unspecified renal failure												
	5845	5846	5847	5848	5849	586							
158	Chronic renal failure												
	V420	V451	V560	V561	V562	V568	585						
159	Urinary tract infections												
	03284	59000	59001	59010	59011	5902	5903	59080	59081	5909	5950	5951	
	5952	5953	5954	59581	59582	59589	5959	5970	59780	59781	59789	59800	
	59801	5990											

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 1999)

Diagnosis category ICD-9-CM codes													
160	Calculus of urinary tract												
	V1301	5920	5921	5929	5940	5941	5942	5948	5949	7880			
161	Other diseases of kidney and ureters												
	5880	5881	5888	5889	5890	5891	5899	591	5930	5931	5932	5933	5939
	5934	5935	5936	5937	59370	59371	59372	59373	59381	59382	59389	5939	
162	Other diseases of bladder and urethra												
	5960	5961	5962	5963	5964	5965	59651	59652	59653	59654	59655	59659	
	5966	5967	5968	5969	5981	5982	5988	5989	5991	5992	5993	5994	
	5995	59981	59982	59983	59984								
163	Genitourinary symptoms and ill-defined conditions												
	V130	V1300	V1309	V417	V435	V445	V4450	V4451	V4452	V4459	V446	V474	
	V475	V536	V555	V556	5996	5997	5998	59989	5999	7881	7882	78820	
	78821	78829	7883	78830	78831	78832	78833	78834	78835	78836	78837	78839	
	7884	78841	78842	78843	7885	7886	78861	78862	78869	7887	7888	7889	
	7910	7911	7912	7913	7914	7917	7919	7935	7944				
164	Hyperplasia of prostate												
	600												
165	Inflammatory conditions of male genital organs												
	6010	6011	6012	6013	6014	6018	6019	6031	6040	60490	60491	60499	
	6071	6072	6080	6084									
166	Other male genital disorders												
	6020	6021	6022	6028	6029	6030	6038	6039	605	6060	6061	6068	
	6069	6070	6073	60781	60782	60783	60784	60789	6079	6081	6082	6083	
	60881	60883	60884	60885	60886	60889	6089	7922					
167	Nonmalignant breast conditions												
	6100	6101	6102	6103	6104	6108	6109	6110	6111	6112	6113	6114	
	6115	6116	61171	61172	61179	6118	6119						
168	Inflammatory diseases of female pelvic organs												
	6140	6141	6142	6143	6144	6145	6146	6147	6148	6149	6150	6151	
	6159	6160	61610	61611	6162	6163	6164	61650	61651	6168	6169		
169	Endometriosis												

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 1999)

Diagnosis category ICD-9-CM codes												
	6170	6171	6172	6173	6174	6175	6176	6178	6179			
170	Prolapse of female genital organs											
	6180	6181	6182	6183	6184	6185	6186	6187	6188	6189		
171	Menstrual disorders											
	6253	6260	6261	6262	6263	6264	6265	6266	6268	6269		
172	Ovarian cyst											
	6200	6201	6202									
173	Menopausal disorders											
	V074	6270	6271	6272	6273	6274	6278	6279				
174	Female infertility											
	6280	6281	6282	6283	6284	6288	6289					
175	Other female genital disorders											
	V132	V557	V723	6190	6191	6192	6198	6199	6203	6204	6205	6206
	6207	6208	6209	6210	6211	6212	6213	6214	6215	6216	6217	6218
	6219	6220	6221	6222	6223	6224	6225	6226	6227	6228	6229	6230
	6231	6232	6233	6234	6235	6236	6237	6238	6239	6240	6241	6242
	6243	6244	6245	6246	6248	6249	6250	6251	6252	6254	6255	6256
	6258	6259	6267	6290	6291	6298	6299					
176	Contraceptive and procreative management											
	V157	V2501	V2502	V2509	V251	V252	V253	V2540	V2541	V2542	V2543	V2549
	V255	V258	V259	V260	V261	V262	V263	V264	V2651	V2652	V268	V269
	V455	V4551	V4552	V4559								
177	Spontaneous abortion											
	63400	63401	63402	63410	63411	63412	63420	63421	63422	63430	63431	63432
	63440	63441	63442	63450	63451	63452	63460	63461	63462	63470	63471	63472
	63480	63481	63482	63490	63491	63492						
178	Induced abortion											
	63500	63501	63502	63510	63511	63512	63520	63521	63522	63530	63531	63532
	63540	63541	63542	63550	63551	63552	63560	63561	63562	63570	63571	63572
	63580	63581	63582	63590	63591	63592	63600	63601	63602	63610	63611	63612
	63620	63621	63622	63630	63631	63632	63640	63641	63642	63650	63651	63652
	63660	63661	63662	63670	63671	63672	63680	63681	63682	63690	63691	63692

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 1999)

Diagnosis category ICD-9-CM codes													
63700	63701	63702	63710	63711	63712	63720	63721	63722	63730	63731	63732		
63740	63741	63742	63750	63751	63752	63760	63761	63762	63770	63771	63772		
63780	63781	63782	63790	63791	63792	6380	6381	6382	6383	6384	6385		
6386	6387	6388	6389										
179	Postabortion complications												
	6390	6391	6392	6393	6394	6395	6396	6398	6399				
180	Ectopic pregnancy												
	6330	6331	6332	6338	6339								
181	Other complications of pregnancy												
	630	631	632	64300	64301	64303	64310	64311	64313	64320	64321	64323	
	64380	64381	64383	64390	64391	64393	64600	64601	64603	64610	64611	64612	
	64613	64614	64620	64621	64622	64623	64624	64630	64631	64633	64640	64641	
	64642	64643	64644	64650	64651	64652	64653	64654	64660	64661	64662	64663	
	64664	64670	64671	64673	64680	64681	64682	64683	64684	64690	64691	64693	
	64700	64701	64702	64703	64704	64710	64711	64712	64713	64714	64720	64721	
	64722	64723	64724	64730	64731	64732	64733	64734	64740	64741	64742	64743	
	64744	64750	64751	64752	64753	64754	64760	64761	64762	64763	64764	64780	
	64781	64782	64783	64784	64790	64791	64792	64793	64794	64810	64811	64812	
	64813	64814	64820	64821	64822	64823	64824	64830	64831	64832	64833	64834	
	64840	64841	64842	64843	64844	64850	64851	64852	64853	64854	64860	64861	
	64862	64863	64864	64870	64871	64872	64873	64874	64890	64891	64892	64893	
	64894												
182	Hemorrhage during pregnancy, abruptio placenta, placenta previa												
	64000	64001	64003	64080	64081	64083	64090	64091	64093	64100	64101	64103	
	64110	64111	64113	64120	64121	64123	64130	64131	64133	64180	64181	64183	
	64190	64191	64193										
183	Hypertension complicating pregnancy, childbirth and the puerperium												
	64200	64201	64202	64203	64204	64210	64211	64212	64213	64214	64220	64221	
	64222	64223	64224	64230	64231	64232	64233	64234	64240	64241	64242	64243	
	64244	64250	64251	64252	64253	64254	64260	64261	64262	64263	64264	64270	
	64271	64272	64273	64274	64290	64291	64292	64293	64294				
184	Early or threatened labor												
	64400	64403	64410	64413	64420	64421							
185	Prolonged pregnancy												
	64500	64501	64503										

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 1999)

Diagnosis category ICD-9-CM codes												
186	Diabetes or abnormal glucose tolerance complicating pregnancy, childbirth, or the puerperium											
	64800	64801	64802	64803	64804	64880	64881	64882	64883	64884		
187	Malposition, malpresentation											
	65200	65201	65203	65210	65211	65213	65220	65221	65223	65230	65231	65233
	65240	65241	65243	65250	65251	65253	65260	65261	65263	65270	65271	65273
	65280	65281	65283	65290	65291	65293	66000	66001	66003			
188	Fetopelvic disproportion, obstruction											
	65300	65301	65303	65310	65311	65313	65320	65321	65323	65330	65331	65333
	65340	65341	65343	65350	65351	65353	65360	65361	65363	65370	65371	65373
	65380	65381	65383	65390	65391	65393	66010	66011	66013	66020	66021	66023
	66030	66031	66033	66040	66041	66043	66050	66051	66053	66060	66061	66063
	66070	66071	66073	66080	66081	66083	66090	66091	66093			
189	Previous C-section											
	65420	65421	65423									
190	Fetal distress and abnormal forces of labor											
	65630	65631	65633	66100	66101	66103	66110	66111	66113	66120	66121	66123
	66130	66131	66133	66140	66141	66143	66190	66191	66193	66200	66201	66203
	66210	66211	66213	66220	66221	66223	66230	66231	66233			
191	Polyhydramnios and other problems of amniotic cavity											
	65700	65701	65703	65800	65801	65803	65810	65811	65813	65820	65821	65823
	65830	65831	65833	65840	65841	65843	65880	65881	65883	65890	65891	65893
	7923											
192	Umbilical cord complication											
	66300	66301	66303	66310	66311	66313	66320	66321	66323	66330	66331	66333
	66340	66341	66343	66350	66351	66353	66360	66361	66363	66380	66381	66383
	66390	66391	66393									
193	Trauma to perineum and vulva											
	66400	66401	66404	66410	66411	66414	66420	66421	66424	66430	66431	66434
	66440	66441	66444	66450	66451	66454	66480	66481	66484	66490	66491	66494
194	Forceps delivery											
	66950	66951										
195	Other complications of birth, puerperium affecting management of mother											

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 1999)

Diagnosis category ICD-9-CM codes													
V230	V231	V232	V233	V234	V235	V237	V238	V2381	V2382	V2383	V2384		
V2389	V239	65103	65113	65123	65130	65131	65133	65140	65141	65143	65150		
65151	65153	65160	65161	65163	65183	65193	65400	65401	65402	65403	65404		
65410	65411	65412	65413	65414	65430	65431	65432	65433	65434	65440	65441		
65442	65443	65444	65450	65451	65452	65453	65454	65460	65461	65462	65463		
65464	65470	65471	65472	65473	65474	65480	65481	65482	65483	65484	65490		
65491	65492	65493	65494	65500	65501	65503	65510	65511	65513	65520	65521		
65523	65530	65531	65533	65540	65541	65543	65550	65551	65553	65560	65561		
65563	65570	65571	65573	65580	65581	65583	65590	65591	65593	65600	65601		
65603	65610	65611	65613	65620	65621	65623	65640	65641	65643	65650	65651		
65653	65660	65661	65663	65670	65671	65673	65680	65681	65683	65690	65691		
65693	65900	65901	65903	65910	65911	65913	65920	65921	65923	65930	65931		
65933	65940	65941	65943	65950	65951	65953	65960	65961	65963	65970	65971		
65973	65980	65981	65983	65990	65991	65993	66500	66501	66503	66510	66511		
66512	66514	66520	66522	66524	66530	66531	66534	66540	66541	66544	66550		
66551	66554	66560	66561	66564	66570	66571	66572	66574	66580	66581	66582		
66583	66584	66590	66591	66592	66593	66594	66600	66602	66604	66610	66612		
66614	66620	66622	66624	66630	66632	66634	66700	66702	66704	66710	66712		
66714	66800	66801	66802	66803	66804	66810	66811	66812	66813	66814	66820		
66821	66822	66823	66824	66880	66881	66882	66883	66884	66890	66891	66892		
66893	66894	66900	66901	66902	66903	66904	66910	66911	66912	66913	66914		
66920	66921	66922	66923	66924	66930	66932	66934	66940	66941	66942	66943		
66944	66960	66961	66970	66971	66980	66981	66982	66983	66984	66990	66991		
66992	66993	66994	67000	67002	67004	67100	67101	67102	67103	67104	67110		
67111	67112	67113	67114	67120	67121	67122	67123	67124	67130	67131	67133		
67140	67142	67144	67150	67151	67152	67153	67154	67180	67181	67182	67183		
67184	67190	67191	67192	67193	67194	67200	67202	67204	67300	67301	67302		
67303	67304	67310	67311	67312	67313	67314	67320	67321	67322	67323	67324		
67330	67331	67332	67333	67334	67380	67381	67382	67383	67384	67400	67401		
67402	67403	67404	67410	67412	67414	67420	67422	67424	67430	67432	67434		
67440	67442	67444	67480	67482	67484	67490	67492	67494	67500	67501	67502		
67503	67504	67510	67511	67512	67513	67514	67520	67521	67522	67523	67524		
67580	67581	67582	67583	67584	67590	67591	67592	67593	67594	67600	67601		
67602	67603	67604	67610	67611	67612	67613	67614	67620	67621	67622	67623		
67624	67630	67631	67632	67633	67634	67640	67641	67642	67643	67644	67650		
67651	67652	67653	67654	67660	67661	67662	67663	67664	67680	67681	67682		
67683	67684	67690	67691	67692	67693	67694	677						
196	Normal pregnancy and/or delivery												
	V220	V221	V222	V240	V241	V242	V270	V271	V272	V273	V274	V275	
	V276	V277	V279	V724	650	65100	65101	65110	65111	65120	65121	65180	
	65181	65190	65191										
197	Skin and subcutaneous tissue infections												
	0201	0210	0220	0311	03285	035	0390	6800	6801	6802	6803	6804	
	6805	6806	6807	6808	6809	68100	68101	68102	68110	68111	6819	6820	
	6821	6822	6823	6824	6825	6826	6827	6828	6829	684	6850	6851	
	6860	68600	68601	68609	6861	6868	6869						

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 1999)

Diagnosis category ICD-9-CM codes													
198	Other inflammatory condition of skin												
	690	69010	69011	69012	69018	6908	6940	6941	6942	6943	6944	6945	
	69460	69461	6948	6949	6950	6951	6952	6953	6954	69581	69589	6959	
	6960	6961	6962	6963	6964	6965	6968	6970	6971	6978	6979	6980	
	6981	6982	6983	6984	6988	6989							
199	Chronic ulcer of skin												
	7070	7071	7078	7079									
200	Other skin disorders												
	V133	V423	700	7010	7011	7012	7013	7014	7015	7018	7019	702	
	7020	7021	70211	70219	7028	7030	7038	7039	70400	70401	70402	70409	
	7041	7042	7043	7048	7049	7050	7051	70581	70582	70583	70589	7059	
	7060	7061	7062	7063	7068	7069	7090	70900	70901	70909	7091	7092	
	7093	7094	7098	7099	7808	7821	7822						
201	Infective arthritis and osteomyelitis (except that caused by tuberculosis or sexually transmitted disease)												
	00323	00324	0261	03682	05671	71100	71101	71102	71103	71104	71105	71106	
	71107	71108	71109	71110	71111	71112	71113	71114	71115	71116	71117	71118	
	71119	71120	71121	71122	71123	71124	71125	71126	71127	71128	71129	71130	
	71131	71132	71133	71134	71135	71136	71137	71138	71139	71140	71141	71142	
	71143	71144	71145	71146	71147	71148	71149	71150	71151	71152	71153	71154	
	71155	71156	71157	71158	71159	71160	71161	71162	71163	71164	71165	71166	
	71167	71168	71169	71170	71171	71172	71173	71174	71175	71176	71177	71178	
	71179	71180	71181	71182	71183	71184	71185	71186	71187	71188	71189	71190	
	71191	71192	71193	71194	71195	71196	71197	71198	71199	73000	73001	73002	
	73003	73004	73005	73006	73007	73008	73009	73010	73011	73012	73013	73014	
	73015	73016	73017	73018	73019	73020	73021	73022	73023	73024	73025	73026	
	73027	73028	73029	73030	73031	73032	73033	73034	73035	73036	73037	73038	
	73039	73070	73071	73072	73073	73074	73075	73076	73077	73078	73079	73080	
	73081	73082	73083	73084	73085	73086	73087	73088	73089	73090	73091	73092	
	73093	73094	73095	73096	73097	73098	73099						
202	Rheumatoid arthritis and related disease												
	7140	7141	7142	71430	71431	71432	71433	7144	71481	71489	7149	7200	
203	Osteoarthritis												
	V134	71500	71504	71509	71510	71511	71512	71513	71514	71515	71516	71517	
	71518	71520	71521	71522	71523	71524	71525	71526	71527	71528	71530	71531	
	71532	71533	71534	71535	71536	71537	71538	71580	71589	71590	71591	71592	
	71593	71594	71595	71596	71597	71598							
204	Other non-traumatic joint disorders												

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 1999)

Diagnosis category ICD-9-CM codes														
7130	7131	7132	7133	7134	7135	7136	7137	7138	71600	71601	71602			
71603	71604	71605	71606	71607	71608	71609	71620	71621	71622	71623	71624			
71625	71626	71627	71628	71629	71630	71631	71632	71633	71634	71635	71636			
71637	71638	71639	71640	71641	71642	71643	71644	71645	71646	71647	71648			
71649	71650	71651	71652	71653	71654	71655	71656	71657	71658	71659	71660			
71661	71662	71663	71664	71665	71666	71667	71668	71680	71681	71682	71683			
71684	71685	71686	71687	71688	71689	71690	71691	71692	71693	71694	71695			
71696	71697	71698	71699	71810	71811	71812	71813	71814	71815	71817	71818			
71819	71820	71821	71822	71823	71824	71825	71826	71827	71828	71829	71850			
71851	71852	71853	71854	71855	71856	71857	71858	71859	71860	71865	71880			
71881	71882	71883	71884	71885	71886	71887	71888	71889	71890	71891	71892			
71893	71894	71895	71897	71898	71899	71900	71901	71902	71903	71904	71905			
71906	71907	71908	71909	71910	71911	71912	71913	71914	71915	71916	71917			
71918	71919	71920	71921	71922	71923	71924	71925	71926	71927	71928	71929			
71930	71931	71932	71933	71934	71935	71936	71937	71938	71939	71940	71941			
71942	71943	71944	71945	71946	71947	71948	71949	71950	71951	71952	71953			
71954	71955	71956	71957	71958	71959	71960	71961	71962	71963	71964	71965			
71966	71967	71968	71969	71970	71975	71976	71977	71978	71979	71980	71981			
71982	71983	71984	71985	71986	71987	71988	71989	71990	71991	71992	71993			
71994	71995	71996	71997	71998	71999									
205	Spondylosis, intervertebral disc disorders, other back problems													
	7201	7202	72081	72089	7209	7210	7211	7212	7213	72141	72142	7215		
	7216	7217	7218	72190	72191	7220	72210	72211	7222	72230	72231	72232		
	72239	7224	72251	72252	7226	72270	72271	72272	72273	72280	72281	72282		
	72283	72290	72291	72292	72293	7230	7231	7232	7233	7234	7235	7236		
	7237	7238	7239	72400	72401	72402	72409	7241	7242	7243	7244	7245		
	7246	72470	72471	72479	7248	7249								
206	Osteoporosis													
	73300	73301	73302	73303	73309									
207	Pathological fracture													
	7331	73310	73311	73312	73313	73314	73315	73316	73319					
208	Acquired foot deformities													
	7271	734	7350	7351	7352	7353	7354	7355	7358	7359	73670	73671		
	73672	73673	73674	73675	73676	73679								
209	Other acquired deformities													
	71840	71841	71842	71843	71844	71845	71846	71847	71848	71849	73600	73601		
	73602	73603	73604	73605	73606	73607	73609	7361	73620	73621	73622	73629		
	73630	73631	73632	73639	73641	73642	7365	7366	73681	73689	7369	7370		
	73710	73711	73712	73719	73720	73721	73722	73729	73733	73734	73739	73740		

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 1999)

Diagnosis category ICD-9-CM codes															
	73741 7383	73742 7384	73743 7385	7378 7386	7379 7387	7380 7388	7381 7389	73810	73811	73812	73819	7382			
210	Systemic lupus erythematosus and connective tissue disorders														
	7100	7101	7102	7103	7104	7108	7109								
211	Other connective tissue disease														
	V135 V481 V4965 7105 72639 72672 72706 72760 72789 7286 7291 7819	V436 V482 V4966 725 7264 72673 72709 72761 7279 72871 7292 7937	V4360 V483 V4967 7260 7265 72679 7272 72762 7280 72879 72930	V4361 V490 V4970 72610 72660 7268 7273 72763 72811 72881 72931	V4362 V491 V4971 72611 72661 72690 72740 72764 72811 72882 72939	V4363 V492 V4972 72612 72662 72691 72741 72765 72812 72883 7294	V4364 V495 V4973 72619 72663 72690 72742 72766 72813 72884 7295	V4365 V4960 V4974 7262 72664 72691 72743 72767 72819 72885 7296	V4366 V4961 V4975 72630 72665 72699 72701 72766 72768 72885 7296	V4369 V4962 V4976 72631 72669 72699 72702 72767 72768 72886 72981	V437 V4963 V4977 72632 72670 72671 72704 72750 72751 72781 72782 7283 7284 7285 7289 7290 72989	V454 V4964 V537 72633 72671 72705 72759 72781 72782 7283 7284 7285 7289 7290 7299			
212	Other bone disease and musculoskeletal deformities														
	V424 7324 73341 73392 7397	V486 7325 73342 73399 7398	V487 7326 73343 73730 7399	V494 7327 73344 73731 7399	7310 7328 73349 73732 74760	7311 7329 7335 7390 74761	7312 73320 7336 7391 74762	7318 73321 7337 7392 74763	7320 73322 73381 7393 74764	7321 73329 73382 7394 74769	7322 7333 73390 7395 7479	7323 73340 73391 7396			
213	Cardiac and circulatory congenital anomalies														
	7450 7457 7466 74710 7476	74510 7458 7467 74711 74760	74511 7459 74681 74720 74761	74512 74600 74682 74721 74762	74519 74601 74683 74722 74763	7452 74602 74684 74729 74764	7453 74609 74685 7473 74769	7454 7461 74685 7473 74781	7455 7462 74687 74740 74782	74560 7463 74689 74741 74789	74561 7464 7469 74742 7479	74569 7465 7470 74749 7475			
214	Digestive congenital anomalies														
	7500 75025 7511	75010 75026 7512	75011 75027 7513	75012 75029 7514	75013 7503 7515	75015 7504 75160	75016 7505 75161	75019 7506 75162	75021 7507 75169	75022 7508 7517	75023 7509 7518	75024 7510 7519			
215	Genitourinary congenital anomalies														
	V1361 75251 7530 75320	7520 75252 7531 75321	75210 7526 75310 75322	75211 75261 75311 75323	75219 75262 75312 75329	7522 75263 75313 7533	7523 75264 75314 7534	75240 75265 75315 7535	75241 75269 75316 7536	75242 7527 75317 7537	75249 7528 75319 7538	7525 7529 7532 7539			

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 1999)

Diagnosis category ICD-9-CM codes														
216	Nervous system congenital anomalies													
	7400	7401	7402	74100	74101	74102	74103	74190	74191	74192	74193	7420		
	7421	7422	7423	7424	74251	74253	74259	7428	7429					
217	Other congenital anomalies													
	V136	V1369	74300	74303	74306	74310	74311	74312	74320	74321	74322	74330		
	74331	74332	74333	74334	74335	74336	74337	74339	74341	74342	74343	74344		
	74345	74346	74347	74348	74349	74351	74352	74353	74354	74355	74356	74357		
	74358	74359	74361	74362	74363	74364	74365	74366	74369	7438	7439	74400		
	74401	74402	74403	74404	74405	74409	7441	74421	74422	74423	74424	74429		
	7443	74441	74442	74443	74446	74447	74449	7445	74481	74482	74483	74484		
	74489	7449	7480	7481	7482	7483	7484	7485	74860	74861	74869	7488		
	7489	74900	74901	74902	74903	74904	74910	74911	74912	74913	74914	74920		
	74921	74922	74923	74924	74925	7540	7541	7542	75430	75431	75432	75433		
	75435	75440	75441	75442	75443	75444	75450	75451	75452	75453	75459	75460		
	75461	75462	75469	75470	75471	75479	75481	75482	75489	75500	75501	75502		
	75510	75511	75512	75513	75514	75520	75521	75522	75523	75524	75525	75526		
	75527	75528	75529	75530	75531	75532	75533	75534	75535	75536	75537	75538		
	75539	7554	75550	75551	75552	75553	75554	75555	75556	75557	75558	75559		
	75560	75561	75562	75563	75564	75565	75566	75567	75569	7558	7559	7560		
	75610	75611	75612	75613	75614	75615	75616	75617	75619	7562	7563	7564		
	75650	75651	75652	75653	75654	75655	75656	75659	7566	7567	75670	75671		
	75679	75681	75682	75683	75689	7569	7570	7571	7572	75731	75732	75733		
	75739	7574	7575	7576	7578	7579	7580	7581	7582	7583	7584	7585		
	7586	7587	7588	75881	75889	7589	7590	7591	7592	7593	7594	7595		
	7596	7597	7598	75981	75982	75983	75989	7599	7952					
218	Liveborn													
	V300	V3000	V3001	V301	V302	V310	V3100	V3101	V311	V312	V320	V3200		
	V3201	V321	V322	V330	V3300	V3301	V331	V332	V340	V3400	V3401	V341		
	V342	V350	V3500	V3501	V351	V352	V360	V3600	V3601	V361	V362	V370		
	V3700	V3701	V371	V372	V390	V3900	V3901	V391	V392					
219	Short gestation, low birth weight, and fetal growth retardation													
	7640	76400	76401	76402	76403	76404	76405	76406	76407	76408	76409	7641		
	76410	76411	76412	76413	76414	76415	76416	76417	76418	76419	7642	76420		
	76421	76422	76423	76424	76425	76426	76427	76428	76429	76449	764490	76491		
	76492	76493	76494	76495	76496	76497	76498	76499	7650	76500	76501	76502		
	76503	76504	76505	76506	76507	76508	76509	7651	76510	76511	76512	76513		
	76514	76515	76516	76517	76518	76519								
220	Intrauterine hypoxia and birth asphyxia													
	7680	7681	7682	7683	7684	7685	7686	7689						
221	Respiratory distress syndrome													

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 1999)

Diagnosis category ICD-9-CM codes													
769													
222 Hemolytic jaundice and perinatal jaundice													
7730 7731 7732 7733 7734 7735 7740 7741 7742 77430 77431 77439 7744 7745 7746 7747													
223 Birth trauma													
7670 7671 7672 7673 7674 7675 7676 7677 7678 7679													
224 Other perinatal conditions													
V137 V502 7600 7601 7602 7603 7604 7605 7606 76070 76071 76072 76073 76074 76075 76076 76079 7608 7609 7610 7611 7612 7613 7614 7615 7616 7617 7618 7619 7620 7621 7622 7623 7624 7625 7626 7627 7628 7629 7630 7631 7632 7633 7634 7635 7636 7637 7638 76381 76382 76383 76389 7639 7660 7661 7662 7700 7701 7702 7703 7704 7705 7706 7707 7708 7709 7710 7711 7712 7713 7714 7715 7716 7717 7718 7720 7721 7722 7723 7724 7725 7726 7728 7729 7750 7751 7752 7753 7754 7755 7756 7757 7758 7759 7760 7761 7762 7763 7764 7765 7766 7767 7768 7769 7771 7772 7773 7774 7775 7776 7778 7779 7780 7781 7782 7783 7784 7785 7786 7787 7788 7789 7790 7791 7792 7793 7794 7795 7796 7798 7799													
225 Joint disorders and dislocations, trauma-related													
71610 71611 71612 71613 71614 71615 71616 71617 71618 71619 7170 7171 7172 7173 71740 71741 71742 71743 71749 7175 7176 7177 71781 71782 71783 71784 71785 71789 7179 71800 71801 71802 71803 71804 71805 71807 71808 71809 71830 71831 71832 71833 71834 71835 71836 71837 71838 71839 8300 8301 83100 83101 83102 83103 83104 83109 83110 83111 83112 83113 83114 83119 83200 83201 83202 83203 83204 83209 83210 83211 83212 83213 83214 83219 83300 83301 83302 83303 83304 83305 83309 83310 83311 83312 83313 83314 83315 83319 83400 83401 83402 83410 83411 83412 83500 83501 83502 83503 83510 83511 83512 83513 8360 8361 8362 8363 8364 83650 83651 83652 83653 83654 83659 83660 83661 83662 83663 83664 83669 8370 8371 83800 83801 83802 83803 83804 83805 83806 83809 83810 83811 83812 83813 83814 83815 83816 83819 83900 83901 83902 83903 83904 83905 83906 83907 83908 83910 83911 83912 83913 83914 83915 83916 83917 83918 83920 83921 83930 83931 83940 83941 83942 83949 83950 83951 83952 83959 83961 83969 83971 83979 8398 8399 9056													
226 Fracture of neck of femur (hip)													
82000 82001 82002 82003 82009 82010 82011 82012 82013 82019 82020 82021 82022 82030 82031 82032 8208 8209 9053													

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 1999)

Diagnosis category ICD-9-CM codes														
227	Spinal cord injury													
	80600	80601	80602	80603	80604	80605	80606	80607	80608	80609	80610	80611		
	80612	80613	80614	80615	80616	80617	80618	80619	80620	80621	80622	80623		
	80624	80625	80626	80627	80628	80629	80630	80631	80632	80633	80634	80635		
	80636	80637	80638	80639	8064	8065	80660	80661	80662	80669	80670	80671		
	80672	80679	8068	8069	9072	95200	95201	95202	95203	95204	95205	95206		
	95207	95208	95209	95210	95211	95212	95213	95214	95215	95216	95217	95218		
	95219	9522	9523	9524	9528	9529	99655	99656	99668					
228	Skull and face fractures													
	80000	80001	80002	80003	80004	80005	80006	80009	80050	80051	80052	80053		
	80054	80055	80056	80059	80100	80101	80102	80103	80104	80105	80106	80109		
	80150	80151	80152	80153	80154	80155	80156	80159	8020	8021	80220	80221		
	80222	80223	80224	80225	80226	80227	80228	80229	80230	80231	80232	80233		
	80234	80235	80236	80237	80238	80239	8024	8025	8026	8027	8028	8029		
	80300	80301	80302	80303	80304	80305	80306	80309	80350	80351	80352	80353		
	80354	80355	80356	80359	80400	80401	80402	80403	80404	80405	80406	80409		
	80450	80451	80452	80453	80454	80455	80456	80459	9050					
229	Fracture of upper limb													
	81000	81001	81002	81003	81010	81011	81012	81013	81100	81101	81102	81103		
	81109	81110	81111	81112	81113	81119	81200	81201	81202	81203	81209	81210		
	81211	81212	81213	81219	81220	81221	81230	81231	81240	81241	81242	81243		
	81244	81249	81250	81251	81252	81253	81254	81259	81300	81301	81302	81303		
	81304	81305	81306	81307	81308	81310	81311	81312	81313	81314	81315	81316		
	81317	81318	81320	81321	81322	81323	81330	81331	81332	81333	81340	81341		
	81342	81343	81344	81350	81351	81352	81353	81354	81380	81381	81382	81383		
	81390	81391	81392	81393	81400	81401	81402	81403	81404	81405	81406	81407		
	81408	81409	81410	81411	81412	81413	81414	81415	81416	81417	81418	81419		
	81500	81501	81502	81503	81504	81509	81510	81511	81512	81513	81514	81519		
	81600	81601	81602	81603	81610	81611	81612	81613	8170	8171	8180	8181		
	8190	8191	9052											
230	Fracture of lower limb													
	82100	82101	82110	82111	82120	82121	82122	82123	82129	82130	82131	82132		
	82133	82139	8220	8221	82300	82301	82302	82310	82311	82312	82320	82321		
	82322	82330	82331	82332	82380	82381	82382	82390	82391	82392	8240	8241		
	8242	8243	8244	8245	8246	8247	8248	8249	8250	8251	82520	82521		
	82522	82523	82524	82525	82529	82530	82531	82532	82533	82534	82535	82539		
	8260	8261	8270	8271	9054									

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 1999)

Diagnosis category ICD-9-CM codes													
231	Other fractures												
	V540	V664	V674	80500	80501	80502	80503	80504	80505	80506	80507	80508	
	80510	80511	80512	80513	80514	80515	80516	80517	80518	8052	8053	8054	
	8055	8056	8057	8058	8059	80700	80701	80702	80703	80704	80705	80706	
	80707	80708	80709	80710	80711	80712	80713	80714	80715	80716	80717	80718	
	80719	8072	8073	8074	8075	8076	8080	8081	8082	8083	80841	80842	
	80843	80849	80851	80852	80853	80859	8088	8089	8090	8091	8280	8281	
	8290	8291	9051	9055									
232	Sprains and strains												
	8400	8401	8402	8403	8404	8405	8406	8408	8409	8410	8411	8412	
	8413	8418	8419	84200	84201	84202	84209	84210	84211	84212	84213	84219	
	8430	8431	8438	8439	8440	8441	8442	8443	8448	8449	84500	84501	
	84502	84503	84509	84510	84511	84512	84513	84519	8460	8461	8462	8463	
	8468	8469	8470	8471	8472	8473	8474	8479	8480	8481	8482	8483	
233	Intracranial injury												
	80010	80011	80012	80013	80014	80015	80016	80019	80020	80021	80022	80023	
	80024	80025	80026	80029	80030	80031	80032	80033	80034	80035	80036	80039	
	80040	80041	80042	80043	80044	80045	80046	80049	80060	80061	80062	80063	
	80064	80065	80066	80069	80070	80071	80072	80073	80074	80075	80076	80079	
	80080	80081	80082	80083	80084	80085	80086	80089	80090	80091	80092	80093	
	80094	80095	80096	80099	80110	80111	80112	80113	80114	80115	80116	80119	
	80120	80121	80122	80123	80124	80125	80126	80129	80130	80131	80132	80133	
	80134	80135	80136	80139	80140	80141	80142	80143	80144	80145	80146	80149	
	80160	80161	80162	80163	80164	80165	80166	80169	80170	80171	80172	80173	
	80174	80175	80176	80179	80180	80181	80182	80183	80184	80185	80186	80189	
	80190	80191	80192	80193	80194	80195	80196	80199	80310	80311	80312	80313	
	80314	80315	80316	80319	80320	80321	80322	80323	80324	80325	80326	80329	
	80330	80331	80332	80333	80334	80335	80336	80339	80340	80341	80342	80343	
	80344	80345	80346	80349	80360	80361	80362	80363	80364	80365	80366	80369	
	80370	80371	80372	80373	80374	80375	80376	80379	80380	80381	80382	80383	
	80384	80385	80386	80389	80390	80391	80392	80393	80394	80395	80396	80399	
	80410	80411	80412	80413	80414	80415	80416	80419	80420	80421	80422	80423	
	80424	80425	80426	80429	80430	80431	80432	80433	80434	80435	80436	80439	
	80440	80441	80442	80443	80444	80445	80446	80449	80460	80461	80462	80463	
	80464	80465	80466	80469	80470	80471	80472	80473	80474	80475	80476	80479	
	80480	80481	80482	80483	80484	80485	80486	80489	80490	80491	80492	80493	
	80494	80495	80496	80499	8500	8501	8502	8503	8504	8505	8509	85100	
	85101	85102	85103	85104	85105	85106	85109	85110	85111	85112	85113	85114	
	85115	85116	85119	85120	85121	85122	85123	85124	85125	85126	85129	85130	
	85131	85132	85133	85134	85135	85136	85139	85140	85141	85142	85143	85144	
	85145	85146	85149	85150	85151	85152	85153	85154	85155	85156	85159	85160	

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 1999)

Diagnosis category ICD-9-CM codes													
85161	85162	85163	85164	85165	85166	85169	85170	85171	85172	85173	85174		
85175	85176	85179	85180	85181	85182	85183	85184	85185	85186	85189	85190		
85191	85192	85193	85194	85195	85196	85199	85200	85201	85202	85203	85204		
85205	85206	85209	85210	85211	85212	85213	85214	85215	85216	85219	85220		
85221	85222	85223	85224	85225	85226	85229	85230	85231	85232	85233	85234		
85235	85236	85239	85240	85241	85242	85243	85244	85245	85246	85249	85250		
85251	85252	85253	85254	85255	85256	85259	85300	85301	85302	85303	85304		
85305	85306	85309	85310	85311	85312	85313	85314	85315	85316	85319	85400		
85401	85402	85403	85404	85405	85406	85409	85410	85411	85412	85413	85414		
85415	85416	85419	9070										
234	Crushing injury or internal injury												
8600	8601	8602	8603	8604	8605	86100	86101	86102	86103	86110	86111		
86112	86113	86120	86121	86122	86130	86131	86132	8620	8621	86221	86222		
86229	86231	86232	86239	8628	8629	8630	8631	86320	86321	86329	86330		
86331	86339	86340	86341	86342	86343	86344	86345	86346	86349	86350	86351		
86352	86353	86354	86355	86356	86359	86380	86381	86382	86383	86384	86385		
86389	86390	86391	86392	86393	86394	86395	86399	86400	86401	86402	86403		
86404	86405	86409	86410	86411	86412	86413	86414	86415	86419	86500	86501		
86502	86503	86504	86509	86510	86511	86512	86513	86514	86519	86600	86601		
86602	86603	86610	86611	86612	86613	8670	8671	8672	8673	8674	8675		
8676	8677	8678	8679	86800	86801	86802	86803	86804	86809	86810	86811		
86812	86813	86814	86819	8690	8691	90000	90001	90002	90003	9001	90081		
90082	90089	9009	9010	9011	9012	9013	90140	90141	90142	90181	90182		
90183	90189	9019	9020	90210	90211	90219	90220	90221	90222	90223	90224		
90225	90226	90227	90229	90231	90232	90233	90234	90239	90240	90241	90242		
90249	90250	90251	90252	90253	90254	90255	90256	90259	90281	90282	90287		
90289	9029	90300	90301	90302	9031	9032	9033	9034	9035	9038	9039		
9040	9041	9042	9043	90440	90441	90442	90450	90451	90452	90453	90454		
9046	9047	9048	9049	9064	9080	9081	9082	9083	9084	925	9251		
9252	9260	92611	92612	92619	9268	9269	92700	92701	92702	92703	92709		
92710	92711	92720	92721	9273	9278	9279	92800	92801	92810	92811	92820		
92821	9283	9288	9289	9290	9299								
235	Open wounds of head, neck, and trunk												
8700	8701	8702	8703	8704	8708	8709	8710	8711	8712	8713	8714		
8715	8716	8717	8719	87200	87201	87202	87210	87211	87212	87261	87262		
87263	87264	87269	87271	87272	87273	87274	87279	8728	8729	8730	8731		
87320	87321	87322	87323	87329	87330	87331	87332	87333	87339	87340	87341		
87342	87343	87344	87349	87350	87351	87352	87353	87354	87359	87360	87361		
87362	87363	87364	87365	87369	87370	87371	87372	87373	87374	87375	87379		
8738	8739	87400	87401	87402	87410	87411	87412	8742	8743	8744	8745		
8748	8749	8750	8751	8760	8761	8770	8771	8780	8781	8782	8783		
8784	8785	8786	8787	8788	8789	8790	8791	8792	8793	8794	8795		
8796	8797	8798	8799	9060									

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 1999)

Diagnosis category ICD-9-CM codes														
236	Open wounds of extremities													
	88000	88001	88002	88003	88009	88010	88011	88012	88013	88019	88020	88021		
	88022	88023	88029	88100	88101	88102	88110	88111	88112	88120	88121	88122		
	8820	8821	8822	8830	8831	8832	8840	8841	8842	8850	8851	8860		
	8861	8870	8871	8872	8873	8874	8875	8876	8877	8900	8901	8902		
	8910	8911	8912	8920	8921	8922	8930	8931	8932	8940	8941	8942		
	8950	8951	8960	8961	8962	8963	8970	8971	8972	8973	8974	8975		
	8976	8977	9058	9059	9061									
237	Complication of device, implant or graft													
	41402	41403	41404	41405	44030	44031	44032	56960	56961	56969	99600	99601		
	99602	99603	99604	99609	9961	9962	99630	99631	99632	99639	9964	99651		
	99652	99653	99654	99655	99656	99659	9966	99660	99661	99662	99663	99664		
	99665	99666	99667	99668	99669	9967	99670	99671	99672	99673	99674	99675		
	99676	99677	99678	99679	99680	99681	99682	99683	99684	99685	99686	99689		
	99690	99691	99692	99693	99694	99695	99696	99699						
238	Complications of surgical procedures or medical care													
	3490	3491	41511	4294	4582	5121	5190	51900	51901	51902	51909	53640		
	53641	53642	53649	56962	5642	5643	5644	5696	56962	5793	9093	9954		
	99586	9970	99700	99701	99702	99709	9971	9972	9973	9974	9975	99760		
	99761	99762	99769	9979	99791	99799	9980	9981	99811	99812	99813	9982		
	9983	9984	9985	99851	99859	9986	9987	9988	99881	99882	99883	99889		
	9989	9990	9991	9992	9993	9994	9995	9996	9997	9998	9999			
239	Superficial injury, contusion													
	9062	9063	9100	9101	9102	9103	9104	9105	9106	9107	9108	9109		
	9110	9111	9112	9113	9114	9115	9116	9117	9118	9119	9120	9121		
	9122	9123	9124	9125	9126	9127	9128	9129	9130	9131	9132	9133		
	9134	9135	9136	9137	9138	9139	9140	9141	9142	9143	9144	9145		
	9146	9147	9148	9149	9150	9151	9152	9153	9154	9155	9156	9157		
	9158	9159	9160	9161	9162	9163	9164	9165	9166	9167	9168	9169		
	9170	9171	9172	9173	9174	9175	9176	9177	9178	9179	9180	9181		
	9182	9189	9190	9191	9192	9193	9194	9195	9196	9197	9198	9199		
	920	9210	9211	9212	9213	9219	9220	9221	9222	9223	92231	92232		
	92233	9224	9228	9229	92300	92301	92302	92303	92309	92310	92311	92320		
	92321	9233	9238	9239	92400	92401	92410	92411	92420	92421	9243	9244		
	9245	9248	9249											
240	Burns													
	9065	9066	9067	9068	9069	9400	9401	9402	9403	9404	9405	9409		
	94100	94101	94102	94103	94104	94105	94106	94107	94108	94109	94110	94111		

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 1999)

Diagnosis category ICD-9-CM codes													
94112	94113	94114	94115	94116	94117	94118	94119	94120	94121	94122	94123		
94124	94125	94126	94127	94128	94129	94130	94131	94132	94133	94134	94135		
94136	94137	94138	94139	94140	94141	94142	94143	94144	94145	94146	94147		
94148	94149	94150	94151	94152	94153	94154	94155	94156	94157	94158	94159		
94200	94201	94202	94203	94204	94205	94209	94210	94211	94212	94213	94214		
94215	94219	94220	94221	94222	94223	94224	94225	94229	94230	94231	94232		
94233	94234	94235	94239	94240	94241	94242	94243	94244	94245	94249	94250		
94251	94252	94253	94254	94255	94259	94300	94301	94302	94303	94304	94305		
94306	94309	94310	94311	94312	94313	94314	94315	94316	94319	94320	94321		
94322	94323	94324	94325	94326	94329	94330	94331	94332	94333	94334	94335		
94336	94339	94340	94341	94342	94343	94344	94345	94346	94349	94350	94351		
94352	94353	94354	94355	94356	94359	94400	94401	94402	94403	94404	94405		
94406	94407	94408	94410	94411	94412	94413	94414	94415	94416	94417	94418		
94420	94421	94422	94423	94424	94425	94426	94427	94428	94430	94431	94432		
94433	94434	94435	94436	94437	94438	94440	94441	94442	94443	94444	94445		
94446	94447	94448	94450	94451	94452	94453	94454	94455	94456	94457	94458		
94500	94501	94502	94503	94504	94505	94506	94509	94510	94511	94512	94513		
94514	94515	94516	94519	94520	94521	94522	94523	94524	94525	94526	94529		
94530	94531	94532	94533	94534	94535	94536	94539	94540	94541	94542	94543		
94544	94545	94546	94549	94550	94551	94552	94553	94554	94555	94556	94559		
9460	9461	9462	9463	9464	9465	9470	9471	9472	9473	9474	9478		
9479	94800	94810	94811	94820	94821	94822	94830	94831	94832	94833	94840		
94841	94842	94843	94844	94850	94851	94852	94853	94854	94855	94860	94861		
94862	94863	94864	94865	94866	94870	94871	94872	94873	94874	94875	94876		
94877	94880	94881	94882	94883	94884	94885	94886	94887	94888	94890	94891		
94892	94893	94894	94895	94896	94897	94898	94899	9490	9491	9492	9493		
9494	9495												
241	Poisoning by psychotropic agents												
	9690	9691	9692	9693	9694	9695	9696	9697	9698	9699			
242	Poisoning by other medications and drugs												
	9090	9095	9600	9601	9602	9603	9604	9605	9606	9607	9608	9609	
	9610	9611	9612	9613	9614	9615	9616	9617	9618	9619	9620	9621	
	9622	9623	9624	9625	9626	9627	9628	9629	9630	9631	9632	9633	
	9634	9635	9638	9639	9640	9641	9642	9643	9644	9645	9646	9647	
	9648	9649	96500	96501	96502	96509	9651	9654	9655	9656	96561	96569	
	9657	9658	9659	9660	9661	9662	9663	9664	9670	9671	9672	9673	
	9674	9675	9676	9678	9679	9680	9681	9682	9683	9684	9685	9686	
	9687	9689	9700	9701	9708	9709	9710	9711	9712	9713	9719	9720	
	9721	9722	9723	9724	9725	9726	9727	9728	9729	9730	9731	9732	
	9733	9734	9735	9736	9738	9739	9740	9741	9742	9743	9744	9745	
	9746	9747	9750	9751	9752	9753	9754	9755	9756	9757	9758	9760	
	9761	9762	9763	9764	9765	9766	9767	9768	9769	9770	9771	9772	

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 1999)

Diagnosis category ICD-9-CM codes														
9773 9789	9774 9790	9778 9791	9779 9792	9780 9793	9781 9794	9782 9795	9783 9796	9784 9797	9785 9799	9786 9952	9788			
243	Poisoning by nonmedicinal substances													
	9091 9824 9852 9874 9891 98989	9800 9828 9853 9875 9892 9899	9801 9830 9854 9876 9893 9894	9802 9831 9855 9877 9894	9803 9832 9856 9878 9895	9808 9839 9858 9879 9896	9809 9840 9859 9880 9897	981 9841 986 9881 9898	9820 9848 986 9882 98981	9821 9849 9871 9888 98982	9822 9850 9872 9889 98983	9823 9851 9873 9890 98984		
244	Other injuries and conditions due to external causes													
	V155 9079 931 937 9510 9532 9552 9564 9584 9595 9916 9929 9944 99554	V156 9085 932 938 9511 9533 9553 9565 9585 9596 9918 9930 9945 99555	V713 9086 9330 9390 9512 9534 9554 9568 9586 9597 9919 9931 9946 99559	V714 9089 9331 9391 9513 9535 9555 9569 9587 9598 9920 9932 9947 99580	V715 9092 9340 9392 9514 9538 9555 9570 9588 9599 9921 9933 9948 99581	V716 9094 9341 9393 9514 9539 9556 9570 9588 9590 990 9922 9934 9949	7960 9099 9348 9399 9515 9539 9557 9571 9590 990 9922 9934 9949 99582	7990 9300 9349 9500 9516 9540 9558 9578 95901 990 9923 9938 9949 99583	9071 9301 9350 9501 9517 9541 9558 9579 95909 9910 9924 9939 9951 99583	9073 9302 9351 9502 9518 9541 9559 9579 9591 9911 9924 9939 9955 99584	9074 9308 9352 9503 9519 9548 9560 9580 9592 9912 9925 9940 9955 99585	9075 9309 9356 9509 9530 9550 9563 9582 9593 9913 9926 9941 9952 99589		
245	Syncope													
	7802													
246	Fever of unknown origin													
	7806													
247	Lymphadenitis													
	2891 2892 2893 683 7856													
248	Gangrene													
	44024 7854													
249	Shock													

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 1999)

Diagnosis category ICD-9-CM codes														
	78550	78551	78559											
250	Nausea and vomiting													
	7870	78701	78702	78703										
251	Abdominal pain													
	7890	78900	78901	78902	78903	78904	78905	78906	78907	78909	78960	78961		
	78962	78963	78964	78965	78966	78967	78969							
252	Malaise and fatigue													
	7807	78071	78079											
253	Allergic reactions													
	V071	V140	V141	V142	V143	V144	V145	V146	V147	V148	V149	V150		
	V727	5186	6910	6918	6920	6921	6922	6923	6924	6925	6926	69270		
	69271	69272	69273	69274	69279	69281	69282	69283	69289	6929	6930	6931		
	6938	6939	7080	7081	7082	7083	7084	7085	7088	7089	9950	9953		
	99560	99561	99562	99563	99564	99565	99566	99567	99568	99569				
254	Rehabilitation care, fitting of prostheses, and adjustment of devices													
	V520	V521	V524	V528	V529	V538	V570	V571	V572	V5721	V5722	V573		
	V574	V5781	V5789	V579	V5882									
255	Administrative/social admission													
	V200	V201	V202	V600	V601	V602	V603	V604	V605	V606	V608	V609		
	V610	V611	V6110	V6111	V6112	V6120	V6121	V6122	V6129	V613	V6141	V6149		
	V616	V617	V618	V619	V620	V621	V622	V623	V624	V625	V626	V6281		
	V6282	V6283	V6289	V629	V630	V631	V632	V638	V639	V650	V651	V652		
	V653	V654	V6540	V6541	V6542	V6543	V6544	V6545	V6549	V655	V658	V659		
	V680	V681	V682	V6881	V6889	V689								
256	Medical examination/evaluation													
	V290	V291	V292	V293	V298	V299	V700	V703	V704	V705	V706	V707		
	V708	V709	V718	V719	V725	V726	V728	V7281	V7282	V7283	V7284	V7285		

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

Appendix 3
Clinical Classification Software—DIAGNOSES
(with all coding changes valid from January 1980 through September 1999)

Diagnosis category ICD-9-CM codes												
257	Other aftercare											
	V51	V539	V548	V549	V558	V559	V583	V584	V5841	V5849	V5861	V5862
	V5869	V588	V5881	V5889	V589	V660	V665	V666	V667	V669	V670	V6751
	V6759	V676	V679									
258	Other screening for suspected conditions (not mental disorders or infectious disease)											
	V280	V281	V282	V283	V284	V285	V288	V289	V760	V761	V7610	V7611
	V7612	V7619	V762	V763	V7641	V7642	V7643	V7644	V7645	V7649	V768	V769
	V770	V771	V772	V773	V774	V775	V776	V777	V778	V779	V780	V781
	V782	V783	V788	V789	V800	V801	V802	V803	V810	V811	V812	V813
	V814	V815	V816	V820	V821	V822	V823	V824	V825	V826	V828	V829
259	Residual codes, unclassified											
	V070	V072	V073	V0731	V0739	V078	V079	V131	V138	V139	V152	V153
	V1581	V1584	V1585	V1586	V1589	V159	V160	V161	V162	V163	V164	V1640
	V1641	V1642	V1643	V1649	V165	V1651	V1659	V166	V167	V168	V169	V170
	V171	V172	V173	V174	V175	V176	V177	V178	V180	V181	V182	V183
	V184	V185	V186	V1861	V1869	V187	V188	V190	V191	V192	V193	V194
	V195	V196	V197	V198	V210	V211	V212	V218	V219	V418	V419	V428
	V4281	V4282	V4283	V4289	V429	V438	V4381	V4382	V4383	V4389	V447	V448
	V449	V4571	V4572	V4573	V4583	V4589	V460	V468	V469	V470	V471	V472
	V479	V480	V488	V489	V498	V499	V500	V501	V503	V5041	V5042	V5049
	V508	V509	V590	V5901	V5902	V5909	V591	V592	V593	V594	V595	V596
	V598	V599	V615	V640	V641	V642	V643	V644	V690	V691	V692	V693
	V698	V699	3020	78002	78050	78051	78052	78053	78054	78055	78056	78057
	78059	7809	7815	7816	7823	78261	78262	7828	7829	7830	7836	7842
	7901	7903	7906	7909	79091	79092	79093	79094	79099	7929	7932	7938
	7939	7949	7954	7963	7964	7965	7969	7980	7981	7982	7989	7992
	7993	7998	7999									

Source: AHRQ, Center for Organization and Delivery Studies, Healthcare Cost and Utilization Project (HCUP).

**Appendix 4:
List of Priority Conditions**

LIST OF PRIORITY CONDITIONS

A. LONG-TERM, LIFE THREATENING CONDITIONS:

Cancer (of any body part)

cancer
tumor
malignancy
malignant tumor
carcinoma
sarcoma
lymphoma
Hodgkin's disease
leukemia
melanoma
metastasis
neuroma
adenoma

High Cholesterol

high cholesterol
high or elevated triglycerides
hyperlipidemia
hypercholesterolemia

HIV/AIDS

HIV
AIDS

Hypertension

hypertension
high blood pressure

Ischemic Heart Disease

ischemic heart disease (MUST use
the word 'ischemic')
angina
angina pectoris
coronary artery disease
blocked, obstructed, or occluded
coronary arteries
arteriosclerosis
myocardial infarction
heart attack

Diabetes

diabetes
diabetes mellitus
high blood sugar
juvenile diabetes
(Type I diabetes)
adult-onset diabetes
(Type II diabetes)
diabetic neuropathy

Emphysema

emphysema
chronic obstructive pulmonary
disease (COPD)
chronic bronchitis (MUST use the
word 'chronic', only for adults)
Chronic obstructive bronchitis (MUST
use the word 'chronic', only for
adults)
smokers cough

Stroke

stroke
cerebral hemorrhage
cerebral aneurysm
transient ischemic accident
transient ischemic attack
apoplexy
carotid artery blockage
arterial thrombosis in brain
blood clot in brain

B. CHRONIC, MANAGEABLE CONDITIONS:

Arthritis

anything with the word 'arthritis'
rheumatoid arthritis
degenerative arthritis
osteoarthritis
bursitis
rheumatism

Asthma

anything with the word 'asthma' or
'asthmatic'

Gall Bladder Disease

gall bladder disease, trouble,
attacks, infection, or problems
gallstones

Stomach Ulcers

stomach ulcer
duodenal ulcer
peptic ulcer
bleeding ulcer
ulcerated stomach
perforated ulcer

Back Problems of Any Kind

back problems or pain of any kind
(lower or upper back)
sore, hurt, injured, or stiff back
backache
anything with the words 'vertebra',
'vertebrae', 'lumbar', 'spine', or
'spinal'
strained or pulled muscle in back
sprained back
muscle spasms
back spasms
bad back
lumbago
sciatica or sciatic nerve problems
disc problems: herniated, ruptured,
slipped, compressed, extruded,
dislocated, deteriorated, or
misaligned discs

C. MENTAL HEALTH ISSUES:

Alzheimer's Disease and Other Dementias

anything with the words 'Alzheimer's' or 'dementia'
organic brain syndrome

Depression and Anxiety Disorders

depression (including severe, chronic, or major depression)
dysthymia
dysthymic disorder
bipolar disorder
manic depression or manic depressive illness
anxiety attacks
panic attacks
anxiety
nerves
nervous condition
nervous breakdown